

Publications Prof. Dr. Gerard van Koten

1. J.J. de Ridder, G. van Koten, and G. Dijkstra.
Mass spectra of some tetra-alkyl germanium compounds.
Recl. Trav. Chim. Pays-Bas, **1967**, 86, 1325.
2. G. van Koten, A.J. Leusink, and J.G. Noltes.
Stable arylcopper compounds containing 2-(dimethylamino)methyl or 2-methoxymethyl groups at the aryl nucleus.
J. Chem. Soc., Chem. Commun., **1970**, 1107.
3. G. van Koten, A.J. Leusink and J.G. Noltes.
Stable arylcopper compounds containing methoxy, dimethylamino, diphenylphosphino, or dimethylsulfamoyl groups at the aryl nucleus.
Inorg. Nucl. Chem. Lett., **1971**, 7, 227.
4. G. van Koten and J.G. Noltes.
 α -Cupriobenzylideneamines, a novel class of thermally stable organocopper compounds.
J. Chem. Soc., Chem. Commun., **1972**, 59.
5. J.M. Guss, R. Mason, I. Sotofte, G. van Koten and J.G. Noltes.
A tetranuclear cluster complex of copper(I) with bridging aryl ligands: the crystal structure of (4-methyl-2-cupriobenzyl)dimethylamine.
J. Chem. Soc., Chem. Commun., **1972**, 446.
6. G. van Koten and J.G. Noltes.
Novel aryl-bridged tetranuclear copper lithium cluster compounds: Synthesis and characterization by ^{13}C and ^1H nuclear magnetic resonance spectroscopy of bis-{2-[(dimethylamino)methyl]phenyl}copper(I) lithium.
J. Chem. Soc., Chem. Commun., **1972**, 940.
7. G. van Koten and J.G. Noltes.
Complex-forming reactions of an arylcopper(I) cluster compound with organo phosphines. An unexpected C(alkyl)-P bond cleavage in 1,2-bis(diphenyl -phosphino)-ethane.
J. Chem. Soc., Chem. Commun., **1972**, 452.
8. J.M. Guss, R. Mason, K.M. Thomas, G. van Koten and J.G. Noltes.
Copper(I)-aryl bonds in cluster complexes: the structure of $[\text{Cu}(2\text{-Me}_2\text{NC}_6\text{H}_4)]_4(\text{CuBr})_2 \cdot 1.5\text{C}_6\text{H}_6$.
J. Organomet. Chem., **1972**, 40, C79.
9. A.J. Leusink, G. van Koten and J.G. Noltes.
Stable arylsilver compounds containing dimethylamino, (dimethylamino)methyl or methoxy groups at the aryl nucleus.
J. Organomet. Chem., **1973**, 56, 379.
10. A.J. Leusink, G. van Koten, J.W. Marsman and J.G. Noltes.
Bis{2-[(dimethylamino)methyl]phenyl}silverlithium. A tetranuclear organometallic compound with bridging aryl groups between silver and lithium.
J. Organomet. Chem., **1973**, 55, 419.
11. G. van Koten and J. Boersma.
Apparatus for sampling air and moisture sensitive single crystals for X-ray analysis.
Chemistry and Industry, **1973**, 1117.
12. G. van Koten and J.G. Noltes.
Synthesis and specific intramolecular C-C coupling reactions of novel hexanuclear copper cluster complexes $\text{Ar}_4\text{R}_2\text{Cu}_6$.
J. Chem. Soc., Chem. Commun., **1974**, 575.

13. G. van Koten and J.G. Noltes.
Arylgold(I) and aryl(triphenylphosphine)gold(I) compounds.
J. Organomet. Chem., **1974**, *80*, C56.
14. G. van Koten and J.G. Noltes.
Novel aryl-bridged tetranuclear gold-lithium and gold-copper cluster compounds $R_4Au_2M_2$ (M = Li or Cu).
J. Organomet. Chem., **1974**, *82*, C53.
15. G. van Koten, A.J. Leusink and J.G. Noltes.
Synthesis and properties of some 2-(dimethylamino)methyl-substituted arylcopper compounds.
J. Organomet. Chem., **1975**, *84*, 117.
16. G. van Koten and J.G. Noltes.
Structural characterization of some 2-(dimethylamino)methyl-substituted phenylcopper compounds R_4Cu_4 .
J. Organomet. Chem., **1975**, *84*, 129.
17. G. van Koten and J.G. Noltes.
The reactions of 2-[(dimethylamino)methyl]phenylcopper and -lithium tetramer with cuprous and cupric halides.
J. Organomet. Chem., **1975**, *84*, 419.
18. G. van Koten, A.J. Leusink en J.G. Noltes.
Synthesis and characterization of arylcopper compounds containing the methoxy or dimethylamino groups as a built-in ligand.
J. Organomet. Chem., **1975**, *85*, 105.
19. G. van Koten, C.A. Schaap and J.G. Noltes.
Group IB Organometallic Chemistry. XV. Arylcopper compounds Ar_nCu_n as intermediates in organometallic synthesis. One-step synthesis of triorganotin halides of the type Ar_3SnX and $Ar_{3-n}R_nSnX$.
J. Organomet. Chem., **1975**, *99*, 157.
20. G. van Koten and J.G. Noltes.
Group IB Organometallic Chemistry. XVI. Complex formation between 2-(dimethylamino)phenylcopper with copper(I) or silver halides. Synthesis and structural characterization of hexanuclear $(2-Me_2NC_6H_4)_4Cu_{6-n}M_nX_2$ (M = Cu or Ag) cluster compounds.
J. Organomet. Chem., **1975**, *102*, 551.
21. G. van Koten and J.G. Noltes.
Group IB Organometallic Chemistry, XIV. Intramolecular ring-closure reactions of novel arylcopper compounds RCu^I_2 . Synthesis of 7,8-dihydrodibenzo[f,h] [1,4]dioxecin and 7,8-dihydrobenzo-6,9-dimethyl[f,h][1,4]diazecin.
J. Organomet. Chem., **1976**, *104*, 127.
22. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Are arylcopper compounds intermediates in the exchange reaction between aryl halides and copper(I) salts.
Tetrahedron Lett., **1976**, *3*, 223.
23. G. van Koten, J.G. Noltes and A.L. Spek.
Crystal and molecular structure of C,N-{2-[(dimethylamino)methyl]phenyl} diphenyltinbromide.
J. Organomet. Chem., **1976**, *118*, 183.
24. G. van Koten and J.G. Noltes.
Novel chiral triorganotin halides. Stabilization of optically active tin centers by intramolecular coordination.

- J. Am. Chem. Soc.*, **1976**, 98, 5393.
25. G. van Koten and J.G. Noltes.
Chiral pentacoordinate triorganotin halides, *Advan. in Chemistry Series*, pp. , **1976**.
 26. G. van Koten, J.W. Marsman, G.A.K. Breedijk and A.L. Spek.
¹H NMR and X-Ray study of the dihedral bond angles in the rigid gauche -O-CH₂CH₂-O moiety of cyclic 7,8-dihydrodibenzo[f,h][1,4]dioxecin.
J. Chem. Soc. Perkin II, **1977**, 1942.
 27. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
Facile high yield synthesis of 1-methyl-2-p-tolylindole and its 3-iodo derivative.
Synt. Commun., **1977**, 7, 61.
 28. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Determination by microwave titration of the stoichiometry of phosphine and amine complexes of cuprous trifluoromethanesulphonate (copper triflate).
Inorg. Chim. Acta, **1977**, 21, L9.
 29. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Group IB Organometallic Chemistry 18. Novel routes to stable hexanuclear copper-silver, silver-gold and copper-gold cluster compounds starting from polymeric 2-(dimethylamino)phenylcopper and from bis-[2-(dimethylamino)phenyl]goldlithium dimer.
Inorg. Chem., **1977**, 16, 1782.
 30. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Selective formation of biaryls via interaction of polynuclear arylcopper compounds with copper(I) trifluoromethane sulphonate [(copper(I) triflate)].
J. Org. Chem., **1977**, 42, 2047.
 31. G. van Koten, R.W.M. ten Hoedt and J.G. Noltes.
The role of mixed organocopper cluster compounds R_nR'_mCu_{n+m} in selective C-C coupling reactions of 2- and 4-(dimethylamino)phenylcopper with copper arylacetylides.
J. Org. Chem., **1977**, 42, 2705.
 32. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
Group IB Organometallic Chemistry XIX. Synthesis and characterization of mixed-organocopper cluster compounds R₄R'₂Cu₆ containing aryl and acetylide ligands.
J. Organomet. Chem., **1977**, 133, 113.
 33. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Interaction of arylmetal compounds of group IB with copper(I) and silver(I) trifluoromethanesulphonate; a novel biaryl synthesis and a route to hexanuclear aryl-CuAg, -AgAu and -CuAu clusters.
J. Chem. Soc., Chem. Commun., **1977**, 203.
 34. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Stable tetranuclear 4-tolylcopperlithium ("cuprate") and -goldlithium ("aurate") compounds.
J. Organomet. Chem., **1977**, 140, C23.
 35. H. van der Poel, G. van Koten and K. Vrieze.
α-Diimines as monodentate or bridging ligands, synthesis and characterization of Palladium(II) and Rhodium(I) di(t-butyl)diimine complexes.
J. Organomet. Chem., **1977**, 135, C63.
 36. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes, W.M.G.F. Pontenagel, J. Kroon and A.L. Spek.
Synthesis of C,_nSn-chiral triorganotin halides via C-chiral arylcopper and arylgoldlithium intermediates. Crystal and molecular structure of one {2-[1-(S)-

- (dimethylamino)ethyl]phenyl)methylphenyltin bromide diastereomer.
J. Am. Chem. Soc., **1978**, *100*, 5021.
37. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
 Triorganotin cations stabilized by intramolecular Sn-N coordination: Synthesis and characterization of {C,N,N-2,6-bis[(dimethylamino)methyl]phenyl}diorganotin bromides R'R''R'''-Sn⁺Br.
J. Organomet. Chem., **1978**, *148*, 233.
38. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
 Group IB organometallic Chemistry XXIII. Reaction of Ar₄Cu₂Li₂ with Rh^I complexes; Synthesis of 2-[(dimethylamino)methyl]phenylrhodium dicarbon monoxide and electron-transfer induced selective formation of diarylketones ArC(O)Ar.
J. Organomet. Chem., **1978**, *148*, 317.
39. G. van Koten, K. Timmer, J.G. Noltes and A.L. Spek.
 A novel type of Pt-C interaction and a model for the final stage in reductive elimination processes involving C-C coupling at Pt; synthesis and molecular geometry of [1,N,N'-η-2,6-bis{(dimethylamino)methyl}toluene]iodoplatinum(II) tetrafluoroborate.
J. Chem. Soc., Chem. Commun., **1978**, 250.
40. R.W.M. ten Hoedt, J.G. Noltes and G. van Koten and A.L. Spek.
 Group 1B organometallic Chemistry. Part 25 Crystal and molecular structure of 1,2,3;1,4,5;2,3;4,5,6-tetrakis-μ³-2-dimethylaminophenyl-2,5;3,4-bis-μ²-4-tolylethynyl-octahydro-hexacopper(I).
J. Chem. Soc. Dalton Trans., **1978**, 1800.
41. H. van der Poel and G. van Koten.
 Synthesis and characterization of 1-imino-propane-2-one and iminobutan-3-one compounds RC(O)C(NR')R''.
Synt. Commun., **1978**, *8*, 305.
42. G. van Koten, J.G. Noltes, and A.L. Spek.
 Group 1B organometallic chemistry XXVII. Complex forming reactions of polynuclear arylcopper compounds; Calk-P bond cleavage in 1,2-bis(diphenylphosphino)ethane (Diphos) by (2-Me₂NCH₂C₆H₄)₄Cu₄ and crystal structure of [(C₆H₅)₂PCu.Diphos]₂•C₆H₆.
J. Organomet. Chem., **1978**, *159*, 441.
43. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
 Synthesis and characterization of the polynuclear organocopper-copper halide compound [(4-MeC₆H₄)MeC=C(C₆H₄NMe₂-2)]₂Cu₄Br₂ containing bridging vinyl groups.
J. Organomet. Chem., **1978**, *161*, C13.
44. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
 The regio- and stereospecific synthesis of diarylpropenyllithium compounds from dimethylamino- and dimethylaminomethyl-substituted diarylacetylenes via transmetallation reactions involving diarylpropenylmagnesium and tin compounds.
J. Organomet. Chem., **1979**, *170*, 131.
45. A.F.M.J. van der Ploeg, G. van Koten and A.L. Spek.
 Silver complexes containing an Ag₄O₈ core imposed by multidentate ligands having fixed geometry. Crystal structure of [bis(1,8-naphthalenedicarboxylato)] [tetrakis(triphenylphosphine)silver(I)] dibenzene.
Inorg. Chem., **1979**, *18*, 1052.
46. G. van Koten and J.G. Noltes.

- Group 1B organometallic chemistry XXIX. Synthetic and structural aspects of polynuclear arylcopperlithium compounds $\text{Ar}_4\text{Cu}_2\text{Li}_2$ ('arylcuprates') and interaggregate exchange phenomena in $\text{Ar}_4\text{Cu}_4/\text{Ar}_4\text{Li}_4/\text{Ar}_4\text{Cu}_2\text{Li}_2$ systems.
J. Organomet. Chem., **1979**, 174, 367.
47. G. van Koten and J.G. Noltes.
Stereochemistry of Arylmetal-1B, aryllithium, and arylmetal-1B-lithium clusters $\text{Ar}_4\text{M}_2\text{Li}_2$ (M = Cu, Ag, or Au). Detection of rotation of three-center two-electron bonded aryl groups around the C(1)-C(4) axis.
J. Am. Chem. Soc., **1979**, 101, 6593.
48. G. van Koten and J.G. Noltes.
Intramolecular dynamics of 3c-2e bonded aryl groups in polynuclear aryl copper, -silver and -gold derivatives.
J. Organomet. Chem., **1979**, 171, C39.
49. G. van Koten and J.G. Noltes.
Dynamics of 3c-2e bonded aryl groups in arylcopper, -silver and -gold cluster derivatives, Fundamental research in homogeneous catalysis, Proceed 1st ISHC, Corpus Christi, pp. , **1979**.
50. L.H. Staal, G. van Koten and K. Vrieze.
Binuclear metal carbonyl DAB complexes. II. The syntheses and coordination properties of $\text{Mn}(\text{CO})_5\text{M}'(\text{CO})_3\text{DAB}$ (M' = Mn, Re; DAB = 1,4-diazabutadiene).
J. Organomet. Chem., **1979**, 175, 73.
51. J.W. Gosselink, G. van Koten, K. Vrieze, B. Zwanenburg and B.H.M. Lammerink.
Coordination chemistry of sulfines I. Synthesis and characterization of the complexes $\text{Pt}(\text{PPh}_3)_2(\text{XYCSO})$ (X, Y = aryl, S-aryl, S-alkyl, Cl). Coordination via the C=S- π -bond.
J. Organomet. Chem., **1979**, 179, 411.
52. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
Group 1B Organometallic Chemistry XXXI. Synthesis and characterization of tetranuclear Me_2N - and Me_2NCH_2 -substituted diarylpropenylcopper-copper anion compounds ($\text{Vi}_2\text{Cu}_4\text{X}_2$) containing bridging propenyl ligands. Isolation of a thermally stable mixed diarylpropenyl/arylcopper compound ($\text{Vi}_2\text{Cu}_4\text{Ar}_2$).
J. Organomet. Chem., **1979**, 179, 227.
53. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes.
Group 1B Organometallic Chemistry XXXII: Arylcopper compounds Ar_nCu_n as intermediates in organometallic synthesis. Single-step synthesis and dynamic NMR spectroscopy of diorganotin dihalides $\text{Ar}_{2-n}\text{RnSnX}_2$ (Ar = 2- $\text{Me}_2\text{NCH}_2\text{C}_6\text{H}_4$ or (S)-2- $\text{Me}_2\text{NCHMeC}_6\text{H}_4$; n = 0 or 1.).
J. Organomet. Chem., **1979**, 177, 283.
54. P.I. van Vliet, G. van Koten and K. Vrieze.
Complexes of N,N'-substituted formamidines. I. Compounds $[\text{M}\{\text{RNC}(\text{H})\text{NR}'\}]_n$ (M = Cu^{I} , Ag^{I} ; R = p-tolyl ; R' = alkyl; n = 2, 4) and study of the dimer-dimer and dimer-tetramer equilibria in solution.
J. Organomet. Chem., **1979**, 179, 89.
55. P.I. van Vliet, G. van Koten and K. Vrieze.
Metal-metal bonded compounds. IV. Stabilization of metal-metal bonding by bridging asymmetric formamidino ligands in complexes $[(\text{Ph}_3\text{P})_2(\text{CO})\text{IrM}(\text{RNC}(\text{H})\text{NR}')\text{Cl}]$ (M = Cu, Ag; R = alkyl; R' = p-tolyl).
J. Organomet. Chem., **1979**, 182, 105.
56. J.M. Klerks, D.J. Stufkens, G. van Koten and K. Vrieze.
Diazabutadienes as ligands. I. Compounds of aluminium: coordination of

- diazabutadienes to $\text{Al}(\text{CH}_3)_3$ and subsequent intramolecular insertion and rearrangement reactions leading to $[(\text{CH}_3)_2\text{Al}(\text{RNCH}(\text{CH}_3)\text{C}(\text{R})=\text{NR})]$ ($\text{R}' = \text{H}, \text{CH}_3$) and $(\text{CH}_3)_2\text{AlRNCH}_2\text{C}(\text{CH}_3)=\text{NR}$.
J. Organomet. Chem., **1979**, 181, 271.
57. J.W. Gosselink, A.M.F. Brouwers, G. van Koten and K. Vrieze.
 Intramolecular rearrangements of sulphines coordinated to Pt involving insertion and reductive coupling reactions. X-ray crystal and molecular structure of (E)- $[\text{Pt}^{\text{II}}(\text{PhS})(\text{PPh}_3)_2(\text{PhSCSO})].\text{C}_6\text{H}_6$, a new type of heterocumulene-metal complex.
J. Chem. Soc., Chem. Commun., **1979**, 1045.
58. H. van der Poel, G. van Koten, K. Vrieze, M. Kokkes and C.H. Stam.
 σ, σ' -N,N' bridging and σ, σ -N,N chelating α -diimines. Molecular geometries of $[\text{PtCl}_2\text{PBU}_3]_2$ (t-BuN=CHCH=NBu-t) and PtCl_2 (styrene)(t-BuN=CHCH=NBu-t).
J. Organomet. Chem., **1979**, 175, C21.
59. L.H. Staal, L.H. Polm, G. van Koten and K. Vrieze.
 Binuclear Metal Carbonyl DAB Complexes. III. Activation of a C=N double bond in $\text{Ru}_2(\text{CO})_6(\text{DAB})$ complexes (DAB = 1,4-diazabutadiene). C-C bond formation between two DAB ligands.
Inorg. Chim. Acta, **1979**, 37, L485.
60. R. Barbieri, A. Silvestri, G. van Koten and J.G. Noltes.
 Mössbauer study of the solid state configuration of trioganotin derivatives with intramolecular coordination.
Inorg. Chim. Acta, **1980**, 40, 267.
61. H. van der Poel, G. van Koten and K. Vrieze.
 Novel bonding modes of α -diimines. Synthesis and characterization of $[\text{MCl}_2\text{L}(\alpha\text{-diimine})]$ and $[\text{MCl}_2(\alpha\text{-diimine})_n]$ ($\text{M} = \text{Pd}, \text{Pt}$; $\text{L} =$ phosphine or arsine; $n = 1, 2$) containing σ, σ -N,N', σ -N, or $\sigma\text{-N}'\text{'}\sigma\text{N}'$, bonded α -diimines.
Inorg. Chem., **1980**, 19, 1145.
62. H. van der Poel, G. van Koten, K. Vrieze, M. Kokkes and C.H. Stam.
 Synthesis and molecular geometry of $[\text{trans-PtCl}_2\text{PBU}_3]_2$ (di-t-Bu-diimine) containing a σ, σ -N,N' bridging diimine with a planar anti-(trans-P-Pt-NCCN-Pt-P-trans)-skeleton.
Inorg. Chim. Acta, **1980**, 39, 197.
63. A.F.M.J. van der Ploeg, G. van Koten and K. Vrieze.
 Synthesis of novel binuclear palladium-thallium carboxylates of the type $\text{PdTl}(\text{O}_2\text{CR})_5$ and their structural characterization based on observation of $J(^{203,205}\text{Tl}-^1\text{H})$ and $J(^{203,205}\text{Tl}-^{13}\text{C})$.
Inorg. Chim. Acta, **1980**, 39, 253.
64. G. van Koten, C.A. Schaap, J.T.B.H. Jastrzebski and J.G. Noltes.
 Group IB Organometallic Chemistry XXXIII: ArAuPPh_3 , $\text{ArAu}(\text{CNR})$, $(\text{ArAu})_n$ and $\text{Ar}_4\text{Cu}_2\text{Au}_2$ compounds in which the aryl group contains 2-MeO, 2,6-(MeO)₂, 2-Me₂N, 2-Me₂NCH₂ and (S)- or (R)-2-Me₂NCHMe substituents as potential ligands.
J. Organomet. Chem., **1980**, 186, 427.
65. R.W.M. ten Hoedt, G. van Koten and J.G. Noltes.
 Group IB Organometallic Chemistry XXXIV: Thermal behavior and chemical reactivity of tetranuclear Me₂N-substituted diarylpropenylcopper-copper anion ($\text{V}_2\text{Cu}_4\text{X}_2$) and mixed diarylpropenyl/organocopper ($\text{V}_2\text{Cu}_4\text{R}_2$) compounds.
J. Organomet. Chem., **1980**, 201, 327.
66. P. Overbosch, G. van Koten and O. Overbeek.
 Conversion of aryl azides on Ni centers into tetraazadiene-nickel complexes $[\text{Ni}^0(\text{Ar}_2\text{N}_4)_2]$, $[\text{CpNi}^1(\text{Ar}_2\text{N}_4)]$ and $[(\text{RNC})_2\text{Ni}^0\text{Ar}_2\text{N}_4]$. Crystal structure of $[\text{Ni}^0\{1,4-(3,5\text{-Me}_2\text{C}_6\text{H}_3)_2\text{N}_4\}_2]$.

- J. Am. Chem. Soc.*, **1980**, *102*, 2091.
67. G. van Koten, J.T.B.H. Jastrzebski and J.G. Noltes, G.J. Verhoeckx, A.L. Spek and J. Kroon.
Crystal and molecular structure of $\text{SnMePh}[\text{C}_{10}\text{H}_5(\text{OMe-5})(\text{CH}_2\text{NMe}_2\text{-8})]\text{Br}$ and proton nuclear magnetic resonance study of the puckering of the chelate ring in five-coordinate triorganotin halides $\text{SnRR}'\text{-}[\text{C}_{10}\text{H}_5(\text{OMe-5})(\text{CH}_2\text{NMe}_2\text{-8})]\text{X}$ and $\text{SnRR}'[\text{CH}_2\text{C}_6\text{H}_4(\text{CH}_2\text{NMe}_2\text{-2})]\text{X}$.
J. Chem. Soc. Dalton Trans., **1980**, 1352.
68. H. van der Poel and G. van Koten.
Reactions of stable $[\text{PtCl}_2(\eta^2\text{-C}_2\text{H}_4)(\text{t-BuNCHCHNt-Bu})]$. Retention of the pentacoordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines and $\text{N,N}'$ -disubstituted-1,2-diaminoethanes.
J. Organomet. Chem., **1980**, *187*, C17.
69. P.I. van Vliet, M. Kokkes, G. van Koten and K. Vrieze.
Metal-metal bonded compounds. V. Compounds with Ir (Rh)-Hg bonds containing a bridging and a chelating triazenido group which interconvert intramolecularly.
J. Organomet. Chem., **1980**, *187*, 413.
70. P.I. van Vliet, G. van Koten and K. Vrieze.
Metal-metal bonded compounds. VI. Rhodium-mercury bonded complexes $[(\text{diene})\text{-}\{\text{RNC}(\text{Y})\text{NR}'\}_2\text{RhHgCl}]_2$ containing interchanging metal-metal bridging and chelating amidino groups.
J. Organomet. Chem., **1980**, *188*, 301.
71. L.H. Staal, L.H. Polm, R.W. Balk, G. van Koten, K. Vrieze, and A.M.F. Brouwer.
 $\sigma^2\text{-N}, \mu^2\text{-N}, \eta^2\text{-C=N}$ coordination as the activating step in the C-C bond formation between two α -diimines in dinuclear ruthenium carbonyl complexes. X-ray structure of tetracarbonyl[glyoxalbis(isopropylimine)]diruthenium.
Inorg. Chem., **1980**, *19*, 3343.
72. A.M.F.J. van der Ploeg, G. van Koten, K. Vrieze, A.L. Spek and A.J.M. Duisenberg.
Oxidative addition reaction of bis-aryl cyclometallated Pt(II) compounds with Hg(II) carboxylates. X-ray crystal and molecular structure of the binuclear Pt-Hg compound $\text{rac-a}(\mu\text{-acetato-O,O}')\text{-b}(\text{O-acetatomercurio})\text{-cf,de-bis}[2\text{-}(\text{dimethylaminomethyl})\text{phenyl-N,C}]\text{platinum}$.
J. Chem. Soc., Chem. Commun., **1980**, 469.
73. K. Vrieze and G. van Koten.
Coordination and activation of the N=S bond in sulfurdiimines $\text{RN}=\text{S}=\text{NR}$ and sulfinylanilines $\text{RN}=\text{S}=\text{O}$ by metal atoms.
Recl. Trav. Chim. Pays-Bas, **1980**, *99*, 145.
74. G.C. van Stein, H. van der Poel, G. van Koten, A.L. Spek, A.J.M. Duisenberg and P.S. Pregosin.
Quadridentate nitrogen donor ligands acting as bridging di-bidentates: X-ray crystal and molecular structure of $[\text{Ag}_2\{\mu\text{-}(\text{R})(\text{S})\text{-}1,2\text{-}[(2\text{-C}_5\text{H}_4\text{N})\text{C}(\text{H})=\text{N}]_2\text{-cyclohexane}\}_2][\text{O}_3\text{SCF}_3]_2$ and the observation of $^3\text{J}(^{107,109}\text{Ag}\text{-}^1\text{H})$ in the ^1H NMR spectrum of the dinuclear $[\text{Ag}_2\text{L}_2]^{2+}$ cation.
J. Chem. Soc., Chem. Commun., **1980**, 1016.
75. J.W. Gosselink, G. van Koten, A.M.F. Brouwers and O. Overbeek.
Co-ordination chemistry of sulphines. Part 3. Oxidative addition of the carbon-chlorine bond of (E)-chloro(arylthio)-sulphine, (E)-(RS)CICSO, to tetrakis(triphenyl phosphine)platinum(0) and of a carbon sulphur bond in $[\text{Pt}^0(\text{PPh}_3)_2\{(\text{RS})_2\text{CSO}\}]$ by an intramolecular process. X-ray crystal and molecular structure of $\text{cis-(E)-}[\text{Pt}^{\text{II}}(\text{PhS})(\text{PhSCSO})\text{-}(\text{PPh}_3)_2]\text{-C}_6\text{H}_6$.

- J. Chem. Soc. Dalton Trans.*, **1981**, 342.
76. J.W. Gosselink, G. van Koten, A.L. Spek and A.J.M. Duisenberg.
Intramolecular rearrangements of sulfines coordinated to platinum. A unique equilibrium between oxidative-addition stereoisomers cis-(E)- and cis-(Z)-bis(triphenyl-phosphine) (methylthio)(arylsulfine)platinum(II) and the two stereoisomers of the reductive coupling product. Bis(triphenylphosphine) [aryl(methylthio)sulfine]platinum(0). Crystal and molecular structure of bis(triphenylphosphine)(9-sulfinylfluorene)platinum(0)-0.5-benzene.
Inorg. Chem., **1981**, 20, 877.
77. L.H. Staal, J. Keijsper, G. van Koten, K. Vrieze, J.A. Cras and W.P. Bosman.
Binuclear metal-carbonyl DAB complexes VI. Synthesis and spectroscopic properties of $MCo(CO)_5(\mu^2-CO)(DAB)$ ($M = Mn, Re$; DAB = 1,4-diazabutadiene). X-Ray structure of $[\sigma^2-N, \sigma^2-N', \eta^2-C=N-[glyoxal[bis(t-butylimine)]]]hexacarbonylcobalt-manganese$.
Inorg. Chem., **1981**, 20, 555.
78. H. van der Poel, G. van Koten, M. Kokkes and C.H. Stam.
Five-coordinate $[Pt^{II}Cl_2(\eta^2-olefin)L_2]$ ($L_2 = \sigma, \sigma-N, N'$ bonded α -diimine or N, N' -disubstituted-1,2-diaminoethane) complexes. Solution conformation, η^2 -olefin rotational barriers (NMR) and X-ray molecular structure of $[PtCl_2(\eta^2-styrene)(t-Bu-N=CHCH=N=t-Bu)]$.
Inorg. Chem., **1981**, 20, 2941.
79. H. van der Poel and G. van Koten.
Five-coordinate platinum olefin complexes. Synthesis and high resolution 1H (250, 360 MHz) and ^{13}C (20 MHz) NMR study of the interligand chiral recognition in the formation of diastereomeric $[PtCl_2(\eta^2-olefin)(6-R'-py-2-CH=NR)]$.
Inorg. Chem., **1981**, 20, 2950.
80. L.H. Staal, G. van Koten and K. Vrieze.
Binuclear metal carbonyl DAB complexes VIII. The syntheses of $Os_2(CO)_6(DAB)$ complexes (DAB = 1,4-diazabutadiene). Spectroscopic characterization and comparison with analogous iron and ruthenium complexes.
J. Organomet. Chem., **1981**, 206, 99.
81. L.H. Staal, G. van Koten, R.H. Fokkens and N.M.M. Nibbering.
Field desorption mass spectrometry of a series of various metal carbonyl 1,4-diazabutadiene compounds.
Inorg. Chim. Acta, **1981**, 50, 205.
82. J.W. Gosselink, H. Bulthuis and G. van Koten.
Coordination Chemistry of Sulphines. Part IV. Influence of the phosphine cone angle on both the oxidative addition of C-S and C-Cl side bonds in $[Pt^0(PtR_3)_2(XYC=S=O)]$ complexes and the (E)-(Z) isomerization.
J. Chem. Soc. Dalton Trans., **1981**, 1342.
83. J.M. Klerks, R. van Vliet, G. van Koten and K. Vrieze.
Reactions of sulfurdiimines and sulfinylanilines with $[AlMe_3]_2$.
J. Organomet. Chem., **1981**, 214, 1.
84. G. van Koten and K. Vrieze.
Interaction of metal centres with the 1,4-diaza-1,3-butadiene (α -diimine) ligand. Versatile coordination chemistry and applications in organic synthesis and catalysis.
Recl. Trav. Chim. Pays-Bas, **1981**, 100, 129.
85. P. Overbosch, G. van Koten and K. Vrieze.
Synthesis of metal-tetraazadiene complexes via ligand transfer; two routes to nickel- or platinum-tetraazadiene complexes $[M(Ar_2N_4)(L)_2]$.

- J. Organomet. Chem.*, **1981**, 208, C21.
86. L.H. Staal, G. van Koten, K. Vrieze, F. Ploeger and C.H. Stam.
Binuclear metal carbonyl DAB complexes 9. Synthesis and X-ray structure of (μ -acetylene)[σ -N, σ -N', η^2 -C=N, η^2 -C=N'-glyoxalbis(isopropylimine)] tetracarbonyl diruthenium. First example of the 8e donating DAB ligand (DAB= 1,4-diazabutadiene).
Inorg. Chem., **1981**, 20, 1830.
87. L.H. Staal, G. van Koten, K. Vrieze, B. van Santen and C.H. Stam.
Binuclear metal carbonyl DAB complexes X. Activation of η^2 -C=N coordinated DAB ligands towards C-C bond formation with alkynes. The X-ray structure of {2-phenyl-3-(tert-butylamino)-4-(tertbutyl-imino)-1-butene-1-yl}Ru₂(CO)₅. Application to the catalytic cyclotrimerization of alkynes.
Inorg. Chem., **1981**, 20, 3598.
88. A.F.M.J. van der Ploeg, C.E.M. van der Kolk, G. van Koten.
Arylmercury(II) compounds involving intramolecular coordination via the 2-Me₂NCH₂- and chiral (S)-2-Me₂NCHMe-ring substituents.
J. Organomet. Chem., **1981**, 212, 283.
89. J.T.B.H. Jastrzebski, J.M. Klerks, G. van Koten and K. Vrieze.
An unexpected ethyl transfer reaction between Et₂Zn and di(t-butyl)glyoxaldiimine (t-BuDAB). Studies of the persistent [EtZn(t-BuDAB)] radical which is in equilibrium with its C-C coupled dimer.
J. Organomet. Chem., **1981**, 210, C49.
90. H. van der Poel, G. van Koten and K. Vrieze.
Four-coordinate Rh(I) complexes { [Rh(CO)₂Cl]_n(α -diimine)] (n = 1,2) with σ , σ -N,N' chelate or σ -N, σ -N' bridge bonded RN=C(R')C(R')=NR ligands. Influence of the branching at C _{α} of R on the Rh^I- α -diimine interaction.
Inorg. Chim. Acta, **1981**, 51, 253.
91. H. van der Poel and G. van Koten.
An NMR study of the interaction of α -diimines (RN=CHCH=NR) with cyclometallated palladium(II) compounds [{2-Me₂NCH(Z)C₆H₄PdX₂ }] (Z = H or (S)-Me; X = Cl, Br.).
J. Organomet. Chem., **1981**, 217, 129.
92. H. van der Poel, G. van Koten, D.M. Grove, P.S. Pregosin and K.A. Ostoja Starzewski.
A comparative study of platinum di(t-butyl)(¹⁵N₂)diimine) and trans-[PtCl₂(N-ligand)PBu₃] complexes by ¹⁹⁵Pt-, ³¹P- and ¹⁵N-NMR.
Helv. Chim. Acta, **1981**, 64, 1174.
93. H. van der Poel, G. van Koten and K. Vrieze.
Syntheses and NMR studies of five-coordinate Rh(I) complexes with α -diimines R-N'=C(H)C(H)=N-R: [RhCl(CO)(η^2 -C₂H)₄(α -diimines)] and [RhCl(L)₂(α -diimines)] (R = t-Bu, EtMe₂C; L= CO, PF₃).
Inorg. Chim. Acta, **1981**, 51, 241.
94. A.F.M.J. van der Ploeg and G. van Koten.
Synthesis and spectroscopic studies of silver and rhodium mono- and polynuclear complexes with multidentate phosphines (Ph₂P)₂CHR (R = H, Me, PPh₂).
Inorg. Chim. Acta, **1981**, 51, 225.
95. A.F.M.J. van der Ploeg, G. van Koten and K. Vrieze.
Aspects of transmetallation reactions of 2-Me₂NCH₂C₆H₄- and 2,6-(Me₂NCH₂)C₆H₃-metal (Pd,Pt,Hg,Tl) complexes with metal carboxylates and low-valent metal (Pd,Pt) complexes.

- J. Organomet. Chem.*, **1981**, 222, 155.
96. H. van der Poel, G. van Koten and G.C. van Stein.
Reactions of stable $[\text{PtCl}_2(\eta^2\text{-olefin})(\alpha\text{-diimine})]$. Retention of the five-coordinate structure upon halogen exchange and ligand substitution with olefins, α -diimines and N,N'-disubstituted 1,2-diaminoethanes.
J. Chem. Soc. Dalton Trans., **1981**, 2164.
97. J.M. Klerks, G. van Koten, K. Vrieze and P. Seignette.
X-ray structure and dynamic behaviour in solution of N-methylthio-N'-(2,6-dimethylphenyl)-2,6-dimethyl-1,4-quinonediimine formed by the alcoholysis of $[\text{Me}_2\text{Al}\{2,6\text{-Me}_2\text{C}_6\text{H}_3\text{NS}(\text{Me})\text{NC}_6\text{H}_3\text{Me}_2\text{-2,6}\}]_2$.
J. Organomet. Chem., **1981**, 219, 9.
98. C. Brevard, G.C. van Stein and G. van Koten.
 ^{109}Ag and ^{103}Rh NMR with proton polarization transfer.
J. Am. Chem. Soc., **1981**, 103, 6746.
99. J.W. Gosselink, G. van Koten and K. Vrieze.
Coordination chemistry of sulphines VI. Coordination of sulphines $\text{XYC}=\text{S}=\text{O}$ (X,Y = aryl, S-aryl, Cl) to Pd^0 and Ir^I complexes. Oxidative addition of the C-Cl side bond of (E)-(RS)ClC=S=O and (Z)-PhClC=S=O to Pd^0 .
J. Organomet. Chem., **1981**, 222, 131.
100. G. van Koten and K. Vrieze.
1,4-Diaza-1,3-butadiene (α -diimine) ligands: their coordination modes and the reactivity of their metal complexes, *Advances in Organometallic Chemistry*, Vol. 2, pp. 151, **1982**.
101. A.F.M.J. van der Ploeg, G. van Koten and K. Vrieze.
Electron and ligand transfer reactions between cyclometallated platinum(II) compounds and thallium(III) carboxylates.
Inorg. Chim. Acta, **1982**, 58, 35.
102. A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze and A.L. Spek.
Oxidative-addition reactions of cyclometallated platinum(II) compounds with mercury(II) carboxylates. X-ray, crystal and molecular structure of *rac*-[a-(m-MeCO₂)-cf,de-(2-Me₂NCH₂C₆H₄)₂PtHg(O₂CMe)],.
Inorg. Chem., **1982**, 21, 2014.
103. A.F.M.J. van der Ploeg, G. van Koten, J.E.J. Schmitz and J.G.M. van der Linden.
Electronic and electrochemical properties of platinum(II) and platinum-mercury-carboxylato complexes containing 2-Me₂NCH₂C₆H₄, 2,6-(Me₂NCH₂)₂C₆H₃- and 2-Me₂NC₆H₄CH₂ - ligands.
Inorg. Chim. Acta, **1982**, 58, 53.
104. J.W. Gosselink, A.M.F. Brouwers, G. van Koten and K. Vrieze.
Coordination chemistry of sulphines. Part 5. σ -S and η^3 -SCS coordination of sulphines to Rhodium(I). Fluxional behaviour of $[\text{Rh}^I\text{Cl}(\text{PR}_3)(\text{XYCSO})]$ (R = alkyl; X,Y = aryl,S-aryl, S-alkyl, or Cl) complexes and influence of sulphine geometry on the formation of $[\text{RhCl}(\text{PR}_3)_2(\text{XYCSO})]$.
J. Chem. Soc. Dalton Trans., **1982**, 397.
105. A.F.M.J. van der Ploeg, G. van Koten and K. Vrieze.
Synthesis of novel dinuclear formamidino and triazanido compounds $\{[2,6(\text{Me}_2\text{NCH}_2)_2\text{C}_6\text{H}_3] \text{p-tolNYNR}\text{PtAgBr}\}$ (Y = Ch, N) containing a platinum-silver bond.
Inorg. Chem., **1982**, 21, 2026.
106. A.F.M.J. van der Ploeg, G. van Koten and K. Vrieze.
Dinuclear formamidino and triazenido compounds $\{[2,6(\text{Me}_2\text{NCH}_2)_2\text{C}_6\text{H}_3]\text{(p-$

- tolNYNR)PtHgBrCl] (Y = CH, N) containing a platinum-to-mercury donor bond.
J. Organomet. Chem., **1982**, 226, 93.
107. A.F.M.J. van der Ploeg, G. van Koten and C. Brevard.
 INEPT ^{109}Ag NMR evidence for direct Pt-to-Ag bonding in dinuclear
 [[2,6(Me₂NCH₂)₂C₆H₃][p-tolNC(H)NR]PtAgBr].
Inorg. Chem., **1982**, 21, 2878.
108. J.G. Noltes, R.W.M. ten Hoedt, G. van Koten, A.L. Spek and J.C. Schoone.
 Group IB organometallic Chemistry. XXXV. Crystal and molecular structure of
 [Cu₄{4-MeC₆H₄}MeC=C(C₆H₄NMe₂-2)₂(C₆H₄NMe₂-2)₂], a tetranuclear organo-
 copper compound containing bridging alkenyl and aryl groups.
J. Organomet. Chem., **1982**, 225, 365.
109. J.M. Klerks, J.T.B.H. Jastrzebski, G. van Koten and K. Vrieze.
 Regioselective ethyl transfer reactions between diethylzinc and 1,4-dialkyl-1,4-diaza-
 1,3-butadienes: Synthesis of EtZn[R(Et)NCH=CHNR].
J. Organomet. Chem., **1982**, 224, 107.
110. J.T.B.H. Jastrzebski, G. van Koten, D.G. Tuck, H.A. Meinema and J.G. Noltes.
 Intramolecular In-N coordination. Synthesis and NMR study of four-coordinate {2-
 Me₂NCH(Z)C₆H₄}Me₂In and five-coordinate [2-Me₂NCH(Z)C₆H₄]₂InCl (Z = H or
 (S)-CH₃).
Organometallics, **1982**, 1, 1492.
111. P. Overbosch, G. van Koten and O. Overbeek.
 Synthesis and reactivity of bis(1,4-diaryltetraazadiene)nickel complexes. Crystal and
 molecular structure of di[1,4-di(3,5-dimethylphenyl)tetraazadiene]nickel.
Inorg. Chem., **1982**, 21, 2373.
112. P. Overbosch, G. van Koten, A.L. Spek, G. Roelofsen, and A.J.M. Duisenberg.
 Synthesis, reactivity and crystal structure of [1,4-bis(4-tolyl)tetraazadiene] (η^5 -
 cyclopentadienyl)nickel.
Inorg. Chem., **1982**, 21, 3908.
113. P. Overbosch, G. van Koten, D.M. Grove, A.L. Spek and A.J.M. Duisenberg.
 (Tetraazadiene)platinum complexes. X-ray crystal and molecular structure of
 the triethylphosphine nucleophilic addition product [Pt{1,4-(4-
 NO₂C₆H₄)₂N₄}{CHC(PEt₃)H(CH₂CH=CHCH₂CH₂)(PEt₃)}]; a novel five-coordinate
 blue mononuclear platinum species.
Inorg. Chem., **1982**, 21, 3253.
114. J.W. Gosselink, F. Paap and G. van Koten.
 Displacement reactions of cis-[PtIICl(R'SCSO)(PR₃)₂] (R = Ph, C₆H₁₁; R' = aryl) with
 nucleophiles. Formation with R'S- of an η^2 -CS coordinated sulphine (R'S)₂CSO by
 reductive coupling.
Inorg. Chim. Acta, **1982**, 59, 155.
115. G.C. van Stein, G. van Koten and C. Brevard.
 Study of the stereochemistry of silver(I) bis(pyridine-2-carbaldehyde-imine) triflate
 complexes in solution: application of INEPT ^{109}Ag and ^1H -{ ^{109}Ag }NMR.
J. Organomet. Chem., **1982**, 226, C27.
116. Th. A. van der Knaap, F. Bickelhaupt, H. van der Poel, G. van Koten and C.H. Stam.
 Synthesis and structural investigation of mesityldiphenylmethylenephosphine
 bis(triphenylphosphine)platinum(0).
J. Am. Chem. Soc., **1982**, 104, 1756.
117. P. Overbosch and G. van Koten.
 Synthesis of metal-tetraazadiene complexes via Ar₂N₄, ligand transfer. Evidence for a
 stable tetraazadiene bridged intermediate.

- J. Organomet. Chem.*, **1982**, 229, 193.
118. P. Overbosch, G. van Koten, and K. Vrieze.
Inter- and intra-molecular ligand-exchange and -rearrangement reactions of tetra-azadienecomplexes of nickel, platinum and cobalt.
J. Chem. Soc. Dalton Trans., **1982**, 1541.
119. D.M. Grove, G. van Koten, J.N. Louwen, J.G. Noltes, A.L. Spek and H.J.C. Ubbels.
Trans 2,6-bis[(dimethylamino)methyl]phenyl-N,N',C complexes of Pd(II) and Pt(II). Crystal structure of [PtI(MeC₆H₃(CH₂NMe₂)₂-o,o')]BF₄: A cyclohexadienyl carbonium ion with a σ-bonded metal substituent.
J. Am. Chem. Soc., **1982**, 104, 6609.
120. D.M. Grove, G. van Koten, and H.J.C. Ubbels.
Homo- and heterodinuclear platinum and palladium complexes with a single unsupported monoatomic bridging group. Crystal structure of the 2,6-bis[(dimethylamino)methyl] phenylpalladium(II) derivative [Pd{C₆H₃(CH₂NMe₂)₂-o,o'}₂(μ-Cl)]BF₄.
J. Am. Chem. Soc., **1982**, 104, 4285.
121. D.M. Grove, G. van Koten and H.J.C. Ubbels.
Regio- and stereospecific nucleophilic additions to a metal substituted carbonium ion [PtI{MeC₆H₃(CH₂NMe₂)₂-o,o'}]BF₄. A unique reversible aryl-to-cyclohexadiene conversion at a Pt(II) center.
Organometallics, **1982**, 1, 1366.
122. A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze, A.L. Spek and A.J.M. Duisenberg.
Crystal structure and molecular geometry of a square-pyramidal platinum(II) complex, [{2,6-(Me₂NCH₂)₂C₆H₃ } Pt(μ-{(p-tol)NC(H)N(i-Pr)}HgBrCl), containing a Pt^{II}- to Hg^{II} donor bond.
Organometallics, **1982**, 1, 1066.
123. K. Vrieze, G. van Koten and L.H. Staal.
The influence of electronic and steric factors on the coordination and on the cluster breakdown of polynuclear ruthenium carbonyl compounds.
Inorg. Chim. Acta, **1982**, 62, 23.
124. J.T.B.H. Jastrzebski, G. van Koten, M. Konijn and C.H. Stam.
Intramolecularly chelated di- and tetranuclear aryllithium compounds; crystal structure of Li₄(C₆H₄CH₂NMe₂-2)₄ containing four-centre two-electron bonded C(aryl) atoms and heptacoordinate lithium atoms.
J. Am. Chem. Soc., **1982**, 104, 5490.
125. D.M. Grove, G. van Koten, R. Zoet, N.W. Murall and A.J. Welch.
Unique stable organometallic Ni(III) complexes: Syntheses and the molecular structure of Ni[C₆H₃(CH₂NMe₂)₂-o,o']I₂.
J. Am. Chem. Soc., **1983**, 105, 1379.
126. J. Keijsper, H. van der Poel, L.H. Polm, G. van Koten, K. Vrieze, P.F.A.B. Seignette, R. Varenhorst and C.H. Stam.
Comparison of free and metal coordinated 1,4-disubstituted-1,4-diaza-1,3-butadienes. Crystal and molecular structures of 1,4-dicyclohexyl-1,4-diaza-1,3-butadiene and trans-[dichloro(triphenylphosphine)(1,4-di-tert-butyl-1,4-diaza-1,3-butadiene)Palladium (II)].
Polyhedron, **1983**, 2, 1111.
127. G. van Koten, J.T.B.H. Jastrzebski and K. Vrieze.
Stable, 1,4-diaza-1,3-butadiene(α-diimine)zinc and aluminum radicals formed in single electron transfer reactions: their consequences for organic syntheses.
J. Organomet. Chem., **1983**, 250, 49.

128. G.C. van Stein, G. van Koten, A.L. Spek, A.J. Duisenberg and E.A. Klop. Copper(I) and silver(I) ions in unusual poly donor-atom environments; X-ray crystal and molecular structures of $[M\{(R)(S)\text{-}1,2\text{-}(5\text{-Me-thiophene-}2\text{-CH=N)}_2\text{cyclohexane}\}_2\text{-O}_3\text{SCF}_3)$, $M = \text{Cu}^{\text{I}}$ or Ag^{I} . *Inorg. Chim. Acta*, **1983**, 78, L61.
129. J.A. Kanters, A.L. Spek, R. Postma, G.C. van Stein and G. van Koten. Structure of bis[N-(2-pyrrolylmethylene)-tert-butylamine]zinc(II), $\text{Zn}(\text{C}_9\text{H}_{13}\text{N}_2)_2$. *Acta Cryst. Sect. C*, **1983**, C39, 999.
130. J.T.B.H. Jastrzebski, G. van Koten, K. Goubitz, C. Arlen and M. Pfeffer. Synthesis of 8-(dimethylamino)-1-naphthyllithium etherate. Its structure in the solid (X-ray) and in Solution (^7Li and ^1H NMR). *J. Organomet. Chem.*, **1983**, 246, C75.
131. M.R.P. van Vliet, J.T.B.H. Jastrzebski, G. van Koten, K. Vrieze and A.L. Spek. Novel reactions of substituted 1-aza-4-oxobutadienes (α -iminoketones) with diorganozinc reagents. Selective ethyl transfer in the $\text{Et}_2\text{Zn}/t\text{-BuN}=\text{C}(\text{H})\text{-C}(\text{Me})=\text{O}$ system and X-ray crystal structure of $[\text{EtZn}(\text{Et})(t\text{-Bu})\text{NC}(\text{H})=\text{C}(\text{Me})\text{O}]_2$. *J. Organomet. Chem.*, **1983**, 251, C17.
132. G.C. van Stein, G. van Koten, K. Vrieze, A.L. Spek and E.A. Klop. Structure and reactivities of copper(I) and silver(I) complexes of potentially quadridentate N_4 and N_2S_2 donor ligands. *Inorg. Chim. Acta*, **1983**, 79, 205.
133. G. van Koten, G.C. van Stein and C. Brevard. Application of INEPT ^{109}Ag and ^{15}N NMR spectroscopy for the study of metal-ligand interaction of silver analogues of Copper(I) model compounds. *Inorg. Chim. Acta*, **1983**, 79, 206.
134. J.T.B.H. Jastrzebski, C.T. Knaap and G. van Koten. Pentacoordinate [8-dimethylamino)naphthyl]diorganotin halides containing a rigid, flat NCCCSn chelate ring. An unexpected redistribution reaction between [8-dimethylamino)naphthyl] trimethyltin and trimethyltin halide. *J. Organomet. Chem.*, **1983**, 255, 287.
135. J.G. Kraaijkamp, G. van Koten, K. Vrieze, D.M. Grove, E.A. Klop, A.L. Spek and A. Schmidpeter. Phosphorous coordination of di- and tri-azaphospholes in platinum(0) complexes: X-ray molecular structure of tris(triphenylphosphine)-1,5-dimethyl-1,2,4,3-triazaphospholeplatinum(0) $[\text{Pt}(\text{PPh}_3)\text{P}=\text{NN}(\text{Me})\text{C}(\text{Me})=\text{N}]$. *J. Organomet. Chem.*, **1983**, 256, 375.
136. L.H. Polm, G. van Koten, K. Vrieze, C.H. Stam and W.J.C. van Tunen. Formation of a N-C bond between coordinated α -diimine and a novel diketene fragment; X-ray crystal structure of $\{\text{Ru}_2(\text{CO})_5[\text{i-PrN-C}(\text{H})(\text{H})\text{C-N}(\text{i-Pr})\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})\text{CH}_2]\}$ containing an η^3 -aza-allyl to Ru bonded moiety. *J. Chem. Soc., Chem. Commun.*, **1983**, 1177.
137. J. Terheijden, G. van Koten, J.L. de Booy, H.C. Ubbels and C.H. Stam. Oxidation of organoplatinum(II) halides with halogens or copper(II) halides. Syntheses and molecular structure of $[\text{Pt}(\text{IV})\text{Cl}_3(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-o,o}')]_2$. *Organometallics*, **1983**, 2, 1882.
138. J. Keijsper, L.H. Polm, G. van Koten, K. Vrieze, G. Abbel and C.H. Stam. Ruthenium carbonyl 1,4-diaza-1,3-butadiene (R-DAB) complexes. 5. Syntheses, spectroscopic properties and reactivity of $\text{Ru}_2(\text{CO})_5(\text{alkyl-DAB})$, a key intermediate in the $\text{Ru}_3(\text{CO})_{12}$ -alkyl-DAB reaction. Crystal and molecular structure of (1,4-diisopropyl-1,4-diaza-1,3-butadiene)pentacarbonyldiruthenium, $\text{Ru}_2(\text{CO})_5(\text{i-Pr-}$

- DAB).
- Inorg. Chem.*, **1984**, 23, 2142.
139. Th.A. van der Knaap, F. Bickelhaupt, J.G. Kraaijkamp, G. van Koten, J.P.C. Bernards, H.T. Edzes, W.S. Veeman, E. de Boer and E.J. Baerends.
 η^1 - and η^2 -Coordination in a (phosphoalkene)platinum(0) complex.
Organometallics, **1984**, 3, 1804.
140. D.M. Grove, G. van Koten, H.J. Ubbels, R. Zoet and A.L. Spek.
 A thermally stable nickel(II) metalloformate and its platinum(II) analogue.
J. Organomet. Chem., **1984**, 263, C10.
141. J.G. Kraaijkamp, G. van Koten, K. Vrieze, D.M. Grove, C.H. Stam and A. Schmidpeter.
 Formation of novel "phosphite" metallacycles via selective ring opening of Pt(II) or Pd(II) coordinated tri- and di-azaphospholes.
Inorg. Chim. Acta, **1984**, 84, L33.
142. G.C. van Stein, G. van Koten, K. Vrieze, C. Brevard and A.L. Spek.
 Structural investigations of silver(I) and copper(I) complexes with neutral N₄ donor ligands; the X-ray crystal and molecular structure of the dimer [Ag₂{m-(R,S)-1,2-(py-2-CH=N)₂ cyclohexane}₂][O₃SCF₃]₂ and ¹H and ¹³C and INEPT ¹⁰⁹Ag and ¹⁵N NMR solution studies.
J. Am. Chem. Soc., **1984**, 106, 4486.
143. D.M. Grove, G. van Koten, H.J.C. Ubbels, R. Zoet and A.L. Spek.
 Organonickel(II) complexes of the terdentate monoanionic ligand o,o'-bis[(dimethyl-amino)methyl] phenyl (N-C-N). Syntheses and X-ray crystal structure of the stable nickel(II) formate [Ni(N-C-N)O₂CH].
Organometallics, **1984**, 3, 1003.
144. G. van Koten, J.T.B.H. Jastrzebski, C.H. Stam and N.C. Niemann.
 Solid state structure of [Au₂Li₂(C₆H₄CH₂NMe₂-2)₄]. A model for the reactive structure of organocuprates.
J. Am. Chem. Soc., **1984**, 106, 1880.
145. G.C. van Stein, G. van Koten, K. Vrieze and C. Brevard.
¹H and INEPT ¹⁵N and ¹⁰⁹Ag NMR studies of the structural and dynamic features in solution of some silver(I) and copper(I) complexes with polydentate N₄-donor ligands, (R),(S)-1,2-(6-R-py-2-CH=N)₂-Cy and 1,2-(6-R-py-2-CH=N)₂Et (Cy = cyclohexene, Et = Ethane, R = H or Me).
Inorg. Chem., **1984**, 23, 4269.
146. G.C. van Stein, G. van Koten, B. de Bok, L.C. Taylor, K. Vrieze and C. Brevard.
 Silver(I) and copper(I) bis(pyridine-2-carbaldehyde-imine) triflate complexes studied in solution by ¹H, ¹H-¹⁰⁹Ag, INEPT ¹⁵N and INEPT ¹⁰⁹Ag NMR.
Inorg. Chim. Acta, **1984**, 89, 29.
147. G.C. van Stein, G. van Koten, H. Passenier, O. Steinebach, and K. Vrieze.
 Syntheses and characterization of neutral complexes of Zn(II) with mono- and dianionic pyrrole-2-imine ligands [(pyrrole-2-CH=N)n-R]ⁿ⁻ (n = 1, 2).
Inorg. Chim. Acta, **1984**, 89, 79.
148. J. Keijsper, J. Mul, G. van Koten, K. Vrieze, H.C. Ubbels and C.H. Stam.
 Binuclear metal carbonyl R-DAB complexes. Conversion of coordinated 1,4-diaza-1,3-butadienes into 3-amino-1-azaallyl monoanions by interaction with [HFe(CO)₄]⁻. Molecular structure of [FeMn(CO)₆{(t-Bu)N=CH=CHN(H)(t-Bu)}], containing an η^3 -1-azaallyl moiety bonded to Fe.
Organometallics, **1984**, 3, 1732.
149. F. Maassarani, M. Pfeffer, G. Le Borgne, E. Wehman and G. van Koten.

- A novel olefin bridged dinuclear arylpalladium compound. X-ray crystal structure of $\text{NMe}_2\text{CH}_2\text{C}_6\text{H}_4\text{Pd}-\mu\{-\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\}\text{PdCH}(\text{SiMe}_3)-\text{C}_6\text{H}_4\text{NMe}_2$. *J. Am. Chem. Soc.*, **1984**, *106*, 8002.
150. J. Keijsper, L.H. Polm, G. van Koten, K. Vrieze, P.F.A.B. Seignette and C.H. Stam. Ruthenium carbonyl 1,4-diaza-1,3-butadiene (R-DAB) reaction sequence: Reversible CO addition to a trinuclear species without rupture of a metal-metal bond. Molecular structure of [1,4-dicyclohexyl-1,4-diaza-1,3-butadiene]nonacarbonyltriruthenium, $\text{Ru}_3(\text{CO})_9(\text{c-Hx-DAB})$. A unique 50e trinuclear compound with two elongated Ru-Ru bonds. *Inorg. Chem.*, **1985**, *24*, 518.
151. G.C. van Stein, G. van Koten, K. Vrieze, A.L. Spek, E.A. Klop and C. Brevard. Group 11 Metal ions in poly(donor atom) environments: X-ray crystal and molecular structure of $[\text{M}(\text{R},\text{S})-1,2-(5\text{-R-thio-2-CH=N})_2\text{-c-Hx}]_2(\text{O}_3\text{SCF}_3)$ (M = Ag(I) R = Me, thio = thiophene, c-Hx = cyclohexane) and silver(I) and copper(I) coordination properties in solution (^1H , ^{109}Ag and ^{15}N NMR). *Inorg. Chem.*, **1985**, *24*, 1367.
152. G.C. van Stein, G. van Koten, F. Blank, L.C. Taylor, K. Vrieze, A.L. Spek, A.J.M. Duisenberg, A.M.M. Schreurs and B. Kojic-Prodic and C. Brevard. Dinuclear silver(I) and copper(I) complexes with neutral N_2S_2 donor ligands and their reactivities towards CO. Structure in solution (^1H and INEPT ^{109}Ag NMR) and in the solid (X-ray) of $[\text{Ag}\{\mu\text{-}(\text{R}),(\text{S})\text{-}1,2\text{-}(\text{thiophene-2-CH=N})_2\text{-cyclohexane}\}_2](\text{O}_3\text{SCF}_3)_2$. *Inorg. Chim. Acta*, **1985**, *98*, 107.
153. J. Keijsper, P. Grimberg, G. van Koten, K. Vrieze, B. Kojic-Prodic and A.L. Spek. Binuclear metal carbonyl R-DAB complexes. Synthesis and spectroscopic properties of novel heterodinuclear α -diimine (R-DAB and R-Pyca) complexes, containing an asymmetric bridging hydride. Molecular structure of $[(\mu\text{-H})\text{FeMn}(\text{CO})_6(\text{C}_5\text{H}_4\text{N-2-CH=N-t-Bu})]$. *Organometallics*, **1985**, *3*, 438.
154. J. Terheijden, G. van Koten, I.C. Vinke, and A.L. Spek. 1,2-Methyl shift between Pt and coordinated aryl group in the reaction of methyl iodide with 2,6-bis[(dimethylamino)methyl]phenyl- $\text{N},\text{N}',\text{C}$ complexes of Pt(II). X-ray crystal structure of the arenonium-platinum compound $[\text{Pt}(\text{o-tolyl})(\text{MeC}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-o,o}')]\text{I}$. *J. Am. Chem. Soc.*, **1985**, *107*, 2891.
155. J. Keijsper, P. Grimberg, G. van Koten, K. Vrieze, M. Cristophersen, and C.H. Stam. Binuclear metal carbonyl R-DAB complexes. Part XIII Reduction of coordinated 1,4-diaza-1,3-butadiene to dianionic 1,2-diaminoethane by $[\text{HFe}(\text{CO})_4]$. Molecular structure of $[(\mu\text{-H})\text{FeMn}(\text{CO})_6\{\mu,\mu'\text{-N}(\text{p-tol})\text{CH}_2\text{CH}_2\text{N}(\text{p-tol})\}]$, a pseudo-symmetrical hetero dinuclear species. *Inorg. Chim. Acta*, **1985**, *102*, 29.
156. G. van Koten, J.T.B.H. Jastrzebski, F. Muller and C.H. Stam. Crystal structure of the neutral diaryl cuprate $\text{Cu}_2\text{Li}_2(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2})_4$: the asymmetric bonding configuration of organo groups bridging Cu and Li. *J. Am. Chem. Soc.*, **1985**, *107*, 697.
157. G. van Koten, J.T.B.H. Jastrzebski, C.H. Stam and C. Brevard. Some synthetic and structural aspects of neutral organocuprate reagents $\text{Cu}_n\text{Li}_m\text{R}_{n+m}$; the asymmetric bonding configuration of the bridging organo group, Biological and Inorganic Copper Chemistry, K.D. Karlin and J. Zubieta (Ed.), Adenine, pp. 267-285, **1985**.
158. M.R.P. van Vliet, P. Buysingh, G. van Koten, K. Vrieze, B. Kojic-Prodic and A.L.

- Spek.
 Dinuclear five-coordinate diorgano[(2-pyridyl)methoxyl]aluminum compounds: dynamic behaviour in solution (^1H -, ^{13}C - and ^{27}Al -NMR) and molecular geometry of $[\text{i-Bu}_2\text{AlOCH}_2\text{-2-C}_5\text{H}_4\text{N}]_2$ (X-ray).
Organometallics, **1985**, *4*, 1701.
159. A. de Koster, J.A. Kanters, A.L. Spek, A.A.H. van der Zeijden, G. van Koten and K. Vrieze.
 Structure of {2,6-bis[(dimethylamino)methyl]phenyl} dichloroiron(III), $[\text{Fe}(\text{C}_{12}\text{H}_{19}\text{N}_2)\text{Cl}_2]$.
Acta Cryst. Sect. C, **1985**, *C41*, 893.
160. A.L. Spek, A.J.M. Duisenberg, G.C. van Stein and G. van Koten.
 The structure of bis{(R,S)-1,2-bis[2-(5-methylthianyl)methylideneamino]cyclohexane} copper(I) trifluoromethane sulphonate $\text{C}_{36}\text{H}_{44}\text{CuN}_4\text{S}_4\text{CF}_3\text{SO}_3$.
Acta Cryst. Sect. C, **1985**, *C41*, 374.
161. K. Vrieze and G. van Koten.
 Metal heterodiene complexes.
Inorg. Chim. Acta, **1985**, *100*, 79.
162. R.J.F. Jans, G. van Koten, K. Vrieze, B. Kojic-Prodic, A.L. Spek and J.L. de Boer.
 Isolation and crystal structure (130K) of the first example of an $\eta^1\text{-O}$ coordinated sulphine-metal complex: $\text{SnMe}_2\text{Cl}_2[\eta^1\text{-O-(Me(Ph)NC(Ph)=S=O)]$.
Inorg. Chim. Acta, **1985**, *105*, 193.
163. J. Keijsper, L.H. Polm, G. van Koten, K. Vrieze, K. Goubitz, and C.H. Stam.
 Ruthenium carbonyl 1,4-diaza-1,3-butadiene (R-DAB) complexes. Reactivity of $\text{Ru}_3(\text{CO})_8(\text{R-DAB})$ toward diazomethane. Addition of a methylene fragment to a trinuclear species with concomitant rupture of a single Ru-Ru bond. Molecular structure of octacarbonyl(1,4-dineopentyl-1,4-diaza-1,3-butadiene)(μ -methylene)triruthenium: $(\mu\text{-CH}_2\text{Ru}_3(\text{CO})_8(\text{neo-Pen-DAB}))$.
Organometallics, **1985**, *4*, 1876.
164. J. Keijsper, L.H. Polm, G. van Koten, K. Vrieze, C.H. Stam and J.D. Schagen.
 Ruthenium carbonyl 1,4-diaza-1,3-butadiene (R-DAB) complexes. Reactivity of $\text{Ru}_2(\text{CO})_6(\text{R-DAB})$ towards hetero-allenes L (L = carbodiimide, sulphine), resulting in C-C bond formation. X-ray molecular structure of $\text{Ru}_2(\text{CO})_5(\text{t-BuN=CHC(H)(Nt-Bu)-C(N-p-Tol)=N-p-Tol})$ and of $\text{Ru}_2(\text{CO})_5(\text{i-PrN=CHC(H)(Ni-Pr)C(S)C}_{12}\text{H}_8)$.
Inorg. Chim. Acta, **1985**, *103*, 137.
165. J. Keijsper, G. van Koten, K. Vrieze, M. Zoutberg and C.H. Stam.
 The first eight electron bonded t-Bu-DAB complex. C-C coupling of two t-Bu-DAB ligands on Mn. X-ray structure of $\text{Mn}_2(\text{CO})_6(\text{t-Bu-IAE})$, hexacarbonylbis[1-tert-butyl-imino-2-ter-butyl-amino-ethane]dimanganese, containing a novel asymmetrically bridging, eight electron donating IAE ligand.
Organometallics, **1985**, *4*, 1306.
166. J.T.B.H. Jastrzebski, G. van Koten, M.J.N. Christophersen and C.H. Stam.
 The unexpected formation of a lithium enolate from bis-{2-[(dimethylamino)methyl]phenyl}coppers lithium. X-ray structure of $\text{Li}_4[\text{OC(=CH}_2\text{)C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2}]_4$.
J. Organomet. Chem., **1985**, *292*, 319.
167. J. Keijsper, L.H. Polm, G. van Koten, K. Vrieze, E. Nielsen and C.H. Stam.
 Ruthenium carbonyl 1,4-diaza-1,3-butadiene (R-DAB) complexes. Reactivity of $\text{Ru}_2(\text{CO})_5(\text{R-DAB})$ towards molecular hydrogen. Molecular structure of $\text{H}_2\text{Ru}_4(\text{CO})_8(\text{R-DAB})_2$, containing a unique linear chain of four ruthenium atoms.
Organometallics, **1985**, *4*, 2006.

168. M. Pfeffer, E. Wehman and G. van Koten.
The metallation of N,N-dimethylaminotoluene by palladium acetate. Evidence for a trinuclear species.
J. Organomet. Chem., **1985**, 282, 127.
169. H.L. Aalten, G. van Koten, K. Goubitz and C.H. Stam.
A stable trinuclear mixed (organic)(organo) copper cluster: synthesis and structure of bis(benzoato)(mesityl)tricopper(I).
J. Chem. Soc., Chem. Commun., **1985**, 1252.
170. D.M. Grove, G. van Koten, H.J.C. Ubbels, K. Vrieze, L.C. Niemann and C.H. Stam.
Fluxionality and bonding in formamidine and formamidinate complexes of Pt(II) and Pd(II) containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand; A proton nuclear magnetic resonance study with X-ray crystal structure of [Pt{C₆H₃(CH₂NMe₂)₂-2,6}{p-MeC₆H₄N=CHN(H)C₆H₄Me-p}][CF₃SO₃] [Pt{C₆H₃(CH₂NMe₂)₂-2,6}{p-MeC₆H₄N=CHNC₆H₄Me-p}].
J. Chem. Soc. Dalton Trans., **1986**, 717.
171. J. Terheijden, G. van Koten, P. Mul, D.J. Stufkens, F. Muller and C.H. Stam.
Reversible binding of SO₂ to arylplatinum(II) and -nickel(II) complexes. X-ray crystal structure of the five-coordinate platinum(II) sulphur dioxide complex [PtBr{C₆H₃(CH₂NMe₂)₂-o,o'}(η¹-SO₂)].
Organometallics, **1986**, 5, 519.
172. D.M. Grove, G. van Koten, P. Mul, A.A.H. van der Zeijden, J. Terheijden, M.C. Zoutberg, and C.H. Stam.
Arylnickel(III) species containing NO₃, NO₂ and NCS ligands. ESR data and the X-ray crystal structure of hexacoordinate (pyridine)bis(isothiocyanato)[o,o'-bis{(dimethylamino) methyl}phenylnickel(III)].
Organometallics, **1986**, 5, 1986.
173. M.R.P. van Vliet, G. van Koten, J.A.M., K. Vrieze, F. Muller and C.H. Stam.
Monodentate-N coordination of 1-aza-4-oxo-1,3-butadienes [R¹N=C(R²)C(R³)=O] to platinum(II), X-ray structure of trans-[PtCl₂(PEt₃){s-N-t-BuN=CHC(Me)=O}].
Inorg. Chim. Acta, **1986**, 112, 77.
174. M.R.P. van Vliet, G. van Koten, M.A. Rotteveel, M. Schrap and K. Vrieze.
Reactivity of 1-aza-4-oxo-1,3-butadienes (α-iminoketones) towards triorganoaluminum reagents I. X-ray crystal structures of [(AlMe₃)₂{σ,σ-N,O-(MeN=C(Ph)C(Ph)=O)}], with a N,O-bridge bonded α-iminoketone, and of Me₂Al(t-Bu)N=CHC(Me)₂OAlMe₃, a carbonyl alkylated product which is O-coordinated to AlMe₃.
Organometallics, **1986**, 5, 1389.
175. F. Muller, G. van Koten, K. Vrieze, B. Krijnen and C.H. Stam.
Novel C-C and C-N coupling reactions on a di-iron-α-diimine complex in the reaction of Fe₂(CO)₆{RN=C(H)C(H)=NR} with methyl propynoate; X-ray crystal structure of Fe₂(CO)₅{c-C₆H₁₁)N=CHCHN(c-C₆H₁₁)C(O)CH=CCO₂Me}, Fe₂(CO)₆{PriNCHCH=N(Pri)CHCCO₂Me} and Fe₂(CO)₄{PrNCHCHN(Pri)-CHCCO₂Me}.
J. Chem. Soc., Chem. Commun., **1986**, 150.
176. J.G. Kraaijkamp, G. van Koten, Th.A. van der Knaap, F. Bickelhaupt and C.H. Stam.
Influence of steric factors on the coordination mode (η¹ or η²) of phosphalkenes to zerovalent Pt⁰L₂ centres. X-ray structure of bis(triphenylphosphine){2,6-dimethylphenyl-9-fluorenylidene}phosphine}platinum(0)-toluene.
Organometallics, **1986**, 5, 2014.
177. J.T.B.H. Jastrzebski, G. van Koten, C.T. Knaap, A.M.M. Schreurs, J. Kroon and A.L. Spek.

- Organotin(IV) compounds derived from 2-Me₂NC₆H₄CH₂Li and its chiral α -Me₃Si-derivative. X-ray structure of penta-coordinate [{2-(dimethylamino)phenyl}(trimethylsilyl)methyl-C,N]methylphenyltin bromide having a chiral Sn center.
Organometallics, **1986**, 5, 1551.
178. L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen and C.H. Stam. Iron and Ruthenium Complexes [M₂(CO)₆(Pyridine-2-Carbaldehyde-Imine)] having a σ -N, μ^2 -N', η^2 -C=N' bonded 6-R¹-py-2-C(R²)=NR Ligand; X-Ray Structure of [Ru₂(CO)₅{1,2Bis(μ -isopropylamido)-1,2-Bis(2-Pyridyl)Ethane}] Containing two C-C Linked Pyridine-2-Carbaldehyde-Imine Ligands.
J. Organomet. Chem., **1986**, 304, 353.
179. E. Wehman, G. van Koten and J.T.B.H. Jastrzebski. Functionally substituted arylcopper compounds; crystal structure of the copper bromide complex of [2-(4,4-dimethyl-2-oxazoline)-4-methylphenylcopper].
J. Organomet. Chem., **1986**, 302, C35.
180. F. Maassarani, M. Pfeffer, A.L. Spek, A.M.M. Schreurs and G. van Koten. Reactivity of mixed cyclometallated palladium compounds containing the [2-Me₂NC₆H₄C(H)SiMe₃] monoanion. Transmetallation reactions and formation of a novel μ -alkylidene compound (X-ray) (di- μ -chloro)bis{ μ -C, σ -N-[2-(dimethylamino)benzylidene](μ -chloro)(diethyl sulfide)dipalladium(II)}.
J. Am. Chem. Soc., **1986**, 108, 4222.
181. A.A.H. van der Zeijden and G. van Koten. Mono-arylcobalt(II) compounds stabilized by bis ortho chelation.
Inorg. Chem., **1986**, 25, 4723.
182. R.J.F. Jans, G. van Koten, R.R. Andréa, K. Vrieze, A.L. Spek, B. Kojic-Prodic and J.L. de Boer. Syntheses and ¹¹⁹Sn NMR of η^1 -O coordinated sulphine dimethyltin dichloride complexes and thermal C=S and C=O bond cleavage reactions. X-ray structure (130K) of Me₂SnCl₂[η^1 -O-{(Me)(Ph)NC(Ph)=S=O}].
Recl. Trav. Chim. Pays-Bas, **1986**, 105, 317.
183. J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen and C.H. Stam. Syntheses and structural aspects of rigid aryl palladium(II) and platinum(II) complexes X-ray crystal structure of o,o'-bis[(dimethylamino)methyl]phenylplatinum(II) bromide.
J. Organomet. Chem., **1986**, 315, 401.
184. J.A.M. van Beek, G. van Koten, W.J.J. Smeets and A.L. Spek. Model for the initial stage in the oxidative addition of I₂ to organoplatinum(II) compounds. X-ray structure of square-pyramidal [PtIII{C₆H₃(CH₂NMe₂)₂-o,o'} (η^1 -I₂)] containing a linear Pt-I-I arrangement.
J. Am. Chem. Soc., **1986**, 108, 5010.
185. J. Terheijden, G. van Koten, J.A.M. van Beek, B.K. Vriesema, R.M. Kellogg, M.C. Zoutberg and C.H. Stam. Binding of Pt^{II} via a σ -Pt-C bond to a novel type of macrocyclic monoanycarbodiaza-ligand: X-ray crystal structure of trans-[2,6-(2,13-dimethyl-2,13-diaza-tetradecanediy)phenyl-N,N']platinum(II) iodide.
Organometallics, **1987**, 6, 89.
186. J. Terheijden, G. van Koten, D.M. Grove and K. Vrieze. Syntheses and characterization of dinuclear palladium and platinum complexes with a single unsupported bridging group. Crystal structure of [{C₆H₃(CH₂NMe₂)₂-

- o,o'}Pd(μ -Cl)(Pd{C₆H₃(CH₂NMe₂)₂-o,o'})]BF₄.
J. Chem. Soc. Dalton Trans., **1987**, 1359.
187. F. Maassarani, M. Pfeffer, G. Le Borgne, J.T.B.H. Jastrzebski and G. van Koten.
 Organopalladium compounds with a chiral palladated carbon atom. Facile isolation of optically active cyclopalladated complexes containing the (S)- or (R)-[2-NMe₂C₆H₄CH(SiMe₃)] monoanion. Molecular structure of [2-{1-(S)-(dimethylamino)ethyl}phenyl][2-dimethylamino)- α -(trimethylsilyl)benzyl]palladium(II).
Organometallics, **1987**, 6, 1111.
188. L.H. Polm, C.J. Elsevier, G. van Koten, D.J. Stufkens, K. Vrieze, R.R. Andrea and C.H. Stam.
 Synthesis of [Ru₂(CO)₅{1,2-bis(μ -alkylamido)-1,2-bis(2-pyridyl)ethane}] and Ru₂(CO)₄{pyridine-2-carbaldehyde-N-alkylimine}2] and the molecular structure of bis(pyridine-2-carbaldehyde-N-isopropylimine)tetracarbonyldiruthenium
 Unprecedented CO-induced carbon-carbon bond formation between two pyridine-2-carbaldimines in dinuclear ruthenium carbonyl complexes.
Organometallics, **1987**, 6, 1096.
189. R.J.F. Jans, G. van Koten, K. Vrieze and A.L. Spek.
 Synthesis and reactivity of (thioamido S-oxide)(diene)rhodium(I) complexes. X-ray structure of RhI[(p-tol)(p-tolN)C=S=O](NBD).
Inorg. Chim. Acta, **1987**, 126, 49.
190. M.R.P. van Vliet, G. van Koten, M.S. de Keijser and K. Vrieze.
 Reactivity of 1-aza-4-oxo-1,3-butadienes (α -iminoketones) towards triorganoaluminum reagents II. Syntheses of triorganoaluminum- α -iminoketone coordination complexes diorganoaluminum(α -imino)alkoxides and diorganoaluminum(α -imino)enolates and study of their dynamic behaviour in solution (1H and 13C NMR).
Organometallics, **1987**, 6, 1652.
191. M.R.P. van Vliet, G. van Koten, P. Buysingh, J.T.B.H. Jastrzebski and A.L. Spek.
 Reactivity of 1-aza-4-oxo-1,3-butadienes (α -iminoketones) towards diorganozinc reagents: Regio- and chemoselective transfer of organo groups in the ZnR₂/R¹N=C(R²)C(R³)=O system and X-ray structure of the organozinc enolate [EtZn(Et)(t-Bu)NC(H)=C(Me)O]₂.
Organometallics, **1987**, 6, 537.
192. M.R.P. van Vliet, G. van Koten, J.F. Modder, J.A.M. van Beek, W. Klaver and C.H. Stam.
 Coordination of 3-substituted 1-aza-4-oxo-1,3-butadienes (α -iminoesters and amides) to aluminum and zinc chloride and to dimethylzinc. Selective reduction in the ZnEt₂-R¹N=CHC(NEt₂)=O system and crystal structure of [EtZn(t-Bu)NCH₂C(NEt₂)=O]₂ (X-ray).
J. Organomet. Chem., **1987**, 319, 285.
193. E. Wehman, G. van Koten, M. Knotter, H. Spelten, D. Heijdenrijk, A.N.S. Mak, C.H. Stam.
 8-(Dimethylamino)naphthylcopper(I), a novel stable organocopper compound with unusual structural features. A study concerning its synthesis, structure (X-ray) and reactivity. Its synthesis, crystal structure (X-ray) and reactivity.
J. Organomet. Chem., **1987**, 325, 293.
194. W.J.J. Smeets, A.L. Spek, A.A.H. van der Zeijden and G. van Koten.
 Structure of {2,3,5,6-tetrakis[(dimethylamino)methyl]phenyl-C,N,N'}lithium dimer.
Acta Cryst. Sect. C, **1987**, C43, 1420.

195. M.R.P. van Vliet, J.T.B.H. Jastrzebski, W.J. Klaver, K. Goubitz and G. van Koten. The unexpected formation of trans- β -lactams in the reaction of α -iminoesters (R-N=C(H)C(=O)OR') with diethylzinc. Crystal structure of trans-1-(N-t-butyl)-3-(N-t-butyl-N-ethylamino)-4-methoxycarbonylazetid-2-one. *Recl. Trav. Chim. Pays-Bas*, **1987**, 106, 132.
196. A.L. Spek, B.P. van Eijck, R.J.F. Jans, and G. van Koten. Structure of dichloro{1,2-bis(diphenylphosphino)ethane}nickel(II) dichloromethane solvate. *Acta Cryst. Sect. C*, **1987**, C43, 1878.
197. J.T.B.H. Jastrzebski, F.H. van der Steen and G. van Koten. Selective formation of 1,3,4-trisubstituted and 3,4-disubstituted trans- β -lactams from zinc enolates and imines. *Recl. Trav. Chim. Pays-Bas*, **1987**, 106, 516.
198. W.J.J. Smeets, A.L. Spek, A.J.M. Duisenberg, J.A.M. van Beek and G. van Koten. Structure of {2,6-bis[(dimethylamino)methyl]phenyl}iodoplatinum(II). *Acta Cryst. Sect. C*, **1987**, C43, 463.
199. A.L. Spek, J.T.B.H. Jastrzebski and G. van Koten. Structure of μ -[1,2-bis(tert-butylamino-1:2 κ N)-1,2-di(2-pyridyl- κ N)ethane]-bis(ethylzinc). *Acta Cryst. Sect. C*, **1987**, C43, 2006.
200. G. van Koten. Metalen in de "Tang", SON Jaarboek, pp. , **1987**.
201. E. Wehman, G. van Koten, D.M. Knotter, C.J.M. Erkamp, A.N.S. Malik and C.H. Stam. A phenoxydicopper(I) complex containing a bridging oxygen atom: Cu₂(μ -Br)[m-{OC₆H₃(CH₂NMe₂)₂-o,o'}][P(OMe)₃]₂. *Recl. Trav. Chim. Pays-Bas*, **1987**, 106, 370.
202. G. van Koten. A zinc mediated route from α -imino esters to β -lactams, Organometallics in organic synthesis. Proceedings of the first Symposium on "Organic Synthesis via Organometallics", Hamburg, Springer-Verlag, pp. , **1987**.
203. P.N.M.N. van Leeuwen and G. van Koten. Homogene katalyse een uitdagende keuze. *Chemisch weekblad*, **1987**, 411.
204. A.A.H. van der Zeijden and G. van Koten. Synthesis and structure of a bis ortho chelated aryllithium compound. 2,4,5,6 tetrakis[(dimethylamino)methyl]phenyllithium dimer. *Recl. Trav. Chim. Pays-Bas*, **1988**, 107, 431.
205. D.M. Grove, G. van Koten and A.H.M. Verschuuren. New homogeneous catalysts in the addition of polyhalogeno alkanes to olefins; organonickel(II) complexes [Ni{C₆H₃(CH₂NMe₂)₂-o,o'}X] (X = Cl, Br, I). *J. Mol. Catal.*, **1988**, 45, 169.
206. B. Fischer, J. Boersma, G. van Koten, and A.L. Spek. Synthesis and reactivity towards Ni(COD)₂ of substituted dicyclopentadienylzinc compounds; crystal structures of zinc-nickel clusters Zn₄Ni₂(η^5 -C₅H₄t-Bu)₄(η^1 -C₅H₄t-Bu)₂ and Zn₄Ni₂(η^5 -C₅H₄SiMe₃)₂(η^3 -C₅H₄SiMe₃)₂(η^1 -C₅H₄SiMe₃)₂. *New J. Chem.*, **1988**, 12, 613.
207. E. Wehman, G. van Koten, J.T.B.H. Jastrzebski, M.A. Rotteveel, C.H. Stam. Functionally substituted arylcopper compounds; synthesis, structure and reactivity of (2-(2-oxazoliny)aryl)copper(I) species.

- Organometallics*, **1988**, 7, 1477.
208. J.G. Kraaijkamp, D.M. Grove, G. van Koten and A. Schmidpeter.
Bonding mode variations in palladium(II) and platinum(II) azaphosphole complexes; Identification by ^1H -, ^{31}P - and ^{195}Pt -NMR of N- and P- coordination, Pt-Cl addition to P and dimerization.
Inorg. Chem., **1988**, 27, 2612.
209. J.T.B.H. Jastrzebski, G. van Koten and W.F. van de Mieroop.
X-ray crystal structure of the hexameric lithium enolate of ethyl N,N-diethylglycinate.
Inorg. Chim. Acta, **1988**, 142, 169.
210. D.M. Grove, G. van Koten, P.Mul, R. Zoet, J.G.M. van der Linden, J. Legters, J.E.J. Schmitz, N.W. Murrall, and A.J. Welch.
Syntheses and characterization of unique organometallic Ni(III) aryl species: ESR and electrochemical studies and the X-Ray molecular structure of square pyramidal $\text{Ni}\{\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-o,o'}\}_2\text{I}_2$.
Inorg. Chem., **1988**, 27, 2466.
211. A.A.H. van der Zeijden, G. van Koten, R. Luijk, K. Vrieze, C.Slob, H.Krabbendam, and A.L. Spek.
Ortho-metalation of m-(Me_2NCH_2) $_2\text{C}_6\text{H}_4$; crystal structure and chemistry of trans- $\text{RhIII}\text{Cl}_2(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-o,o'})(\text{H}_2\text{O})$.
Inorg. Chem., **1988**, 27, 1014.
212. B. Fischer, G.P.M. van Mier, J. Boersma, G. van Koten, W.J.J. Smeets and A.L. Spek.
The crystal structure of dicyclopentadienylmercury.
Recl. Trav. Chim. Pays-Bas, **1988**, 107, 259.
213. A.A.H. van der Zeijden, G. van Koten, R. Luijk and D.M. Grove.
Formation of octahedral iridium(III) dihydrides from the reaction of ortho-chelated aryl-iridium(I) compounds with dihydrogen.
Organometallics, **1988**, 7, 1556.
214. A.A.H. van der Zeijden, G. van Koten, R.A. Nordemann. B. Kojic-Prodic, and A.L. Spek.
Ortho chelated arylrhodium(I) complexes. X-ray structure of $\text{RhI}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-o,o'-\text{C,N}})(\text{COD})$.
Organometallics, **1988**, 7, 1957.
215. A.A.H. van der Zeijden, G. van Koten, R. Luijk, and R.A. Nordemann.
Unusual isomerization of ortho chelated aryliridium(I) complexes, involving a unique sequence of intramolecular C-H bond making and breaking processes. X-ray structure of $\text{IrI}[\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-2,4}](\text{COD})$.
Organometallics, **1988**, 7, 1549.
216. A.A.H. van der Zeijden, G. van Koten, J.M.A. Wouters, W.F.A. Wijsmuller, D.M. Grove, W.J.J. Smeets and A.L. Spek.
Trapping of three-center Ir-Sn-X intermediates in the reaction of $\text{IrI}(\text{C}_6\text{H}_4(\text{CH}_2\text{NMe}_2))_2(\text{COD})$ with (organo)tin(IV) halides. X-ray structure of $[2-(\text{Me}_2\text{NCH}_2)\text{C}_6\text{H}_4](\text{COD})\text{Ir}(\text{Br})\text{SnMe}_2\text{Br}$.
J. Am. Chem. Soc., **1988**, 110, 5354.
217. E. Wehman, G. van Koten, J.T.B.H. Jastrzebski, H. Osson and M. Pfeffer.
Synthesis of cyclometallated naphthylpalladium complexes via transmetallation reactions of naphthylmercury with palladium species. Crystal structure determination of $[\{\text{Pd}(\text{mxn})(\text{O}_2\text{CMe})\}_2]$.
J. Chem. Soc. Dalton Trans., **1988**, 2975.
218. J.T.B.H. Jastrzebski, J. Boersma, G. van Koten, W.J.J. Smeets and A.L. Spek.
X-ray crystal structure of the ethylzinc enolate of 1-(1-(2,4-cyclopentadienyl))-2-

- diethylamino-1-ethanone, the unexpected reaction product from cyclopentadienyl (ethyl)zinc and ethyl N,N-diethylglycinate.
Recl. Trav. Chim. Pays-Bas, **1988**, 107, 263.
219. R. Zoet, J.T.B.H. Jastrzebski, G. van Koten, T. Mahabiersing, K. Vrieze, D. Heijdenrijk and C.H. Stam.
Synthesis and characterization of two isomers of decacarbonyl(1,4-dialkyl-1,4-diaza-1,3-butadiene)triosmium: Os₃(CO)₁₀(R-DAB). Fluxional behaviour of Os₃(CO)₁₀(i-Pr-DAB(4e)). Molecular Structures of the 48e cluster Os₃(CO)₁₀(i-PrDAB (4e)) and of the 50e cluster Os₃(CO)₁₀(c-Pr-DAB(6e)) containing a 4e donor σ,σ-N,N'- and a 6e σ-N,μ²-N',η²-C=N' bonded R-DAB ligand respectively.
Organometallics, **1988**, 7, 2108.
220. R. Zoet, G. van Koten, D.J. Stufkens, K. Vrieze, and C.H. Stam.
Conversion of 48e Os₃(CO)₁₀(R-DAB(4e)) via 50e Os₃(CO)₁₀(R-DAB(6e)) to 50e Os₃(CO)₉(R-DAB(8e)) (R-DAB = RN=C(H)C(H)=NR). X-ray structure of Os₃(CO)₉(i-Pr-DAB(8e)), with two elongated Os-Os bonds.
Organometallics, **1988**, 7, 2118.
221. R. Zoet, G. van Koten and K. Vrieze.
Synthesis and characterization of two isomers of Os₃(CO)₁₀(C₅H₄N-2-C(H)=N-R) and the conversion to ortho-metallated HOs₃(C₅H₃N-2-C(H)=N-R)(CO)₉: Part III. X-ray structure of HOs₃(C₅H₃N-2-(C(H)=N-i-Pr)(CO)₉.
Inorg. Chim. Acta, **1988**, 148, 71.
222. E. Wehman, G. van Koten, G. Hardeman, C.H. Stam and M. Pfeffer.
Organometallic complexes with chiral cyclometallated ligands. The synthesis of cyclo-platinated complexes containing the (S)- or (R)-[2-NMe₂C₆H₄CH(SiR₃)](R= Me, Ph) monoanion. X-ray crystal and molecular structure of [PtCl[CH(SiMe₃)C₆H₄-2-NMe₂](Et₂S)].
Recl. Trav. Chim. Pays-Bas, **1988**, 107, 536.
223. R. Zoet, G. van Koten, K. Vrieze, J. Jansen, K. Goubitz and C.H. Stam.
Activation of an aliphatic C-H bond at room temperature. Conversion on a cluster of a stable σ-bonded alkyl group to a μ²-alkylidene ligand. Synthesis and crystal structure determination of HOs₃(6-CH₂C₅H₃N-2-C(H)=N-i-Pr)(CO)₉ and H₂Os₃(6-CH-C₅H₃N-2-C(H)=N-i-Pr)(CO)₈.
Organometallics, **1988**, 7, 1565.
224. E. Wehman, J.T.B.H. Jastrzebski, J.M. Ernsting, D. M. Grove and G. van Koten.
Structural investigation of aryllithium clusters in solution. I. A ¹³C and ⁷Li NMR study of phenyllithium and some methyl-substituted phenyllithium derivatives.
J. Organomet. Chem., **1988**, 353, 133.
225. E. Wehman, J.T.B.H. Jastrzebski, J.M. Ernsting, D.M. Grove and G. van Koten.
Structural investigations of aryllithium clusters in solution. II. A ¹³C and ⁷Li NMR study of substituted phenyllithium compounds containing ortho-directing -NMe₂ and -CH₂NMe₂ groups.
J. Organomet. Chem., **1988**, 353, 145.
226. E. Wehman, G. van Koten, I.C. Knaap, H. Ossor, M. Pfeffer and A.L. Spek.
Synthesis of cyclometalated 8-methoxy and 8-dimethylamino naphthylplatinum compounds and their reactivity towards electrophiles. The X-ray molecular structures of square-planar 8-methoxynaphthylplatinum(II) chloride bis(diethyl sulphide) and bis(8-methoxynaphthyl)platinum(II) (diethyl sulphide) and octahedral fac-bis(8-methoxy-naphthyl) methylplatinum (V) iodide.
Inorg. Chem., **1988**, 27, 4409.
227. R. Zoet, G. van Koten, F. Muller, K. Vrieze and M. van Wijnkoop.

- Synthesis of heterodinuclear $\text{FeRu}(\text{CO})_6(\text{R-DAB})(6e)$ ($\text{R-DAB}=\text{RN}=\text{C}(\text{H})\text{C}(\text{H})=\text{NR}$). Comparison of the reactivities of heterodinuclear $\text{FeRu}(\text{CO})_6(\text{R-DAB})(6e)$ and homodinuclear analogues $\text{M}_2(\text{CO})_6(\text{R-DAB})(6e)$ ($\text{M}=\text{Fe}, \text{Ru}$). Single crystal X-ray structures of $\text{FeRu}(\text{CO})_6(\text{i-Pr-DAB})(6e)$ and $\text{FeRu}(\text{CO})_5(\text{i-Pr-DAB})(4e)(\text{C}_3\text{H}_4)$. *Inorg. Chim. Acta*, **1988**, 149, 193-208.
228. R. Zoet, G. van Koten, A.L.J. van der Panne, P. Versloot and K. Vrieze. Synthesis and spectroscopic properties of $\text{CpRuCl}(\text{R-DAB})(4e)$ and $\text{CpRuCo}(\text{CO})_3(\text{R-DAB})(6e)$. X-ray structure determination of $\text{CpRuCo}(\text{CO})_3(\text{t-Bu-DAB})(6e)$. *Inorg. Chim. Acta*, **1988**, 149, 177.
229. W. de Graaf, J. Boersma, D. M. Grove, A.L. Spek and G. van Koten. Synthesis, X-ray crystal structure and reactions of dimethyl(N,N,N',N' -tetramethylethanediamine)palladium. *Recl. Trav. Chim. Pays-Bas*, **1988**, 107, 299.
230. F.H. van der Steen, J.T.B.H. Jastrzebski and G. van Koten. Stereoselective one-pot synthesis of *trans*-3-amino- β -lactams from zinc enolates of N -protected α -aminoacid esters and imines. *Tetrahedron Lett.*, **1988**, 29, 2467.
231. G. van Koten en P.W.N.M van Leeuwen. Homogene katalyse: reactiviteit op maat. *Chemisch Magazine*, **1988**, 337.
232. W. de Graaf, S. Harder, J. Boersma, G. van Koten and J. Kanters. Organopalladium complexes with bidentate phosphorus and nitrogen containing ligands. *J. Organomet. Chem.*, **1988**, 358, 545.
233. W. de Graaf, A. Smits, J. Boersma, G. van Koten and W.P.M. Hoekstra. Synthesis of marasin and 9-Me-marasin (nona- and deca-6,8-diyne-2,4-dienol). *Tetrahedron*, **1988**, 44, 6699.
234. J. Kanters, G.P.M. van Mier, R.L.L.M. Nijs, F.H. van der Steen, and G. van Koten. Structures of $[\text{N},\text{-Cp-methoxyphenyl-2-(p-methoxyphenylimino)propylamino-N,N'}$ -dimethylaluminum(I) and dimethyl $[\text{N-(p-tolyl)-2-(p-tolylimino)propylamino-N,N'}$ -aluminum(II)]. *Acta Cryst. Sect. C*, **1988**, C44, 1391.
235. J.T.B.H. Jastrzebski, and G. van Koten. Cyclometallated Organolithium Compounds. *Inorg. Synth.*, **1989**, 26, 150.
236. F. Maassarani, M. Pfeffer and G. van Koten. Regioselective formation of η^3 -allylic ligands via the reaction of alkynes with $[\text{2-Me}_2\text{NC}_6\text{H}_4\text{CH}(\text{SiMe}_3)\text{Pd}(\mu\text{-Cl})_2]$. *Organometallics*, **1989**, 8, 871.
237. E. Wehman, G. van Koten, C.J.M. Erkamp, D.M. Knotter, J.T.B.H. Jastrzebski, C.H. Stam. Bis ortho chelated arylcopper compounds; Synthesis and X-ray crystal structure of $\text{Cu}_4\text{Br}_2[\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2\text{-o,o'}}]_2$. *Organometallics*, **1989**, 8, 94.
238. A.A.H. van der Zeijden, G. van Koten, J.M. Ernsting, C.J. Elsevier, B. Krijnen and C.H. Stam. Novel five-co-ordinate diorganorhodium compounds. X-ray structure of bis ortho chelated $[\text{RhIII}(\text{Me})\text{I}\{\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2\text{-2,6}}\}]$. *J. Chem. Soc. Dalton Trans.*, **1989**, 317.
239. R. Zoet, C.J. Elsevier, G. van Koten, P. Versloot, K. Vrieze, M. van Wijnkoop, C.A.

- Duineveld, K. Goubitz, D. Heijdenrijk and C.H. Stam.
Stereoselective trans-addition of D₂ to the coordinated RN-C(R¹)C(H)=NR ligand in FeRu(CO)₆(R-DAB; R¹, H(6e)) to afford FeRu(CO)₆(m,m'-N(R)CR¹DCHDN(R)) (R= i-Pr, R¹ = Me, H; R = p-Tol, R¹ = H). Kinetic ¹H NMR studies of the hydrogenation at hydrogen pressures between 1 and 70 bar. Single crystal X-ray structure determinations of FeRu(CO)₆(m,m'-N(R)CH₂CRHN(R)) (R = i-Pr and R¹ = H, Me) .
Organometallics, **1989**, 8, 23.
240. G. van Koten, D.M. Grove, and A.A.H. van der Zeijden.
Trapping intermediates in electron transfer reactions of square planar organometallic d⁸species. Proceedings Nato Advanced Workshop: Paramagnetic Organometallic Species in Activation Selectivity, Kluwer Academic Publishers, Assd, pp. 477-487, **1989**.
241. F. Muller, G. van Koten, K. Vrieze, K.A.A. Duineveld, D. Heijdenrijk, A.N.S. Mak, and C.H. Stam.
C-C and C-N couplings and alkyl C-H activation in reactions of (σ,σ-(N,N')-N,N'-diisopropyl-1,4-diaza-1,3-butadiene)-(μ², η²-dimethyl acetylenedicarboxylate)diiron pentacarbonyl.
Organometallics, **1989**, 8, 1324.
242. F. Muller, G. van Koten, M.J.A. Kraakman, K. Vrieze, D. Heijdenrijk and M.C. Zoutberg.
Reactions of the homo- and heterodinuclear complexes M₂(CO)₆(N,N'-diisopropyl-1,4-diaza-1,3-butadiene) [M₂ = Fe₂, FeRu, Ru₂] with (N,N-diethylamino)-1-propyne.
Organometallics, **1989**, 8, 1331.
243. F. Muller, G. van Koten, K. Vrieze, and D. Heijdenrijk.
Selective coupling of an α-diimine ligand and Co and Methyl propynoate molecules to give Fe₂(CO)_n{(R)N=C(H)C(H)N(R)C(O)C(H)=CC(O)OMe}, containing a flyover-type ligand and showing a reversible CO-induced metal-metal bond fission with X-ray crystal structures (n = 5, R = i-Pr; n = 6, R = c-Hex).
Organometallics, **1989**, 8, 33.
244. B. Fischer, J. Boersma, G. van Koten, W.J.J. Smeets and A.L. Spek.
Structural investigations of benzocyclopentadienylzinc compounds; crystal structure of the bis-tetrahydrofuran complex of difluorenylzinc.
Organometallics, **1989**, 8, 667.
245. B. Fischer, H. Kleijn, J. Boersma, G. van Koten and A.L. Spek.
Synthesis and crystal structure of the new mixed metal mixed ligand cluster compound Zn₄Ni₂(C₅H₅)₄(C₅Me₅)₂.
Organometallics, **1989**, 8, 920.
246. G. van Koten and J.T.B.H. Jastrzebski.
Polynuclear aryl copper species and neutral aryl cuprates with a chiral CH(Me)NMe₂ ortho substituent.
Tetrahedron, **1989**, 45, 569.
247. F.H. van der Steen, H. Kleijn, J.T.B.H. Jastrzebski and G. van Koten.
The syntheses of β-lactams from zinc enolates of N,N-disubstituted α-aminoacid esters and imines; substituent and solvent effects.
Tetrahedron Lett., **1989**, 30, 765.
248. G. van Koten.
Tuning the reactivity of metals held in a rigid ligand environment.
Pure & Appl. Chem., **1989**, 61, 1681-1694.
249. D. Nobel, G. van Koten, and A.L. Spek.
2,4,6-Triisopropylphenylcopper, a new tetranuclear organocopper aggregate with

- unsymmetrically bridging σ - π bonded aryl ligands.
Angew. Chem. Int. Ed. Engl., **1989**, 28, 208-210.
250. B. Fischer, P. Wijkens, P.H.M. Budzelaar, J. Boersma and G. van Koten.
 The unusual solid state structures of pentasubstituted bis(cyclopentadienyl)zinc compounds: Bis(pentamethylcyclopentadienyl)zinc and Bis(tetramethylphenyl- cyclopentadienyl)zinc.
J. Organomet. Chem., **1989**, 376, 223.
251. H.L. Aalten, G. van Koten, K. Goubitz and C.H. Stam.
 The Hurtley Reaction I. Synthesis and characterization of copper(I) benzoates containing reactive ortho C-X (X = Cl, Br) bonds and their reactivity towards organocopper(I) compounds. Crystal structure of a thermally stable trinuclear hetero-copper(I) cluster, bis(benzoato)(mesityl)tricopper(I).
Organometallics, **1989**, 8, 2294.
252. D.M. Knotter, G. van Koten, H.L. van Maanen, D.M. Grove, and A.L. Spek.
 A novel trimeric chiral copper(I)-thiophenolate with intramolecular coordination.
Angew. Chem., **1989**, 101, 341.
253. D.M. Grove, J.A.M. van Beek, A.H.M. Verschuuren and G. van Koten.
 The homogeneously catalysed addition reaction of polyhalogenoalkanes to olefins by divalent arylnickel complexes: comparative reactivity and some important mechanistic leads.
J. Organomet. Chem., **1989**, 372, C1.
254. Fred Muller, Dave I.P. Dijkhuis, Gerard van Koten, Kees Vrieze, Dick Heijdenrijk, Marc A. Rotteveel, Casper H. Stam and Martin C. Zoutberg.
 Metal-Metal Bond Fission and Formation and C-C Couplings in Reactions of Diruthenium 1,4-Diaza-1,3-butadiene Complexes with Alkynes.
Organometallics, **1989**, 8, 992-999.
255. H.L. Aalten, G. van Koten, E. Riethorst, and C.H. Stam.
 The Hurtley reaction II. Novel complexes of disubstituted acetylenes with copper(I) benzoates having a reactive ortho C-Cl or C-Br bond. X-ray structural characterization of tetrakis(2-chlorobenzoato)bis(diethylacetylenedicarboxylate tetracopper(I)).
Inorg. Chem., **1989**, 28, 4140.
256. J.T.B.H. Jastrzebski, P.A. van der F, J. Boersma, G. van Koten, D. Heijdenrijk, K. Goubitz and D.J.A. de Ridder.
 Synthesis and characterization of a stable bis-naphthyltin(II) compound. Bis[8-(dimethylamino)-1-naphthyl-C,N]tin(II) and its W(CO)₅ adduct.
J. Organomet. Chem., **1989**, 367, 55.
257. H.L. Aalten, G. van Koten, D.M. Grove, T. Kuilman, O.G. Piekstra, L.A. Hulshof and R.A. Sheldon.
 The copper catalysed reaction of sodium methoxide with aryl bromides. A mechanistic study leading to a facile synthesis of anisole derivatives.
Tetrahedron, **1989**, 45, 5565.
258. J.T.B.H. Jastrzebski, P.A. van der Schaaf, J. Boersma, G. van Koten, M.C. Zoutberg, D. Heijdenrijk.
 Synthesis and characterization of {2,6-bis[d(dimethylamino)methyl][phenyl]tin(II) chloride and {2,6-Bis{(dimethylamino)methyl}phenyl}(4-tolyl)tin(II) the first example of a mixed diaryltin(II) compound.
Organometallics, **1989**, 8, 1373.
259. H.L. Aalten, G. van Koten, J. Tromp, C.H. Stam, K. Goubitz, A.N.S. Mak, and A. van der Kerk-van Hoof.
 Dinuclear copper(I) benzoato quinoline complexes as intermediates in the copper-

- quinoline decarboxylation reaction.
Recl. Trav. Chim. Pays-Bas, **1989**, *108*, 295.
260. J.F. Modder, G. van Koten, K. Vrieze, and A.L. Spek.
 A chiral Ag^{I} - coordination polymer with a polydentate chiral ligand : X-ray structure of the (1:1) complex of AgO_3SCF_3 and [N-(5-methyl-2-thienylmethylidene)-L-methionyl]histamine.
Angew. Chem. Int. Ed. Engl., **1989**, *28*, 1698-1700.
261. M.F. Davidson. D.M. Grove, G. van Koten, and A.L. Spek.
 An unexpected dinuclear Zwitterionic Pt(II) cation $[\text{Pt}_2\{\text{C}_6\text{H}_3(\text{CH}_2\text{NHMe}_2)_{2-2,6}\}_2\text{I}_4]^{2+}$ from the reaction of alkyl halides with an aryl(diamine)(aquo)Pt(II) complex; X-ray and N.M.R. Studies.
J. Chem. Soc., Chem. Commun., **1989**, 1562.
262. F. Muller, G. van Koten, K. Vrieze, and D. Heijdenrijk.
 Synthesis of some dinuclear Fe and Ru complexes containing an 8e donating a-diimine ligand and a μ^2 -bridging alkyne; crystal structure of $(\sigma, \sigma\text{-N, N}', \eta^2, \eta^2\text{-C=N, C=N}'\text{-1,4-diisopropyl-1,4-diaza-1,3-butadiene})(\mu^2\text{-methylpropynoate})$ tetracarbonyl diiron.
Inorg. Chim. Acta, **1989**, *158*, 69.
263. W. de Graaf, J. Boersma, W.J.J. Smeets, A.L. Spek, G. van Koten.
 Dimethyl(N,N,N',N'-tetramethylethanediamine)palladium(II) and dimethyl{1,2-bis-(dimethylphosphino)ethane}palladium(II); Syntheses, X-ray crystal structures, thermolysis, oxidative addition, and ligand exchange reactions.
Organometallics, **1989**, *8*, 2907.
264. H.C.L. Abbenhuis, D.M Grove, G.P.M. van Mier, A.L. Spek and G. van Koten.
 The first intramolecularly co-ordinated aryl tantalum compounds with amine donors; synthesis and X-Ray structure of $[\text{Ta}\{\text{C}_6\text{H}_4\text{CH}(\text{R})\text{NMe}_2\text{-2}\}(\text{CH}_2\text{Ph})_2\text{Cl}_2]$ (R=H, Me).
J. Chem. Soc., Chem. Commun., **1989**, 1581.
265. F.H. Muller, G. van Koten, M.J.A. Kraakman, K. Vrieze, R. Zoet, K.A.A. Duineveld, D. Heijdenrijk, C.H. Stam and M.C. Zoutberg.
 Reactions of (N,N'-diisopropyl-1,4-diaza-1,3-butadiene)ironruthenium hexacarbonyl with alkynes.
Organometallics, **1989**, *8*, 982.
266. W.D. Graaf, J. Boersma, G. van Koten and C.J. Elsevier.
 Chiral Induction in the synthesis of 4,4-dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene) catalyzed by chiral phosphine complexes of palladium.
J. Organomet. Chem., **1989**, *379*, 115.
267. W. de Graaf, J. van Wegen, J. Boersma, A.L. Spek, and G. van Koten.
 Thermally stable arylpalladium diamine complexes as versatile precursors in organopalladium chemistry; synthesis and X-ray molecular structure of $\text{PhIPh}(\text{tmeda})$ and its conversion to $\text{PdMePh}(\text{tmeda})$.
Recl. Trav. Chim. Pays-Bas, **1989**, *108*, 275.
268. D.M. Knotter, A.L. Spek, and G. van Koten.
 The crystal structure of a mixed thiophenolato-alkynyl copper(I) complex: $[\text{Cu}_3\{\text{SC}_6\text{H}_4(\text{CH}_2\text{NMe}_2)\text{-2}\}_2(\text{C}\equiv\text{CBu})_2]$; a model for electron deficient organocopper(I) complexes with cuprate reactivity.
J. Chem. Soc., Chem. Commun., **1989**, 1738.
269. F. Muller, G. van Koten, L.H. Polm, K. Vrieze, M. C. Zoutberg, D. Heijdenrijk, E. Kragten, and C.H. Stam.
 Flyover bridge formation via a reversible C-C coupling in reactions of diruthenium pyridine-2-carbaldimine complexes with alkynes.

- Organometallics*, **1989**, 8, 1340.
270. H.L. Aalten, G. van Koten, K. Vrieze A. van der Kerk-van Hoof.
The Hurtley reaction III. A reactivity study of copper(I) 2 halobenzoates as pur reagents, under Hurtley reaction conditions or as a part of mixed (benzoato) (mesityl) copper(I) clusters.
Recl. Trav. Chim. Pays-Bas, **1990**, 109, 46.
271. G. van Koten, J. Terheijden, J.A.M. van Beek, I.C.M. Wehman-Ooyevaar, F.H. Muller and C.H. Stam.
Oxidative addition-reductive elimination reactions of mon- and bis(aryl)platinum(II) complexes with two amino ligands in fixed trans positions. X-ray crystal structures of (2,6-bis[{dimethylamino}methyl]phenyl)(4-tolyl)Pt(IV) diiodide and (2,6-bis[{dimethyl-amino}methyl]phenyl)Pt(IV) trichloride.
Organometallics, **1990**, 9, 903.
272. F.H. van der Steen, H. Kleijn, A.L. Spek and G. van Koten.
Enantioselective synthesis of a chiral intermediate for aztreonam and related monobactam antibiotics.
J. Chem. Soc., Chem. Commun., **1990**, 503.
273. W. de Graaf, J. Boersma and G. van Koten.
Cross-coupling versus homo-coupling in the reactions of dimethyl(N,N,N',N'-tetramethylethanediamine)palladium with organic halides.
Organometallics, **1990**, 9, 1479.
274. G. van Koten.
Novel aspects of η^1 -diiodine coordination and diiodine oxidative addition to platinum(II) and halide transfer oxidation reactions of organoplatinum(II) with CuIIX_2 .
Pure & Appl. Chem., **1990**, 62, 1155.
275. H.C.L. Abbenhuis, D.M. Grove, G.P.M. van Mier, A.L. Spek and G. van Koten.
Intramolecular amine coordination versus NMe C-H activation: The stereoselective synthesis of a tantalum(V)azacyclopropane complex.
Recl. Trav. Chim. Pays-Bas, **1990**, 109, 361.
276. F.H. van der Steen, J. Boersma, A.L. Spek and G. van Koten.
Synthesis of organozinc enolates of N,N-disubstituted glycine esters. Crystal structure of $[\text{EtZnOC}(\text{OMe})=\text{C}(\text{H})\text{N}(\text{t-Bu})\text{Me}]_4$.
J. Organomet. Chem., **1990**, 390, C21-C26.
277. J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg and C.H. Stam.
Synthesis and reactivity towards diiodine of palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands $(\text{C}_6\text{H}_3\{\text{CH}=\text{NR}^1\text{R}^2\}_2\text{-2,6})$. End-on diiodine-platinum(II) bonding in macrocyclic $[\text{Pt}(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMe}(\text{CH}_2)_7\text{MeNCH}_2\}_2\text{-2,6})(\eta^1\text{-I}_2)]$.
J. Organomet. Chem., **1990**, 394, 659.
278. G. van Koten.
Chemistry in a Spin: Multinuclear Resonance in: A Methodological Approach to Multinuclear NMR in Liquids and Solids, Chemical Applications (ed.) P. Granger, Kluwer Acad. Publishers. The Netherlands, pp. , **1990**.
279. I.C.M. Wehman-Ooyevaar, D.M. Grove, P. van der Sluis, A.L. Spek and G. van Koten.
A hydrogen atom in an organoplatinum-amine system: Tautomers having either a bridging hydrogen with Pt(II) or a hydride on Pt(IV). X-ray crystal structure at 100 K of $[\text{Pt}\{\text{C}_{10}\text{H}_8(\text{NMe}_2)\text{-8-C,N}\}\{\text{C}_{10}\text{H}_8(\text{NMe}_2)\text{-8-C}\}(\text{Br})]$.

- J. Chem. Soc., Chem. Commun.*, **1990**, 1367.
280. H.C.L. Abbenhuis, D.M. Grove, P. van der Sluis, A.L. Spek and G. van Koten.
Tuning of tantalum alkylidene reactivity with a terdentate aryl amine ligand: Synthesis structure and reactivity of $[\text{TaCl}_2\{\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-2,6}\}(\text{CHBut})]$.
Recl. Trav. Chim. Pays-Bas, **1990**, 109, 446.
281. J.T.B.H. Jastrzebski, H.A.J. Sypkens, F.J.A. des Tombe, P.A. van der Schaaf, J. Boersma and G. van Koten.
Crystal structure of zinc[bis[3-(dimethylamino)propyl-C,N]tin]bis(dibenzoylmethanato)-(Sn-Zn). The first example of a dialkyltin(II) compound stabilized by Sn-Zn coordination.
J. Organomet. Chem., **1990**, 396, 25.
282. D.M. Knotter, W.J.J. Smeets, A.L. Spek and G. van Koten.
New Aspects of Chiral Heteroorganocuprates and an X-ray crystal structure with unprecedented magnesium-sulfur bonds.
J. Am. Chem. Soc., **1990**, 112, 5895.
283. P.L. Alsters, H.J. Teunissen, J. Boersma and G. van Koten.
The oxygenation of cyclopalladated N,N-dimethylbenzylamine derivatives with tert-butyl hydroperoxide.
Recl. Trav. Chim. Pays-Bas, **1990**, 109, 487.
284. G. van Koten.
A view on organocopper compounds and cuprate.
J. Organomet. Chem., **1990**, 400, 283.
285. P.L. Alsters, H.T. Teunissen, J. Boersma and G. van Koten.
Reactivity of organopalladium compounds towards early transition metal peroxides: O-insertion vs. C-X-coupling, Proceedings of the 5th ISADHCO, Ballatonfüed, Hungary, pp. , **1990**.
286. J.T.B.H. Jastrzebski, J.M. Ernsting, D.M. Grove, G. van Koten.
A ^{119}Sn NMR study of petacoordinate triorganotin halides having intramolecular Sn-N Coordination.
Magn. Res. Chem., **1991**, 29, S25.
287. J.A.M. van Beek, G. van Koten, M.J. Ramp and K. Vrieze.
Influence of Amino Substituents of Potentially Bis Ortho Chelating Aryl Ligands $(2,6\text{-}\{\text{R}^1\text{R}^2\text{NCH}_2\}_2\text{C}_6\text{H}_3)^-$ on the Synthesis and Properties of Their Organonickel(II) Complexes.
Inorg. Chem., **1991**, 30, 3059.
288. B. Lenders, W.J.J. Smeets, P. van der Sluis, D.M. Grove, A.L. Spek and G. van Koten.
The use of dimethyl sulfide in organocopper chemistry; X-ray crystal structures of cyclo-tetrakis- $(\mu^2\text{-methylphenyl})\text{bis}(\text{dimethylsulphide})\text{tetracopper(I)}$ and of the polymeric copper bromide adduct bromo(dimethyl sulphide)-copper(I).
Organometallics, **1991**, 10, 786.
289. P.L. Alsters, J. Boersma and G. van Koten.
Direct alkoxylation of organopalladium compounds based on a new type of C-O coupling; reactivity of organopalladium compounds towards molybdenum peroxides.
Tetrahedron Lett., **1991**, 32, 675.
290. J.F. Modder, J.M. Ernsting, K. Vrieze, M. de Wit, C.H. Stam and G. van Koten.
Structural features of silver(I) and copper(I) bis(thiophene-2-carbaldehyde-imine) trifluoromethanesulfonate complexes in the solid state and in solution: Crystal structures of $[\text{Ag}\{\text{Th-2-Ch=N(S)-CHMePh}\}_2](\text{O}_3\text{SCF}_3)$ and $[\text{Cu}\{5\text{-Me-Th-2CH=N-i-Pr}\}_2](\text{O}_3\text{SCF}_3)$ and a ^1H , ^{19}F and ^{109}Ag NMR study.
Inorg. Chem., **1991**, 30, 1208.

291. J.T.B.H. Jastrzebski, P. van der Schaaf, J. Boersma and G. van Koten.
Synthesis of novel divalent organotin compounds containing the chiral C,N[2-(dimethylamino)phenyl](trimethylsilyl)methyl or 2-[1-(dimethylamino)ethyl]phenyl chelating ligand.
New J. Chem., **1991**, 4, 301.
292. J.T.B.H. Jastrzebski, J. Boersma, P. Esch and G. van Koten.
Intramolecular penta- and hexa-coordinate tetraorganotin compounds containing the 8-(dimethylamino)-1-naphthyl ligand.
Organometallics, **1991**, 10, 930.
293. J.T.B.H. Jastrzebski, J. Boersma and G. van Koten.
Organotin(IV) compounds 2-(Me₂NCHR)C₆H₄(SnR'R''Br) with a fixed s-cis arrangement of the chiral carbon and tin centers.
J. Organomet. Chem., **1991**, 413, 43.
294. J.A.M. van Beek, I.C.M. Wehman-Ooyevaar, W.J.J. Smeets, P. van der Sluis, A.L. Spek and G. van Koten.
Stereoselective oxidative addition reactions of dihalogens and copper(II) halides to square planar organoplatinum(II) complexes containing hard N and C donor atoms. Molecular structures of [bc,de bis-(8-dimethylamino-1-naphthyl)]-ef-diiodo-platinum(IV) and ab-dibromo[cf,de-bis(8-dimethylamino-1-naphthyl)]platinum(IV).
J. Chem. Soc. Dalton Trans., **1991**, 883.
295. J.T.B.H. Jastrzebski, P.A. van der Schaaf, J. Boersma and G. van Koten.
Oxidative-addition reactions of molecular diiodine and dibromine to divalent organotin compounds. X-ray structures of bis[8-(dimethylamino)-1-naphthyl]tin(IV) dibromide and {2,6-[bis-(dimethylamino)methyl]phenyl}(4-tolyl)tin(IV) diiodide.
J. Organomet. Chem., **1991**, 407, 301.
296. J.F. Modder, K. Vrieze, A.L. Spek, G. van Koten.
Synthesis and X-ray structure of the chiral, polydentate cation-binder N-[N-(5-methyl-2-thienylmethylidene)-L-methionyl]histamine.
J. Org. Chem., **1991**, 56, 5606.
297. D.M. Knotter, H.L. van Maanen, D.M. Grove, A.L. Spek and G. van Koten.
Synthesis and properties of trimeric ortho-chelated arylthiolato copper(I) complexes.
Inorg. Chem., **1991**, 30, 3309.
298. F.H. van der Steen, G.P.M. van Mier, A.L. Spek, J. Kroon and G. van Koten.
Synthesis and Molecular Structures of Novel α -Amino Organoaluminium Ester Enolates. Key Intermediates in the Selective Formation of *trans*-3-amino-2-azetidinones.
J. Am. Chem. Soc., **1991**, 113, 5742.
299. F.H. van der Steen, J. Boersma, A.L. Spek and G. van Koten.
The synthesis and properties of novel (organo)zinc enolates of N,N-disubstituted glycine esters. Molecular structure of [EtZnOC(OMe)=C(H)N(t-Bu)Me]₄.
Organometallics, **1991**, 10, 2468.
300. J.T.B.H. Jastrzebski, E. Wehman, J. Boersma, and G. van Koten.
Synthesis and structure of [2-(4,4-dimethyl-2-oxazoline)-5-methylphenyl]methylphenyltin bromide. A novel triorganotin halide having a configurationally stable chiral tin center.
J. Organomet. Chem., **1991**, 409, 157.
301. F.H. van der Steen, H. Kleijn, J.T.B.H. Jastrzebski and G. van Koten.
A new and efficient route to 3-amino-2-azetidinones via zinc enolates of (N,N-disubstituted)glycine esters.
J. Org. Chem., **1991**, 56, 5147.

302. H.C.L. Abbenhuis, H.F. Haarman, D.M. Grove, E. Horn, H. Kooijman, A.L. Spek and G. van Koten.
Effect of intramolecular chelation on tantalum alkylidene centered reactions. Synthesis and structure of a tantalum-olefin adduct and a bimetallic tantalum zinca-alkylidene complex.
Angew. Chem. Int. Ed. Engl., **1991**, *30*, 996.
303. J.F. Modder, B. de Kerk-Engels, H.A. Ankersmit, K. Vrieze en G. van Koten.
Facile formation of amide bonds between fragments containing unmasked imidazole ring systems. Synthesis of N-{N-[4-(5-methyl-4-imidazolyl)-3-thiabutanoyl]-L-methionyl}histamine.
Recl. Trav. Chim. Pays-Bas, **1991**, *110*, 279.
304. J.F. Modder, B. de Kerk Engels, H.A. Ankersmit, K. Vrieze and G. van Koten.
Copper(I), silver(I) and zinc(II) cations in multifunctionalized donor-atom environments comprising two imidazole N-, two thioether S-, and two amide O-atoms.
New J. Chem., **1991**, *15*, 919.
305. F.H. van der Steen and G. van Koten.
Syntheses of 3-amino-2-azetidinones: A literature survey.
Tetrahedron, **1991**, *47*, 7503.
306. D.M. Knotter, M.D. Janssen, D.M. Grove, W.J.J. Smeets, E. Horn, A.L. Spek and G. van Koten.
Synthesis and molecular structure of copper(I) and organozinc(II) arylthiolates with chelating amino and ether groups: X-ray structure of [CuSC₆H₄(CH₂N(Me)-CH₂CH₂OMe)-2]₄ and [Zn(Me){SC₆H₄(R)-CH(Me)NMe₂}]₂.
Inorg. Chem., **1991**, *30*, 4361.
307. B.A. Markies, P. Wijkens, J. Boersma, A.L. Spek and G. van Koten.
Reversible carbonylation of cationic palladium 2,6-bis(dimethylamino)-methylpyridine complexes: the first X-ray structure of an aroyl palladium complex.
Recl. Trav. Chim. Pays-Bas, **1991**, *110*, 133.
308. F.H. van der Steen, H. Kleijn, A.L. Spek and G. van Koten.
The stereoselective synthesis of cis- and trans-β-lactams via alpha-amino ester enolates and 1-aza-4-hetero-1,3-butadiene systems. Molecular structure of EtOC(O)C(H)NEt₂C(H)(NH)(t-BuC(H)=N(t-Bu)ZnCl₂): an unexpectedly isolated aldolate.
J. Org. Chem., **1991**, *56*, 5868.
309. M. Kaupp, H. Stoll, H. Preuss, W. Kaim, T. Stahl, G. van Koten, E. Wissing W.J.J. Smeets and A.L. Spek.
Theoretical and experimental study of diamagnetic and paramagnetic products from thermal and light-induced alkyl transfer between zinc or magnesium dialkyls and 1,4-diaza-1,3-butadiene substrates.
J. Am. Chem. Soc., **1991**, *113*, 5606.
310. B.A. Markies, A.J. Canty, M.D. Janssen, A.L. Spek, J. Boersma and G. van Koten.
Selectivity in reductive elimination from dialkyl(aryl)palladium(IV) complexes, and the observation of benzyl halide transfer from palladium(IV) to palladium(II). The X-ray structure of methyl(phenyl)(2,2'-bipyridyl)-palladium(II).
Recl. Trav. Chim. Pays-Bas, **1991**, *110*, 477.
311. G. van Koten.
Metalen als selectieve koppelaars.
Chemisch Magazine, **1991**, 631.
312. F. Lambert, D.M. Knotter, M.D. Janssen, M. van Klaveren, J. Boersma and G. van Koten.

- On the Way to Chiral Copper(I) Arenethiolate Catalysts for the Enantioselective Conjugate Addition of Methyl Lithium and Methyl Magnesium Iodide to Benzylideneacetone.
Tetrahedron Asymm., **1991**, 2, 1097.
313. Gerard van Koten.
Design and synthesis of chiral arenethiolate(I) reagents as catalysts in the conjugate addition reaction (editors H. Werner, A.G. Griesbeck, W. Adam, G. Bringmann and W. Kiefer), Vieweg, pp. , **1991**.
314. D.M. Knotter, G. Blasse, J.P.M. van Vliet and G. van Koten.
The luminescence of copper(I)-thiophenolate derivatives and its relation to copper(I) luminescence in other complexes.
Inorg. Chem., **1992**, 31, 2196.
315. F.H. van der Steen, H. Kleijn, G.J. Britovsek, J.T.B.H. Jastrzebski, and G. van Koten.
Enantioselective synthesis of 3-amino-2-azetidiones via the ester enolate - imine condensation.
J. Org. Chem., **1992**, 57, 3906.
316. J.F. Modder, K. Vrieze, G. Challa, A.L. Spek and G. van Koten.
Stereoregular coordination polymers formed on binding of peptide based polydentate ligands to silver(I) and copper(I). X-ray structure of [Ag{N-{N-(5-methyl-2-thienylmethylidene)-L-methionyl}histamine)}]+[O₃SCF₃].MeOH) and a solution structure study.
Inorg. Chem., **1992**, 31, 1238.
317. J.C. Muijsers, J.W. Niemantsverdriet, I.C.M. Wehman-Ooyevaar, D.M. Grove, and G. van Koten.
Oxidation state of platinum in oxidative-addition reactions and η^1 -I₂ products from dihalogen reactions with organoplatinum(II) complexes, as inferred from monochromatic X-ray photoelectron spectroscopy.
Inorg. Chem., **1992**, 31, 2655.
318. W.J.J. Smeets, A.L. Spek, J.A.M. van Beek and G. van Koten.
Structure of [ad,be-Bis(8-dimethylamino-1-naphthyl)]-f-ethyl-c-iodo-platinum(IV).
Acta Cryst. Sect. C, **1992**, C48, 1303.
319. W.J.J. Smeets, A.L. Spek, J.A.M. van Beek and G. van Koten.
Structure of α -Chloro- β -dichloromethylstannio-[dc,ef-bis(8-dimethylamino-1-naphthyl)]platinum(IV).
Acta Cryst. Sect. C, **1992**, C48, 745.
320. D.M. Knotter, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
A new class of organocopper and organocuprate compounds derived from copper(I) arylthiolates.
J. Am. Chem. Soc., **1992**, 114, 3400.
321. B.A. Markies, M.H.P. Rietveld, J. Boersma, A.L. Spek and G. van Koten.
Alkene insertion reactions of nitrogen-coordinated acylpalladium(II) complexes: the X-ray structure of the dicyclopentadiene insertion product [Pd(C₂₀H₂₃COMe)(bpy)]SO₃CF₃.
J. Organomet. Chem., **1992**, 424, C12.
322. P.S. Pregosin, H. Rügger, F. Wombacher, G. van Koten, I.C.M. Wehman-Ooyevaar and D.M. Grove.
New Pt-H-N bonds characterized by ¹⁵N-filtered and 2-D NOESY1H NMR spectroscopy.
Magn. Reson. Chem., **1992**, 30, 548.
323. J.T.B.H. Jastrzebski, P.A. van der Schaaf, J. Boersma and G. van Koten.

- Evidence for hexacoordinate tin centers in trioganotin halides containing two 8-(dimethylamino)-1-naphthyl ligands.
Organometallics, **1992**, *11*, 1521.
324. J.M. Brown, M. Pearson, J.T.B.H. Jastrzebksi and G. van Koten.
Intramolecular facilitation of aryl-transfer from tin in palladium-catalysed cross-coupling.
J. Chem. Soc., Chem. Commun., **1992**, 1440.
325. H. Kleijn, H.L. van Maanen, J.T.B.H. Jastrzebksi and G. van Koten.
Diastereo- and enantio-selective synthesis of trans-3-phenyl- and trans-3-styryl-2-azetidiones via zinc enolates and imines.
Recl. Trav. Chim. Pays-Bas, **1992**, *111*, 497.
326. I.C.M. Wehman-Ooyevaar, D.M. Grove, H. Kooijman, P. van der Sluis, A.L. Spek and G. van Koten.
A hydrogen atom in an organoplatinum-amine system. Part 1: Synthesis, spectroscopic and crystallographic characterization of novel zwitterionic complexes with a Pt(II)-...H-N⁺ unit.
J. Am. Chem. Soc., **1992**, *114*, 9916.
327. B.A. Markies, P. Wijkens, H. Kooijman, A.L. Spek, J. Boersma and G. van Koten.
Insertion of norbornene into Aryl-Palladium(II) bonds: Mechanistic Apects of the subsequent C-H Activation.
J. Chem. Soc., Chem. Commun., **1992**, *19*, 1420.
328. D.M. Knotter, A.L. Spek, D.M. Grove and G. van Koten.
Novel trinuclear and hexanuclear heteroorganocopper compounds with phosphine ligands, bridging alkynyls, and intramolecularly coordinating bridging arylthiolates. X-ray structures of [Cu₃{SC₆H₄(CH(R)NMe₂)-2}₂-(C≡Ct-Bu)]₂ (R = H, Me).
Organometallics, **1992**, *11*, 4083.
329. P.L. Alsters, P.J. Baesjou, M.D. Janssen, H. Kooijman, A. Sicherer-Roetman, A.L. Spek and G. van Koten.
Palladium and platinum diphenoxide and aryl phenoxide complexes with amine donors: Effect of hydrogen bonding on structure and properties.
Organometallics, **1992**, *11*, 4124.
330. E. Wissing, R.W.A. Havenith, J. Boersma and G. van Koten.
Condensation reactions of α -amino-zinc-enamines with aldehydes; application to indolizine.
Tetrahedron Lett., **1992**, *33*, 7933.
331. P.A. van der Schaaf, M.P. Hogerheide, D.M. Grove, A.L. Spek and G. van Koten.
The first lithium phenolate with a trinuclear structure and its tetranuclear product of 1:1 addition of lithium iodide ; X-ray structures of [LiOAr]₃ and [Li(OAr)I]₂ [OAr=OC₆H₂NMe₂]-2,6-Me-4].
J. Chem. Soc., Chem. Commun., **1992**, *23*, 1703.
332. I.C.M. Wehman-Ooyevaar, D.M. Grove, P. de Vaal, A. Dedieu and G. van Koten.
A hydrogen atom in an organoplatinum-amine system. Part 2: The first isolated aryl Pt(IV) hydrides; Synthestic and theoretical study (SCF and CAS-SCF calculations) on model complexes with a N-M(IV)-H / M(II)-.H-N⁺ unit (M = Pd or Pt).
Inorg. Chem., **1992**, *31*, 5484.
333. H.C.L. Abbenhuis, N. Feiken, D.M. Grove, J.T.B.H. Jastrzebksi, H. Kooijman, P. van der Sluis, W.J.J. Smeets, A.L. Spek and G. van Koten.
Use of aryldiamine pincer ligand in the study of tantalum alkylidene-centered reactivity: Tantalum-mediated alkene synthesis via reductive rearrangements and wittig-type reactions.

- J. Am. Chem. Soc.*, **1992**, *114*, 9773.
334. G. van Koten, E. Wissing, H. Kleijn and J.T.B.H. Jastrzebski.
New developments in zinc-mediated organic synthesis.
OSM 4, **1992**, 175.
335. J.T.B.H. Jastrzebski and G. van Koten.
Intramolecular Coordination in Organotin Chemistry, *Advances in Organometallic Chemistry*, vol. 35, pp. 241-294, **1993**.
336. G.M. Kapteijn, I.C.M. Wehman-Ooyevaar, W.J.J. Smeets, A.L. Spek and G. van Koten.
Cavities for Binding Two Metal Atoms: A Novel Pentanuclear Copper(I) Complex with an Anionic, Pentadentate Aryl Ligand with Two ortho-Chelating Diamine Substituents.
Angew. Chem. Int. Ed. Engl., **1993**, *32*, 72.
337. H.C.L. Abbenhuis, R. van Belzen, D.M. Grove, A.J.A. Klomp, G.P.M. van Mier, A.L. Spek and G. van Koten.
Synthesis of cyclometalated aryltantalum(V) complexes; Amine C-H activation versus alkylidene formation.
Organometallics, **1993**, *12*, 210.
338. P.A. van der Schaaf, R.A.T.M. Abbenhuis, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
A new type of tungsten(VI) phenylimido alkylidene complex and its triorganotungsten precursor with an O,N-chelating ligand; Molecular structures of $W(CH_2SiMe_3)_3(=NPh)[OCPh_2([2]-Py)]$ and $W(=CHSiMe_3)(CH_2SiMe_3)(=NPh)[OCPh_2([2]-Py)]$.
J. Chem. Soc., Chem. Commun., **1993**, 504.
339. G.M. Kapteijn, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
A new mixed alkoxo aryloxo palladium complex with a bidentate nitrogen donor system.
Inorg. Chim. Acta, **1993**, *207*, 131.
340. P.L. Alsters, J. Boersma, G. van Koten.
Reactivity of organopalladium compounds towards molybdenum peroxides: Oxygen insertion versus C-Cl and C-O coupling. Evidence for Palladium(IV) molybdate intermediates.
Organometallics, **1993**, *12*, 1629.
341. P.L. Alsters, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
Arylpalladium compounds containing an alcohol functionality: Hindered rotation around the Pd-C bond and reactivity towards styrene and carbon monoxide. Comments on C-O bond shortening in late transition metal alkoxides.
Organometallics, **1993**, *12*, 1639.
342. P.L. Alsters, P.F. Engel, M.P. Hogerheide, M. Copijn, A.L. Spek and G. van Koten.
Rigid five- and six-membered C,N,N' bound aryl, benzyl, and alkyl organopalladium complexes: sp^2 vs. sp^3 C-H activation during cyclopalladation and palladium(IV) intermediates in oxidative addition reactions with dihalogens and alkyl halides.
Organometallics, **1993**, *12*, 1831.
343. H.C.L. Abbenhuis, N. Feiken, H.F. Haarman, D.M. Grove, E. Horn, A.L. Spek and G. van Koten.
A bimetallic tantalum-zinc complex with an ancillary aryldiamine ligand as precursor for a reactive alkylidyne species: Alkylidyne-mediated C-H activation and a palladium-mediated alkylidyne functionalizing.
Organometallics, **1993**, *12*, 2227.

344. H.L. van Maanen, J.T.B.H. Jastrzebski, J. Verweij, A.P.G. Kieboom, A.L. Spek and G. van Koten.
(R)-2-Phenylglycine as a Chiral Auxiliary in the Asymmetric Synthesis of 2-Azetidinones.
Tetrahedron Asymm., **1993**, 4, 1441.
345. I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten.
Novel Rhodate and Iridate Complexes containing C,N Chelating Arylamine Ligand Systems.
J. Organomet. Chem., **1993**, 451, 195.
346. I.C.M. Wehman-Ooyevaar, G.M. Kapteijn, D.M. Grove, A.L. Spek and G. van Koten.
A Novel Aryllithium.Lithium Bromide Complex Containing an Anionic Pentadentate Organypolyamine System Enfolding two Lithium Centers.
J. Organomet. Chem., **1993**, 452, C1-C3.
347. I.C.M. Wehman-Ooyevaar, W. Drenth, D.M. Grove and G. van Koten.
Stereoselective Isomerization in Organoiridium(III) Complexes Induced by the Presence of Rigid C,N Chelating Ligands.
Inorg. Chem., **1993**, 32, 3347.
348. E. Wissing, R.W.A. Havenith, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
Diastereoselective Condensation Reactions with an Easily Accesible Intramolecularly Coordinated Zinc-Enamine. Molecular Structure of a Self-Assembled Polymer of Diethylzinc and Zinc-Aldolates.
J. Org. Chem., **1993**, 58, 4228.
349. B.A. Markies, K.A.N. Verkerk, M.H.P. Rietveld, J. Boersma, H. Kooijman, A.L. Spek and G. van Koten.
Anion-Controlled Oligomerization of Carbon Monoxide and Norbornene on a Palladium(II) Centre.
J. Chem. Soc., Chem. Commun., **1993**, 1317.
350. P.A. van der Schaaf, J.T.B.H. Jastrzebski, M.P. Hogerheide, W.J.J. Smeets, A.L. Spek, J. Boersma and G. van Koten.
Mono- and Bis-Ortho-Chelated Lithium and Sodium Phenolates. Molecular Structures of the First Lithium Phenolate with a Stable, Trinuclear Structure, and of a Tetranuclear Sodium Analog $[MOC_6H_2(CH_2NMe_2)_{2-2,6-Me-4}]_x$ (M = Li: x = 3; M = Na: x = 4).
Inorg. Chem., **1993**, 32, 4111.
351. P.A. van der Schaaf, E. Wissing, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
Organozinc complexes with Monoanionic, Chelating Phenolates or [2]-Pyridylmethanol; Molecular Structure of $[Zn(CH_2SiMe_3)\{OCH_2(2-Py)\}]_4$.
Organometallics, **1993**, 12, 3624.
352. P.A. van der Schaaf, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
Five-Coordinate Tungsten(VI) Phenylimido Alkylidene Complexes, and Isolated Precursors, Containing a Chelating Arylamine Ligand as Active ROMP Catalysts; Molecular Structure of $W(C_6H_4CH_2NMe_2-2)(-CHSiMe_3)(CH_2SiMe_3)(=NPh)$.
Organometallics, **1993**, 12, 3955.
353. A. Haubrich, M. van Klaveren, G. van Koten, G. Handke and N. Krause.
1,6 Addition of Organolithium to Acceptor-Substituted Enyes Catalysed by a Copper(I) Arenethiolate.
J. Org. Chem., **1993**, 58, 5849.

354. E. Wissing, J.T.B.H. Jastrzebski, J. Boersma and G. van Koten.
An Unexpected 1,2-Alkyl Shift within a Chelate Bonded Organo-Aluminum-Enamine.
J. Organomet. Chem., **1993**, 459, 11.
355. P.L. Alsters, H.J. Teunissen, J. Boersma, A.L. Spek and G. van Koten.
Oxygenation of cyclopalladated N,N-dimethylbenzylamine complexes by inorganic and organic peroxides: Oxygen insertion into the palladium-carbon bond.
Organometallics, **1993**, 12, 4691.
356. P.A. van der Schaaf, J. Boersma, H. Kooijman, A.L. Spek and G. van Koten.
Thermally Stable Aryltungsten(VI) Oxo and Phenylimido Complexes Containing Phenyl Ligands with Ortho-chelating Tertiary Amine Substituents; Molecular Structures of $W[(R)-C_6H_4CH(Me)NMe_2-2]Cl_3(=O)$ and $W(C_6H_4CH_2NMe_2-2)Cl_2(=NPh)(OCMe_3)$.
Organometallics, **1993**, 12, 4334.
357. P.A. van der Schaaf, J. Boersma, A.L. Spek and G. van Koten.
Mononuclear Tungsten(VI) Phenylimido Phenoxide and Alkoxide Complexes with Intramolecular Amine Coordination; Molecular Structure of $WCl_3(=NPh)[OC_6H_2(CH_2NMe_2)_2-2,6-Me-4]$.
Inorg. Chem., **1993**, 32, 5108.
358. J.T.B.H. Jastrzebski and G. van Koten.
The Zinc Mediated Condensation of Amino Acid Esters with Imines to β -Lactams.
Bioorg. Med. Chem. Lett., **1993**, 3, 2351.
359. E. Wissing, H. Kleijn, J. Boersma and G. van Koten.
Regioselective Introduction of Functional Groups in α -diimines by means of Dialkylzinc Compounds. Synthesis of functionalized 2- and 3-pyrrolidinone Derivatives.
Recl. Trav. Chim. Pays-Bas, **1993**, 112, 618.
360. L.A. van de Kuil, J. Luitjes, D.M. Grove, J.W. Zwikker, J.G.M. van der Linden, A.M. Roelofsen, L.W. Jenneskens, W. Drenth and G. van Koten.
Electronic Tuning of Arylnickel(II) Complexes by Para Substitution of the Terdentate Monoanionic 2,6-Bis[(dimethylamino)methyl]phenyl Ligand.
Organometallics, **1994**, 13, 468.
361. I.C.M. Wehman-Ooyevaar, G.M. Kapteijn, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
Ligand Substitution Reactions in New Square-planar Iridium, Rhodium and Platinum complexes containing a Potentially Terdentate C,N,N' Ligand system; Crystal Structure of $[Ir\{C_6H_4CH_2N(Me)CH_2CH_2NMe_2-2-C,N,N'\}(cod)](cod=cycloocta-1,5-diene)$.
J. Chem. Soc. Dalton Trans., **1994**, 703-711.
362. M.D. Janssen, E. Wissing, A.L. Spek and G. van Koten.
1-tert-Butyl-2-(tert-butylaminomethylidene)-3-pyrrolidinone, $C_{13}H_{24}N_2O$.
Acta Cryst. Sect. C, **1994**, C50, 410-411.
363. P.A. van der Schaaf, R.A.T.M. Abbenhuis, W.P.A. van der Noort, R. de Graaf, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
Tungsten(VI) Phenylimido Alkylidene complexes containing a Monoanionic O,N-Chelating Ligand and Their Isolated Precursor Complexes: X-ray Structures of $W(CH_2SiMe_3)_3(=NPh)[OCPh_2(2-py)]$ and $W(=CHSiMe_3)(CH_2SiMe_3)(=NPh)[OCPh_2(2-py)]$.
Organometallics, **1994**, 13, 1433-1444.
364. G. van Koten, P.A. van der Schaaf, R.A.T.M. Abbenhuis, A. Macchioni, P.S. Pregosin, H. Rüeger.

- ¹⁸³W NMR Spectroscopy of W(VI) Imidoaryl and Imidoalkyl Complexes using Inverse Detection Based on Non-Specific Long-Range Interactions.
Magn. Reson. Chem., **1994**, *32*, 235-241.
365. L.A. van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. van Koten.
Organonickel(II) complexes containing aryl ligands with chiral pyrrolidinyl ring systems; syntheses and use as homogeneous catalysts for the Kharasch addition reaction.
Recl. Trav. Chim. Pays-Bas, **1994**, *113*, 267-277.
366. E. Wissing, M. Kaupp, J. Boersma, A.L. Spek and G. van Koten.
Alkylation Reactions of dialkylzinc Compounds with 1,4-Diaza-1,3-butadienes: Cationic and Radical Anionic Organozinc intermediates. Molecular Structure of the Cationic Organozinc Species [MeZn(t-BuN=CHCH=N-t-Bu)]O₃SCF₃ and Me₂Zn(bpy)(bpy = 2,2'-Bipyridine).
Organometallics, **1994**, *13*, 2349-2356.
367. J.M. Valk, F. Maassarani, P. van der Sluis, A.L. Spek, J. Boersma and G. van Koten.
Cyclopalladation of 2-[(Dimethylamino)methyl]-Substituted Naphthalenes: 1- vs 3-Palladation. Crystal Structures of [Hydrotris(pyrazolyl)borato][2-[(dimethylamino)methyl]-3-naphthyl]palladium and *trans*-[4,4-Dimethyl-2-(2-naphthyl)oxazoline]palladium Dichloride.
Organometallics, **1994**, *13*, 2320-2329.
368. B.A. Markies, A.J. Canty, J. Boersma and G. van Koten.
Phenylpalladium(IV) Chemistry: Selectivity in Reductive Elimination from Palladium(IV) Complexes and Alkyl Halide Transfer from Palladium(IV) to Palladium(II).
Organometallics, **1994**, *13*, 2053-2058.
369. P.A. van der Schaaf, J.P. Sutter, M. Grellier, G.P.M. van Mier, A.L. Spek, G. van Koten and M. Pfeffer.
Palladium-Mediated Intramolecular C-N bond Formation between Tertiary amines and Alkenes.
J. Am. Chem. Soc., **1994**, *116*, 5134-5144.
370. E. Wissing, K. van Gorp, Jaap Boersma and G. van Koten.
Influence of bulky substituents on the regioselective group-transfer reactions of diorganozinc compounds with N,N'-bis(2,6-di-isopropylphenyl)-1,4-diaza-1,3-butadiene.
Inorg. Chim. Acta, **1994**, *220*, 55-61.
371. J.-P. Sutter, D.M. Grove, M. Beley, J.P. Collin, N. Veldman, A.L. Spek, J.P. Sauvage and G. van Koten.
Copper(II)-mediated Oxidative Coupling of Arylamine (*trans*-pincer) Ruthenium Terpy complexes Structure of [{terpy}RuIII{pincer-pincer}RuIII{terpy}][CuCl₂]₂.
Angew. Chem. Int. Ed. Engl., **1994**, *33*, 1282.
372. G. van Koten.
Asymmetric Catalysis with chiral organocopper-copper arenthiolates.
Pure & Appl. Chem., **1994**, *66*, 1455-1462.
373. E. Wissing, S. van der Linden, E. Rijnberg, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
Organozinc α -Diimine Radicals. Synthesis and Reactivity toward Alkyl Halide.
Organometallics, **1994**, *13*, 2602.
374. E. Wissing, E. Rijnberg, P.A. van der Schaaf, K. van Gorp, J. Boersma and G. van Koten.

- A Comparative Study of Thermal- and Radiation-Induced Single Electron Transfer in Reactions of 1,4-Diaza-1,3-butadienes with Dialkylzinc Compounds.
Organometallics, **1994**, *13*, 2609.
375. J.-M. Valk, R. van Belzen, J. Boersma, A.L. Spek and G. van Koten.
Carbon-Hydrogen and C-X(X = Cl or SiMe₃) Bond Activation. 1-Cyclopalladation and Oxidation of Some Derivatives of 2-[(Dimehtylamino)methyl]naphthalene.
J. Chem. Soc. Dalton Trans., **1994**, 2293-2302, .
376. M. van Klaveren, E.S.M. Persson, D.M. Grove, J.E. Bäckvall and G. van Koten.
The Use of Ortho-chelating Arenethiolate Non-transferable Groups in the Copper(I) Catalyzed Selective α or γ Substitution of Acyclic Allylic Substrates with Grignard Reagents.
Tetrahedron Lett., **1994**, *35*, 5931.
377. M. van Klaveren, F. Lambert, D.J.F.M. Eijkelkamp, D.M. Grove and G. van Koten.
Arenethiolatecopper(I) complexes as homogeneous catalysts for Michael addition reactions.
Tetrahedron Lett., **1994**, *35*, 6135.
378. B.A. Markies, P. Wijkens, J. Boersma, H. Kooijman, N. Veldman, A.L. Spek and G. van Koten.
Synthesis and structural studies of ionic mono-organopalladium(II) complexes with tridentate nitrogen donor ligands.
Organometallics, **1994**, *13*, 3244.
379. H.C.L. Abbenhuis, M.H.P. Rietveld, H.F. Haarman, M.P. Hogerheide, A.L. Spek and G. van Koten.
Configurational preferences and alkylidene-centered reactivity of tantalum alkoxide complexes containing an aryldiamine spectator ligand.
Organometallics, **1994**, *13*, 3259.
380. E. Rijnberg, J.T.B.H. Jastrzebski, M.D. Janssen, J. Boersma and G. van Koten.
Application of *N,S*-Chelating chiral Zinc bis(Arenethiolate) Complexes as New Precursor Catalysts in the Enantioselective Addition of Diethylzinc to Aldehydes.
Tetrahedron Lett., **1994**, *35*, 6521.
381. H.L. van Maanen, J.T.B.H. Jastrzebski, H. Kooijman, A.L. Spek and G. van Koten.
Highly Functionalized β -Enamino Esters via C-C Coupling Reactions of Lithium Enolates of Protected Glycine Esters and Isothiocyanates.
Tetrahedron, **1994**, *50*, 11509-11526.
382. M.H.P. Rietveld, I.C.M. Wehman-Ooyevaar, G.M. Kapteijn, D.M. Grove, W.J.J. Smeets, H. Kooijman, A.L. Spek and G. van Koten.
An aryllithium complex with intramolecular coordination of an *ortho*-diamine substituent. X-ray and solution NMR structure of dimeric [Li{C₆H₄(CH₂N(Me)CH₂CH₂NMe₂)-2}]₂.
Organometallics, **1994**, *13*, 3782.
383. L.A. van de Kuil, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth and G. van Koten.
New Soluble Polysiloxane Polymers containing a Pendent Terdentate Aryliamine Ligand substituent Holding a Highly Catalytical Active Organometallic Nickel(II) Centre.
Chem. Mater., **1994**, *6*, 1675.
384. B.A. Markies, A.J. , W. de Graaf, J. Boersma, M.D. Janssen, M.P. Hogerheide, W.J.J. Smeets, A.L. Spek and G. van Koten.
Synthesis and structural studies of phenyl(iodo)- and methyl(phenyl)palladium(II) complexes of bidentate nitrogen donor ligands.

- J. Organomet. Chem.*, **1994**, 482, 191.
385. J.-M. Valk, J. Boersma and G. van Koten.
Selective Intramolecular Cleavage of the Carbon-Silicon bond by Palladium Salts.
J. Organomet. Chem., **1994**, 483, 213.
386. J.W.J. Knapen, A.W. van der Made, J.C. de Wilde, P.W.N.M. van Leeuwen, P. Wijkens, D.M. Grove and G. van Koten.
Homogeneous Catalysts Based on Silane Dendrimers Functionalized with Arylnickel(II) Complexes.
Nature, **1994**, 372, 659.
387. H.L. van Maanen, J. Kleijn, J.T.B.H. Jastrzebski and G. van Koten.
The Synthesis of 3-Alkyl- and 3-Aryl- β -Lactams from Zinc Enolates and Imines.
Recl. Trav. Chim. Pays-Bas, **1994**, 113, 567.
388. F.H. van der Steen, J.T.B.H. Jastrzebski, A.L. Spek and G. van Koten.
trans-3-Amino-methyl-4-phenyl-2-azetidinone, C₁₀H₁₂N₂O.
Acta Cryst. Sect. C, **1994**, C50, 1933.
389. H.L. van Maanen, H. Kleijn, J.T.B.H. Jastrzebski, M.T. Lakin, A.L. Spek and G. van Koten.
Dualistic Reactivity of Lithium and Zinc Dienolates with Imines: Effects of Counter Ion, Temperature and Substituents on α - and γ -Coupling.
J. Org. Chem., **1994**, 59, 7839.
390. B.A. Markies, G. van Koten, A. Zografidis, K. Polborn and W. Beck.
Insertion of Isocyanides into the Palladium-Carbon Bond of Cyclopalladated Complexes.
Z. Naturforsch., **1994**, 49b, 1494-1498.
391. J.-P. Sutter, M. Beley, J.-P. Collin, N. Veldman, A.L. Spek, J.-P. Sauvage and G. van Koten.
Towards organometallic conducting polymers containing bis-cyclometallating bridging ligands.
Mol. Cryst. Liq. Cryst., **1994**, 253, 215.
392. M. Grellier, M. Pfeffer and G. van Koten.
Pd Catalysed intramolecular coupling between tertiary amines and allylic groups; Synthesis of 3-hydro-1H-2-benzazepinium salts.
Tetrahedron Lett., **1994**, 35, 2877.
393. M.P. Hogerheide, J.T.B.H. Jastrzebski, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
Cooperative binding of Na⁺ and Cl⁻ in Na{M[OC₆H₂(CH₂NMe₂)₂-2,6-Me-4]₃Cl}: Synthesis (M = Lu, Y) and X-Ray Structure (M = Lu) of New Heterometallic Complexes of Lutetium and Yttrium Containing bis(ortho)-Amino Phenolate Ligands.
Inorg. Chem., **1994**, 33, 4431.
394. B.A. Markies, D. Kruis, J. Boersma, A.L. Spek and G. van Koten.
(2-acetylbicyclo[2.2.1]heptylC³,O)(2,2'-bipyridyl)palladium(II)Trifluoromethanesulfonate 0.5 diethyl ether solvate.
Acta Cryst. Sect. C, **1995**, C51, 1535-1537.
395. L.A. van de Kuil, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. van Koten.
A novel enantiopure proline-based organonickel(III) halide monocation with a pentadentate C, N₂, O₂-bonded bis(ortho-chelating) aryldiamine ligand.
J. Organomet. Chem., **1995**, 488, 191.
396. P. Wijkens, E.M. van Koten, M.D. Janssen, J.T.B.H. Jastrzebski, A.L. Spek and G. van Koten.

- The formation of a mixed organolithium aggregate $\text{Li}_4\text{R}_2\text{nBu}_2$ during the heteroatom assisted lithiation of 1,3-bis(dimethylaminomethyl)-2,4,6-trimethylbenzene ($\text{R} = 2,6\text{-}(\text{CH}_2\text{NMe}_2)_2\text{-}3,5\text{-Me}_2\text{C}_6\text{HCH}_2$).
- Angew. Chem. Int. Ed. Engl.*, **1995**, *34*, 219.
397. H.L. van Maanen, H. Kleijn, J.T.B.H. Jastrzebski, G. van Koten.
Diastereocontrol via Cosolvents in the Zinc Ester Enolate-Imine Condensation Route to β -Lactams.
Bull. Soc. Chim Fr., **1995**, *132*, 86-94.
398. M.D. Janssen, M. Herres, L. Zsolnai, D.M. Grove, A.L. Spek, H. Lang and G. van Koten.
A stable Bimetallic Copper(I) Titanium Acetylide.
Organometallics, **1995**, *14*, 1098.
399. M. van Klaveren, E.S.M. Persson, A. del Villar, D.M. Grove, J.-E. Bäckvall and G. van Koten.
Chiral arenethiolatecopper(I) catalyzed substitution reactions of acyclic allylic substrates with grignard reagents.
Tetrahedron Lett., **1995**, *36*, 3059.
400. M.D. Janssen, M. Herres, A.L. Spek, D.M. Grove, H. Lang and G. van Koten.
Monomeric bis(η^2 -alkyne) complexes of (η^1 -mesityl)copper(I) and (η^1 -mesityl)silver(I) obtained from a bis(alkynyl)titanocene; x-ray structure of [$(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CSiMe}_3)_2$]Cu(η^1 -Mes) (Mes = $\text{C}_6\text{H}_2\text{Me}_3\text{-}2,4,6$).
- J. Chem. Soc., Chem. Commun.*, **1995**, 925.
401. B.A. Markies, D. Kruis, M.H.P. Rietveld, K.A.N. Verkerk, J. Boersma, H. Kooijman, M.T. Lakin, A.L. Spek and G. van Koten.
Alkene and carbon monoxide insertion reactions of nitrogen-coordinated monoorganopalladium(II) complexes: The stepwise construction of alternating copolymers of CO and alkenes on a palladium center.
J. Am. Chem. Soc., **1995**, *117*, 5263.
402. C.A. Hunter, G.M. Kapteijn, X.-J. Lu and G. van Koten.
Influence of fluorine on aromatic interactions.
J. Chem. Soc. Faraday Trans., **1995**, *91*, 2009.
403. H.L. van Maanen, H. Kleijn, J.T.B.H. Jastrzebski, J. Verweij, A.P.G. Kieboom, G. van Koten.
Asymmetric Synthesis of β -lactams via the Zinc-Mediated Ester Enolate-Imine Condensation Reaction using α -Amino Esters as the Chiral Auxiliary.
J. Org. Chem., **1995**, *60*, 4331.
404. F. Maassarani, M.F. Davidson, I.C.M. Wehman-Ooyevaar, D.M. Grove, M.A. van Koten, W.J.J. Smeets, A.L. Spek and G. van Koten.
Stabilization and reactivity of a terminal phosphidounit on Pt(II). Synthesis and X-ray structure of cationic diphenylphosphine [Pt{ $\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-}2,6$ }(PPh₂)] [CF₃SO₃] and Diphenyl-phosphido Bridged Pt(II)-Pd(II) Complex [Pt{ $\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-}2,6$ }(μ -PPh₂) Pd($\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-}2$)(H₂O)] [BF₄] CH₂Cl₂.
Inorg. Chim. Acta, **1995**, *235*, 327.
405. B.A. Markies, D. Kruis, J. Boersma, A.L. Spek and G. van Koten.
(Acetylbicyclo[2.2.1]heptyl-C³,O)(2,2'-bipyridyl)palladium(II) Trifluoromethanesulfonate 0.5-Diethyl Ether Solvate.
Acta Cryst. Sect. C, **1995**, *C51*, 1535-1537.
406. E. Rijnberg, J. Boersma, J.T.B.H. Jastrzebski, M.T. Lakin, A.L. Spek and G. van Koten.
Heteroleptic metallacyclic potassium organodiamido zincate complex. Synthesis and

- structure of polymeric {[K(thf)][MeZn(ButNCH=CHNBut)]}.
J. Chem. Soc., Chem. Commun., **1995**, 1839-1840.
407. G. van Koten, D.M. Grove.
 Advances in catalysis with organonickel(II) complexes anchored to dendrimers and polymers.
Pl. Mat. Sci and Engin., **1995**, 73, 228.
408. G.M. Kapteijn, M.J. Verhoef, M.A.F.H. van den Broek, D.M. Grove and G. van Koten.
 Carbonylation of diamino-ligated methylpalladium(II) methoxide complexes.
J. Organomet. Chem., **1995**, 503, C26-C28.
409. M.P. Hogerheide, D.M. Grove, J. Boersma, J.T.B.H. Jastrzebski, H. Kooijman, A.L. Spek and G. van Koten.
 New coordinatively unsaturated lutetium mono- and bis(alkyl) complexes with a bis(ortho)-chelating aryldiamine ligand. Crystal structures of [LuCl₂{2,6-(Me₂NCH₂)₂C₆H₃}(μ-Cl)(μ-Li(thf)₂)₂}₂ and [Lu(μ-CL){2,6-(Me₂NCH₂)₂C₆H₃}(CH₂SiMe₃)₂}₂.
Chem. Eur. J., **1995**, 6, 343-350.
410. E.S.M. Persson, M. van Klaveren, D.M. Grove, J.E. Bäckvall and G. van Koten.
ortho-Chelating arenethiolatecopper(I) complexes as versatile catalysts in the regioselective cross-coupling of allylic derivatives with nBuMgI. An Example of reversed reactivity of leaving groups.
Chem. Eur. J., **1995**, 6, 351-359.
411. M.P. Hogerheide, M. Wesseling, J.T.B.H. Jastrzebski, J. Boersma, H. Kooijman, A.L. Spek and G. van Koten.
 Versatility in phenolate bonding in organoaluminum complexes containing Mono- and Bis(ortho)-chelating phenolate ligands. X-ray structures of Al{OC₆H₂(CH₂NMe₂)₂-2,6-Me-4}₃, Al(Me)₂{OC₆H₂(CH₂NMe₂-2,6-Me-4)} N-AlMe₃, and Al(Me)₂{OC₆H₂(CH₂NMe₂)₂-2,6-Me-4} N-AlMe₃O-AlMe₃.
Organometallics, **1995**, 14, 4483-4492.
412. A.J. Canty and G. van Koten.
 Mechanisms of d⁸ organometallic reactions involving acids and intramolecular assistance by nucleophiles.
Acc. Chem. Res., **1995**, 28, 406-413.
413. G.M. Kapteijn, A. Dervisi, D.M. Grove, H. Kooijman, M.T. Lakin, A.L. Spek and G. van Koten.
 Chemistry of Diamino Ligated Methylpalladium(II) Alkoxide Complexes: Syntheses, X-Ray Crystal Structures and Hydrogen-Bond Formation.
J. Am. Chem. Soc., **1995**, 117, 10939-10949.
414. M.D. Janssen, W.J.J. Smeets, A.L. Spek, D.M. Grove, H. Lang and G. van Koten.
 Intramolecular Addition of Monomeric Arylcopper Entities on an Alkyne Grouping in Complexes [η⁵-C₅H₄SiMe₃)₂Ti(C≡CSiMe₃)₂]CuR; X-ray Structure of [η⁵-C₅H₄SiMe₃)₂Ti(C≡CSiMe₃){μ-C=C(SiMe₃)(C₆H₃(CH₂NMe₂)₂-2,6)}Cu].
J. Organomet. Chem., **1995**, 505, 123-126.
415. J.F. Modder, J. Leijen, K. Vrieze, W.J.J. Smeets, A.L. Spek and G. van Koten.
 Synthesis, solid state and solution structures of silver(I) and copper(I) bis{N',N''-bis[(2-thienyl)methylene]-1,2-diaminoethane}-silver(I) and -copper(I) trifluoromethanesulfonate complexes.
J. Chem. Soc. Dalton Trans., **1995**, 4021-4028.
416. B.A. Markies, P. Wijkens, A. Dedieu, J. Boersma, A.L. Spek and G. van Koten.
 High-pressure NMR and *ab initio* computational studies on the insertion mechanism of

- carbon monoxide into cationic monoorganopalladium(II) complexes bearing tridentate nitrogen donor ligands.
Organometallics, **1995**, *14*, 5628.
417. K.A.N. Verkerk, C.G. de Koster, B.A. Markies, J. Boersma, G. van Koten, W. Heerma and J. Haverkamp.
 Fast Atom Bombardment Tandem Mass Spectrometry of Organometallic Palladium Complexes Containing Tridentate Nitrogen Ligands.
Organometallics, **1995**, *14*, 2081.
418. G. van Koten, S.L. James and J.T.B.H. Jastrzebski.
 Comprehensive Organometallic Chemistry, "Copper and Silver, A Review of the Literature 1982-1994, Volume 3 Copper and Zinc groups, chapter 2, eds. E.W. Abel, G. Wilkinson, F.G.A. Stone, Elsevier, Oxford, pp. 57-133, **1995**.
419. J.T.B.H. Jastrzebski and G. van Koten.
 Penicillins, in Comprehensive Heterocyclic Chemistry II, Vol. 1b, Chapter 20; ed. A. Padwa, Pergamon, pp. 591-658, **1996**.
420. S.L. James, N. Veldman, A.L. Spek and G. van Koten.
 Synthesis of a tri(organoplatinum) complex via the double directed lithiation of a mono(organoplatinum) precursor.
Chem. Commun., **1996**, 253.
421. G.M. Kapteijn, D.M. Grove, W.J.J. Smeets, H. Kooijman, A.L. Spek and G. van Koten.
 Palladium(II) arenethiolates with chelating diamines: Formation of N-H...S Hydrogen Bonds with Protonated N,N,N',N'-tetramethylethylenediamine.
Inorg. Chem., **1996**, *35*, 534.
422. G.M. Kapteijn, D.M. Grove, H. Kooijman, W.J.J. Smeets, A.L. Spek and G. van Koten.
 Chemistry of bis(aryloxo)palladium(II) complexes with N-donor ligands: Structural features of the palladium-to-oxygen bond and formation of O-H...O Bonds.
Inorg. Chem., **1996**, *35*, 526.
423. J.-P. Sutter, S.L. James, P., P. Steenwinkel, T. Karlen, D.M. Grove, N. Veldman, W.J.J. Smeets, A.L. Spek and G. van Koten.
 Versatile N,C,N Coordination Behaviour of a Monoanionic Aryldiamine Ligand in Ruthenium(II) Complexes: Syntheses and Crystal structures of [RuII{C₆H₃(CH₂NMe₂)_{2-2,6}}X(L)](L=Norbornadiene, X=Cl, SO₃CF₃; L=PPh₃, X=I) and [RuII{C₆H₃(CH₂NMe₂)_{2-2,6}}(2,2':6',2"-terpyridine)]Cl.
Organometallics, **1996**, *15*, 941.
424. M. Schmülling, D.M. Grove, G. van Koten, R. van Eldik, N. Veldman and A.L. Spek.
 Comparative rates of ligand substitution reactions of Pt-C-bonded complexes in aqueous solution and the x-ray crystal structure of [Pt{C₆H₃(CH₂NMe₂-2,6)(OH₂)](OSO₂CF₃).
Organometallics, **1996**, *15*, 1384.
425. M.P. Hogerheide, S. N. Ringelberg, M.D. Janssen, J. Boersma, A.L. Spek and G. van Koten.
 Influence of intramolecular coordination on the aggregation of sodium phenolate complexes. X-ray structures of [NaOC₆H₄(CH₂NMe₂)₋₂]₆ and [Na(OC₆H₂(CH₂NMe₂)_{2-2,6-Me-4})(HOC₆H₂NMe₂)_{2-2,6-Me-4}]₂.
Inorg. Chem., **1996**, *35*, 1195.
426. M.P. Hogerheide, S.N. Ringelberg, D.M. Grove, J.T.B.H. Jastrzebski, J. Boersma, W.J.J. Smeets, A.L. Spek and G. van Koten.
 A proposal for positive cooperation in anion-cation binding in yttrium and lutetium

- complexes based on *o*-amino-substituted phenolate ligands. On the way to coordination polymers by self-assembly. Molecular structures of [ClLu(OAr)₃Na] (X-ray) and [ClY(OAr')₃Y(OAr')₃Na] (X-ray and ⁸⁹Y-NMR). *Inorg. Chem.*, **1996**, *35*, 1185.
427. M.P. Hogerheide, J. Boersma, A.L. Spek and G. van Koten. Synthesis of a bis-(Cyclopentadienyl)lanthanum aryl complex with a pseudofacially, bis(ortho)-chelating aryldiamine ligand. X-ray structure of (η^3 -C₅H₅)₂La(C₆H₃{CH₂NMe₂})_{2-2,6}, . *Organometallics*, **1996**, *15*, 1505.
428. G.M. Kapteijn, M.P.R. Spee, D.M. Grove, H. Kooijman, A.L. Spek and G. van Koten. Chemistry of P,N-ligated methylpalladium(II) alkoxide complexes: Syntheses, structural features in the solid state and solution and hydrogen-bond formation. *Organometallics*, **1996**, *15*, 1405.
429. M.D. Janssen, M. Herres, L. Zsolnai, A.L. Spek, D.M. Grove, H. Lang and G. van Koten. Monomeric bis(η^2 -alkyne)copper(I) and -silver(I) halides, pseudohalides and arenethiolates. *Inorg. Chem.*, **1996**, *35*, 2476.
430. M.D. Janssen, K. Köhler, M. Herres, A. Dedieu, W.J.J. Smeets, A.L. Spek, D.M. Grove, H. Lang and G. van Koten. Monomeric bis(η^2 -alkyne) complexes of copper(I) and silver(I) with η^1 -bonded alkyl, vinyl, and aryl ligands. *J. Am. Chem. Soc.*, **1996**, *118*, 4817.
431. M.D. Janssen, R. van der Rijst, A.L. Spek, D.M. Grove and G. van Koten. Synthesis and characterization of bis(arenethiolato)magnesium complexes with intramolecular coordination. X-ray structure of [Mg{S(C₆H₄-2-CH₂NMe₂)})₂]. *Inorg. Chem.*, **1996**, *35*, 3436.
432. M.D. Janssen, M.A. Corsten, A.L. Spek, D.M. Grove and G. van Koten. Well-defined 2:1 and 2:2 arylcopper-copper bromide aggregates and selective biaryl formation. *Organometallics*, **1996**, *15*, 2810.
433. M.D. Janssen, A.L. Spek, D.M. Grove and G. van Koten. A mixed arenethiolatecopper(I) copper bromide aggregate: X-ray structure of octanuclear [Cu₈{SC₆H₃(CH₂NMe₂)_{2-2,6}}]₃Br₅. *Inorg. Chem.*, **1996**, *35*, 4078.
434. G.M. Kapteijn, A. Dervisi, M.J. Verhoef, M.A.F.J. van den Broek, D.M. Grove and G. van Koten. Chemistry of diamino-ligated methylpalladium(II) alkoxides and aryloxides (part II): Methoxide formation and carbonylation reactions. *J. Organomet. Chem.*, **1996**, *517*, 123.
435. A.L. Spek, M.D. Janssen, B.A. Markies and G. van Koten. A second polymorph of 2,2'-bipyridyl(methyl)(phenyl)palladium(II). *Acta Cryst. Sect. C*, **1996**, *C52*, 868.
436. S.L. James, G. Verspui, A.L. Spek and G. van Koten. Organometallic polymers: An infinite organoplatinum chain in the solid state formed by (C \equiv CH...ClPt) hydrogen bonds. *Chem. Commun.*, **1996**, 1309.
437. M.D. Janssen, D.M. Grove, G. van Koten and A.L. Spek. Palladium arenethiolates with intramolecular coordinating nitrogen Lewis bases. *Recl. Trav. Chim. Pays-Bas*, **1996**, *130*, 286.

438. M.D. Janssen, J.G. Donkervoort, S.B. van Berlekom, A.L. Spek, D.M. Grove and G. van Koten.
Copper(I) arenethiolates with intramolecular coordination and the formation of mixed organo(arenethiolate) copper(I) aggregates. X-ray structures of trimeric $[\text{Cu}(\text{S}-1\text{-C}_{10}\text{H}_6\text{NMe}_2\text{-8})]_3$, and hexanuclear $[\text{Cu}_3(\text{S}-1\text{-C}_{10}\text{H}_6\text{NMe}_2\text{-8})_2(\text{C}\equiv\text{CtBu})]_2$.
Inorg. Chem., **1996**, *35*, 4752.
439. J.-M. Valk, J. Boersma and G. van Koten.
Oxidation of heteroleptic diarylpalladium compounds with tert-butyl hydroperoxide. Substituent effects in aromatic oxidation reactions.
Organometallics, **1996**, *15*, 4366.
440. P.J. Davies, N. Veldman, D.M. Grove, A.L. Spek, B.T.G. Lutz and G. van Koten.
Organoplatinum building blocks for one-dimensional hydrogen bonded polymeric structures.
Angew. Chem. Int. Ed. Engl., **1996**, *35*, 1959.
441. M.D. Janssen, E. Rijnberg, C.A. de Wolf, M.P. Hogerheide, D. Kruis, H. Kooijman, A.L. Spek, D.M. Grove and G. van Koten.
Structural aspects of lithium arenethiolate complexes with intramolecular coordinating amine donors.
Inorg. Chem., **1996**, *35*, 6735.
442. P. Steenwinkel, S.L. James, D.M. Grove, N. Veldman, A.L. Spek and G. van Koten.
New ruthenium(II) complexes of functionalized monoanionic aryldiamine N,C,N'-terdentate ligands: syntheses of $[\text{RuII}\{2,6\text{-}(\text{Me}_2\text{NCH}_2)_2\text{-4-R-C}_6\text{H}_2\}\text{-}(\text{terpy})\text{-}]\text{Cl}^-$; X-ray structure of a dimeric organolithium compound, $[\text{Li}\{2,6\text{-}(\text{Me}_2\text{NCH}_2)_2\text{-4-Pd-C}_6\text{H}_2\}]_2$.
Chem. Eur. J., **1996**, 1440.
443. M.P. Hogerheide, J. Boersma and G. van Koten.
Intramolecular Coordination in Group 3 and lanthanide Chemistry: An overview.
Coord. Chem. Rev., **1996**, *155*, 87.
444. J.G. Donkervoort, J.L. Vicario, J.T.B.H. Jastrzebski, G. Cahiez and G. van Koten.
Novel organomanganese(II) compounds active as homogeneous catalysis in manganese(II)/copper(I) catalyzed carbon-carbon bond formation reactions.
Recl. Trav. Chim. Pays-Bas, **1996**, *115*, 547.
445. T. Karlen, P. Dani, D.M. Grove, P. Steenwinkel and G. van Koten.
New arylruthenium(II) complexes of the P,C,P'-Coordinating terdentate monoanionic aryl ligands $[\text{C}_6\text{H}_2(\text{CH}_2\text{PPh}_2)_2\text{-2,6-R-4}]^-$ (PCP-R-4; R = Ph, H). Synthesis of 16-electron species $[\text{RuIIX}(\text{PCP-R-4})(\text{PPh}_3)]$ (X = Cl, L, OTf) and their reactivity toward the neutral terdentate N-donor ligand 2,2':6',2''-terpyridine (terpy).
Organometallics, **1996**, *15*, 5687.
446. I.C.M. Wehman-Ooyevaar, I.F. Luitwieler, K. Vatter, D.M. Grove, W.J.J. Smeets, A.L. Spek and G. van Koten.
Intramolecular C-H activation and oxidative addition reactions of iridium complexes containing arylamines with bulky substituents on nitrogen; X-ray structures of $[\text{Ir(I)}(\text{C}_6\text{H}_4\text{CH}_2\text{NEt}_2\text{-2-C,N})\text{-}(\text{cod})]$ and $[\text{Ir(I)II}(\text{C}_6\text{H}_4\text{CH}_2\text{NEt}(\text{CHMe})\text{-2-C,N,C'})\text{I}(\text{cod})](\text{cod}=\text{cycloocta-1,5-diene})$.
Inorg. Chim. Acta, **1996**, *252*, 55.
447. H.A. Ankersmit, B.H. Loken, H. Kooijman, A.L. Spek, K. Vrieze and G. van Koten.
Methyl-, acetyl- and allyl-palladium and -platinum complexes containing the novel chiral phosphorus-imine 2-(diphenylphosphino)-benzylidene-S(-)- α -methylbenzylamine ligand.
Inorg. Chim. Acta, **1996**, *252*, 141.

448. G.M. Kapteijn, P.J. Baesjou, P.L. Alsters, D.M. Grove, W.J.J. Smeets, H. Kooijman, A.L. Spek and G. van Koten.
Hydrogen-Bonding and Conformational Analysis of Chelate Stabilized Alkoxopalladium(II) Complexes Derived from Aminoalcohol Ligands.
Chem. Ber./Recueil, **1997**, *130*, 35.
449. M.H.P. Rietveld, H. Hagen, L. van de Water, D.M. Grove, H. Kooijman, N. Veldman, A.L. spek and G. van Koten.
Tantalacyclobutane complexes containing the potentially C,N,N'-Coordinating ligand [C₆H₄(CH₂N(Me)CH₂CH₂NMe₂)-2]- (CNN) and their reactivity with carbon monoxide and tert-butyl isocyanide. X-ray molecular structures of [Ta{CH₂CH(Me)CH₂-1,3} (CNN)(O-t-Bu)₂], [Ta{CH₂CH(Ph)CH₂-1,3} (CNN) (O-t-Bu)₂], [Ta{C(O)((CH₂)₃-1,3)} (CNN) (Ot-Bu)₂], and [Ta{C(=N-t-Bu)CH₂CH(Ph)CH₂-1,4} (CNN (O-t-Bu)₂].
Organometallics, **1997**, *16*, 168.
450. G. van Koten, D.M. Grove and J.T.B.H. Jastrzebski.
Supramolecular aryl transition metal catalysts; Selective product formation with organometallic radicals.
Polym. Prepr., **1997**, *1*, 640.
451. P. Steenwinkel, S.L. James, D.M. Grove, H. Kooijman, A.L. Spek and G. van Koten.
Double cyclometallation via carbon-silicon bond cleavage by palladium(II) acetate; X-ray structure of a cationic 1,4-dipalladated benzene ring and selective synthesis of heterobimetallic 1,4-phenylene bridged platinum(II)-palladium complexes.
Organometallics, **1997**, *16*, 513.
452. A. Gerold, J.T.B.H. Jastrzebski, C.M.P. Kronenburg, N. Krause and G. van Koten.
Determination of the degree of aggregation of organocopper compounds by cryoscopy in tetrahydrofuran.
Angew. Chem., **1997**, *36*, 755.
453. M.H.P. Rietveld, P. Lohner, M.G. Nijkamp, D.M. Grove, N. Veldman, A.L. Spek, M. Pfeffer and G. van Koten.
A novel synthetic route to tantalum-zinc neophylidyne complexes stabilized by ortho-chelating arylamine ligands; The X-ray structure of [TaCl₂(μ-C₆H₄CH₂NMe₂-2)(μ-CCMe₂Ph)ZnCl(THF)].
Chem. Eur. J., **1997**, *5*, 817.
454. M.H.P. Rietveld, W. Teunissen, H. Hagen, L. van de Water, D.M. Grove, P.A. van der Schaaf, A. Mühlebach, H. Kooijman, W.J.J. Smeets, N. Veldman, A.L. Spek and G. van Koten.
Synthesis and reactivity of tantalum alkylidene complexes containing the C,N,N'-chelating aryldiamine ligand [C₆H₄(CH₂N(Me)CH₂CH₂NMe₂)-2]- (CNN). X-ray structures of [TaCl₂(=CH-t-Bu) (CNN)], [Ta{CH₂)-1,3}(CNN)(O-t-Bu)₂], and [Ta(CNN)(O-t-Bu)₂(H₂C=CH₂)].
Organometallics, **1997**, *16*, 1674.
455. E. Rijnberg, J.T.B.H. Jastrzebski, J. Boersma, H. Kooijman, N. Veldman, A.L. Spek and G. van Koten.
1:1 and 2:1 Lithium Zincates with Intramolecular Coordination. Structures of Li(thf)Zn(C₆H₄CH₂NMe₂-2)₃ and Li₂Zn(C₆H₄CH₂NMe₂-2)₄.
Organometallics, **1997**, *16*, 2239.
456. P.J. Davies, D.M. Grove and G. van Koten.
Advances in the synthesis multimetallc systems: hydroxyl group protection in aryldiamine platinum species.
Organometallics, **1997**, *16*, 800.

457. M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Hermann and G. van Koten.
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides.
J. Organomet. Chem., **1997**, 530, 159.
458. M.D. Janssen, D.M. Grove and G. van Koten.
Copper(I), Lithium, and Magnesium thiolate complexes: An overview with due mention of selenolate and tellurolate analogues and related silver(I) and gold(I) species.
Prog. Inorg. Chem., **1997**, 46, 97.
459. E. Rijnberg, J. Boersma, J.T.B.H. Jastrzebski, M.T. Lakin, A.L. Spek and G. van Koten.
The role of neutral and radical anionic organozinc complexes in the alkylation reactions of 1,4-diaza-1,3-butadienes with diorganozinc compounds.
Organometallics, **1997**, 16, 3158.
460. E. Rijnberg, N.J. Hovestad, A.W. Kleij, J.T.B.H. Jastrzebski, J. Boersma, M.D. Janssen, A.L. Spek and G. van Koten.
Application of S,N-chelating chiral zinc bis(aminoranethiolates) as new precursor catalysts in the enantioselective addition of dialkylzincs to aldehydes.
Organometallics, **1997**, 16, 2847.
461. D. Kruis, B.A. Markies, A.J. Canty, J. Boersma and G. van Koten.
Selectivity in reductive elimination and organohalide transfer from methyl(aryl)benzyl-palladium(IV) complexes of bidentate nitrogen donor ligands, PdBrMe(Ar)CH₂Ph(L₂).
J. Organomet. Chem., **1997**, 532, 235.
462. M.H.P. Rietveld, D.M. Grove and G. van Koten.
Recent advances in organometallic chemistry of, the bis(ortho)-chelating aryl diamine ligand "Pincer": an overview.
New J. Chem., **1997**, 21, 751-771.
463. M.P.R. Spee, D.M. Grove, G. van Koten and J.W. Geus.
Simple preparation of bimetallic palladium-copper catalysts for selective liquid phase semihydrogenation of functionalized acetylenes and propargylic alcohols.
Heterogeneous Catalysis and Fine Chemicals IV, **1997**, 313.
464. W.J.J. Smeets, A.L. Spek, J.L. Hoare, A.J. Canty, N.J. Hovestad and G. van Koten.
(2,2'-Bipyridyl-N,N')dibromopalladium(II).
Acta Cryst. Sect. C, **1997**, C53, 1045.
465. J.G. Donkervoort, J.T.B.H. Jastrzebski, B.J. Deelman, H. Kooijman, N. Veldman, A.L. Spek and G. van Koten.
Novel Aryltitanium(IV) complexes containing η^3 -NCN-pseudofacial- and η^3 -NCN-meridional-bonded [C₆H₃(CH₂NMe₂)₂-2,6]- (abbreviated as NCN) ligands. The crystal structures of [TiCl₂(η^3 -*fac*-NCN)(O-*i*-Pr)], [TiCl(η^3 -*mer*-NCN)(O-*i*-Pr)(OTf)] containing an η^1 -O-bonded triflate anion and the seven-coordinated [Ti(η^3 -*mer*-NCN)(O-*i*-Pr)(OTf)₂] containing η^1 -O- and η^3 -O,O'-bonded triflate anions.
Organometallics, **1997**, 16, 4174.
466. J.L. Hoare, K. Lorenz, N.J. Hovestad, W.J.J. Smeets, A.L. Spek, A.J. Canty, H. Frey and G. van Koten.
Organopalladium functionalised dendrimers: insertion of Pd(O) into peripheral carbon-iodine bonds of carbosilane dendrimers derived from polyols. Crystal structure of Si{(CH₂)₃OC(O)C₆H₄I-4}₄.
Organometallics, **1997**, 16, 4167.

467. M.H.P. Rietveld, E.G. Klumpers, J.T.B.H. Jastrzebski, D.M. Grove, N. Veldman, A.L. Spek and G. van Koten.
Alkylidene-centered rearrangement of a tantalum alkylidene alkoxide species with the *N,C,N*,-bis-*ortho*-chelated 1,2,6-trisubstituted aryldiamine ligand [C₆H₃(CH₂NMe₂)₂-2,6]- to a product with a C,N-mono-*ortho*-chelated 1,2,4-trisubstituted aryldiamine ligand. X-ray molecular structure of [TaCl(=Ch-t-Bu){C₆H₃(CH₂NMe₂)₂-2,4}(O-t-Bu)].
Organometallics, **1997**, *16*, 4260.
468. E. Rijnberg, J.T.B.H. Jastrzebski, J. Boersma, H. Kooijman, A.L. Spek and G. van Koten.
Synthesis and structural characterization of the homoleptic magnesium bis zincate complex Mg(THF)₆[Zn(CH₂Ph)₃]₂.
J. Organomet. Chem., **1997**, *541*, 181-185.
469. G.M. Kapteijn, M.D. Meijer, D.M. Grove, N. Veldman, A.L. Spek and G. van Koten.
Diamino-ligated platinum(II) and platinum(IV) phenoxide complexes; syntheses and crystal structures.
Inorg. Chim. Acta, **1997**, *264*, 211-217.
470. P. Steenwinkel, J.T.B.H. Jastrzebski, B.J. Deelman, D.M. Grove, H. Kooijman, N. Veldman, W.J.J. Smeets, A.L. Spek and G. van Koten.
Hypercoordinate aryltrialkylsilanes and -stannanes and Their use in the synthesis of homodinuclear organometallic complexes with a 1,4-phenylene bridge.
Organometallics, **1997**, *16*, 5486-5498.
471. J.G. Kraaijkamp, D.M. Grove, G. van Koten, J.M. Ernsting, A. Schmidpeter, K. Goubitz, C.H. Stam and H. Schenk.
¹H, ³¹P and ¹⁹⁵Pt NMR characterization, and X-ray molecular structures of five and six-membered platinum(II) and palladium(II) metallacycles from the alcoholysis of di- and triazaphosphole complexes.
Inorg. Chim. Acta, **1997**, *256*, 47-57.
472. P. Dani, T. Karlen, R.A. Gossage, W.J.J. Smeets, A.L. Spek and G. van Koten.
Replacement of a cyclometalated terdentate diamino ligand by a phosphorus analogue. Isolation and crystallographic characterization of an intermediate in aryl C-H bond activation in models of dendrimer-bound organometallic catalysts.
J. Am. Chem. Soc., **1997**, *119*, 11317-11318.
473. L.A. van de Kuil, D.M. Grove, R.A. Gossage, J.W. Zwikker, L.W. Jenneskens, W. Drenth and G. van Koten.
Mechanistic aspects of the Kharasch addition reaction catalyzed by organonickel(II) complexes containing the monoanionic terdentate aryldiamine ligand system [C₆H₂(CH₂NMe₂)₂-2,6-R-4].
Organometallics, **1997**, *16*, 4985-4994.
474. P. Wijckens, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. van Koten.,
Self-assembling of bis-*ortho*-chelated diaminobenzyl- (NC'N) and butyl-lithium units to give 2:2 mixed alkyl lithium aggregates (NC'N)Li₂Bu₂Li₂(NC'N) with a ladder structure.
Chem. Commun., **1997**, 2143-2144.
475. J.G. Donkervoort, C.M.P. Kronenburg, B.J. Deelman, J.T.B.H. Jastrzebski, N. Veldman, A.L. Spek and G. van Koten.
Aryltitanium(IV) complexes with the η³-C,N,N'-pseudofacially coordinating ligand [C₆H₄(CH₂N(Me)CH₂CH₂NMe₂)-2]. The x-ray crystal structure of [TiCl₂(CNN)(O-i-Pr)].
J. Organomet. Chem., **1997**, *547*, 349-355.

476. D. Hüls, H. Günther, P. Wijkens, G. van Koten and J.T.B.H. Jastrzebski. Detection of Scalar ^6Li , ^{15}N Coupling across Coordinative Li-N Bonds. *Angew. Chem. Int. Ed. Engl.*, **1997**, *36*, 2629-2631.
477. Anne Milet, Alain Dedieu, Gerard Kapteijn and Gerard van Koten. σ -Bond Metathesis Reactions Involving Palladium(II) Hydride and Methyl Complexes: A Theoretical Assessment. *Inorg. Chem.*, **1997**, *36*, 3223-3231.
478. Anne Milet, Alain Dedieu, Gerard Kapteijn and Gerard van Koten. σ -Bond Metathesis Reactions Involving Palladium(II) Hydride and Methyl Complexes: A Theoretical Assessment. *Inorg. Chem.*, **1997**, 3223-3231.
479. H. Kleijn, J.T.B.H. Jastrzebski, R.A. Gossage, H. Kooijman, A.L. Spek and G. van Koten. *Ortho*-bis(amino)arylnickel(II) halide complexes containing perfluoroalkyl chains as model catalyst precursors for use in fluorous biphasic systems. *Tetrahedron*, **1998**, *54*, 1145-1152.
480. M.C. Lagunas, R.A. Gossage, W.J.J. Smeets, A.L. Spek and G. van Koten. Coordination behaviour of the new multidentate ligand 3,5-bis(dimethylaminomethyl)pyridine with palladium(II) metal centres. *Eur. J. Inorg. Chem.*, **1998**, 163-168.
481. E. Rijnberg, B. Richter, K.-H. Thiele, J. Boersma, N. Veldman, A.L. Spek and G. van Koten. A homologous series of homoleptic zinc bis(1,4-di-*tert*-butyl-1,4-diaza-1,3-butadiene) complexes: $\text{K}_x[\text{Zn}(t\text{-BuNCHCHN-}t\text{-Bu})_2]$, $\text{Zn}(t\text{-BuNCHCHN-}t\text{-Bu})_2$, and $[\text{Zn}(t\text{-BuNCHCHN-}t\text{-Bu})_2](\text{OTf})_x$ ($X = 1,2$). *Inorg. Chem.*, **1998**, *37*, 56-63.
482. U. Frey, D.M. Grove and G. van Koten. Fast water exchange on a Pt(II) center: variable temperature and pressure ^{17}O NMR study at 14.1 tesla of the ionic arylplatinum species $[\text{Pt}\{\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-2,6}\}(\text{OH}_2)]^+(\text{OSO}_2\text{CF}_3)^-$. *Inorg. Chim. Acta*, **1998**, *269*, 322-325.
483. J.G. Donkervoort, J.L. Vicario, E. Rijnberg, J.T.B.H. Jastrzebski, H. Kooijman, A.L. Spek and Gerard van Koten. Formation of mixed aryl-, alkyl-lithium aggregates in the heteroatom assisted lithiation of α,α' -dialkyl substituted 1,3-bis[(dimethylamino)methyl]benzene. *J. Organomet. Chem.*, **1998**, *463*, 463-467.
484. M.C. Lagunas, R.A. Gossage, A.L. Spek and G. van Koten. Synthesis and characterization of the Bis- Cyclometalating Ligand 3,3',5,5'-tetrakis[(dimethylamino)methyl]biphenyl and its use in the preparation of bimetallic M(II), M(IV) ($M = \text{Pt}, \text{Pd}$) and mixed-valence Pt(II)-Pt(IV) complexes via a dilithio-derivative. Crystal structure of the Pd dimer $[\text{ClPd}\{2,6\text{-(Me}_2\text{NCH}_2)_2\text{C}_6\text{H}_2\}]_2$. *Organometallics*, **1998**, *17*, 731-741.
485. P. Steenwinkel, S. Kolmschot, R.A. Gossage, P. Dani, N. Veldman, A.L. Spek, and G van Koten. Synthesis of a New Multidentate Phosphane Ligand $\text{C}_6\text{H}_2(\text{CH}_2\text{PPh}_2)_4\text{-1,2,4,5-}$ X-ray Structure of a Dinuclear Ruthenium (II)-Bridged Complex: $[\{\text{RuCl}_2(\text{PPh}_3)_2\}_2\{\text{C}_6\text{H}_2(\text{CH}_2\text{PPh}_2)_4\text{-1,2,4,5-}P,P',P'',P'''\}]$. *Eur. J. Inorg. Chem.*, **1998**, 477-483.
486. P.K. Byers, A.J. Canty, H. Jin, D. Kruis, B.A. Markies, J. Boersma and G van Koten. Dimethylpalladium(II) and monomethylpalladium reagents and complexes.

- Inorg. Synth.*, **1998**, 32, 162-172.
487. R.A Gossage, E. Munoz-Martinez and G. van Koten.
Synthesis of a Key Reactive Unit for Use in the Divergent or Convergent Synthesis of Carbosilane Dendrimers.
Tetrahedron Lett., **1998**, 39, 2397-2400.
488. A.J. Canty, J.L. Hoare, B.W. Skelton, A.H. White and G. van Koten.
Synthesis and reactivity of poly(pyrazol-1-yl) borate derivatives of cyclopalladation systems, including structural studies of Pd{2-CH₂C₆H₄P(o-tolyl)₂-C,P}{(pz)₃BH-N,N'} and Pd(C₆H₄C₅H₄N-C²,N'){(pz)₃BH-N,N'}.
J. Organomet. Chem., **1998**, 552, 23-29.
489. P. Steenwinkel, R.A. Gossage and G. van Koten.
Recent Findings in Cyclometallation of *meta*-Substituted Aryl Ligands by Platinum Group Metal Complexes by C_{aryl}-R Bond Activation (R = H, CR₃, SiR₃).
Chem. Eur. J., **1998**, 759-762.
490. P. Steenwinkel, R.A. Gossage, T. Maunula, D.M. Grove and G. van Koten.
The Effect of the Trimethylsilyl Group on Electrophilic Cyclopalladation; A study of C_{aryl}-Si versus Caryl-H Selective Bond Activation with 2,6-(Me₂NCH₂)₂C₆H₃R (R = H or SiMe₃).
Chem. Eur. J., **1998**, 763-767.
491. J.G. Donkervoort, J.L. Vicario, J.T.B.H. Jastrzebski, W.J.J. Smeets, A.L. Spek and G. van Koten.
Synthesis of Arylplatinum(II) Complexes with Chiral Monoanionic Aryldiamine ligands. The X-ray Crystal Structure of (-)[(1R,1'R)-2,6-bis{1-(dimethylamino)propyl}phenyl]chloroplatinum(II).
J. Organomet. Chem., **1998**, 551, 1-7.
492. M. Albrecht, R.A. Gossage, A.L. Spek and G. Van Koten.
Sulfur dioxide gas detection by reversible η¹-SO₂-Pt bond formation as a novel application for functionalised metallo-dendrimers.
Chem. Commun., **1998**, 1003-1004.
493. J.G. Donkervoort, J.L. Vicario, J.T.B.H. Jastrzebski, R.A. Gossage, G. Cahiez and G. van Koten.
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon-carbon bond forming reactions.
J. Organomet. Chem., **1998**, 558, 61-69.
494. G. van Koten, R. A. Gossage, D.M. Grove and J.T.B.H. Jastrzebski.
Selective Product Formation with Organometallic Radicals of Nickel and Zinc.
ACS Symposium Series, **1998**, 685, 72-82.
495. R.A.T.M. Abbenhuis, J. Boersma and G. van Koten.
Ruthenium-complex catalyzed N-(cyclo)alkylation of aromatic amines with diols. Selective synthesis of N-(hydroxyalkyl)anilines of type PhNH(CH₂)_nOH and of some bioactive arylpiperazines.
J. Org. Chem., **1998**, 63, 4282-4290.
496. R.A. Gossage, L.A. Van de Kuil and G. Van Koten.
Diaminoarylnickel(II) "pincer" complexes: Mechanistic considerations in the Kharasch Addition reaction, controlled polymerization and dendrimeric transition metal catalysts.
Acc. Chem. Res., **1998**, 31, 423-431.
497. M.D. Meijer, M. Rump, R.A. Gossage, J.H.T.B. Jastrzebski and G. van Koten.
New " Bucky-ligands". Potentially Monoanionic Terdentate Diamino Aryl Pincer Ligands Anchored to C₆₀.

- Tetrahedron Lett.*, **1998**, *39*, 6773-6776.
498. C.M.P. Kronenburg, J.T.B.H. Jastrzebski, A. L. Spek and G. van Koten.
A model structure for the resting state of cyanocuprate reagents $R_2Cu(CN)Li_2$. The X-ray Crystal Structure of $[Ar_2Cu(CN)Li_2(THF)_4]$.
J. Am. Chem. Soc., **1998**, *120*, 9688-9689.
499. P. Steenwinkel, S.L. James, R.A. Gossage, D.M. Grove, H. Kooijman, W.J.J.Smeets, A.L. Spek, G. van Koten.
Sequential C-H and C-Ru Bond Formation and Cleavage During the Thermally Induced Rearrangement of Aryl Ruthenium(II) Complexes with $[C_6H_3(CH_2NMe_2)_2-2,6]$ -as a Bidentate η^2-C,N Coordinated Ligand. The Crystal Structures of the Isomeric Pairs $[RuCl\{\eta^6-C_{10}H_{14} \eta^2-C,N-C_6H_3(CH_2NMe_2)_2,n\}]$ ($n = 4$ or 6) and $[Ru(\eta^5-C_5H_5)\{\eta^2-C,N-C_6H_3(CH_2NMe_2)_2-2,n\}(PPh_3)]$ ($n = 4$ or 6).
Organometallics, **1998**, *17*, 4680-4693.
500. P. Steenwinkel, H. Kooijman, W.J.J. Smeets, A.L. Spek, D.M. Grove and G. van Koten.
Intramolecularly Stabilized 1,4-Phenylene-Bridged Homo- and Heterodinuclear Palladium and Platinum Organometallic Complexes Containing N,C,N-Coordination Motifs; η^1-SO_2 Coordination and Formation of an Organometallic Arenium Ion Complex with Two Pt-C σ -Bonds.
Organometallics, **1998**, *17*, 5411-5426.
501. P. Steenwinkel, D.M. Grove, N. Veldman, A.L. Spek and G. van Koten.
Ionic 4,4'-Biphenylene-Bridged Bis-ruthenium Complexes $[Ru_2(4,4'\{-C_6H_2(CH_2NMe_2)_2-2,6\}_2)(terpy)_2](n = 2$ and $4)$ and Their Reversible Redox Interconversion: A Molecular Switch.
Organometallics, **1998**, *17*, 5647-5655.
502. D. Kruis, N. Ruiz, M.D. Janssen, J. Boersma, C. Claver and G. van Koten.
Highly selective hydrocarboxylation of styrene with oxalic acid or water using palladium ortho-amino arenethiolates with intramolecular coordinating nitrogen Lewis bases.
Inorg. Chem. Commun., **1998**, *1*, 295-298.
503. R.A.M.T. Abbenhuis, I. del Rio, M.M. Bergshoef, N. Veldman, A.L. Spek and G. van Koten.
16- 18-electron ruthenium(II) complexes of the neutral, potentially tridentate triamine ligand 2,6-[bis(dimethylamino)methyl]pyridine (NN'N).
Inorg. Chem., **1998**, *37*, 1759-1758.
504. A.W. Kleij, H. Kleijn, J.T.B.H. Jastrzebski, A.L. Spek and G. van Koten.
Carbosilane Molecules with Mono-and Bis-amino Arylmetal End Groups: Structures of $\{Ni[C_6H_2(CH_2NMe_2)_2-2,6-SiMe_3-4]\}$ and Tetranuclear $\{[CH_2Si(Me)_2C_6H_3(CH_2NMe_2)-4-(PdCl)-3]_2\}_2$.
Organometallics, **1999**, *18*, 277-285.
505. A.W. Kleij, H. Kleijn, J.T.B.H. Jastrzebski, W.J.J Smeets, A.L. Spek and G. van Koten.
Dentritic Carbosilanes Containing Silicon-Bonded 1-[$C_6H_2(CH_2NMe_2)_2-3,5-Li-4$] or 1-[$C_6H_3(CH_2NMe_2)-4-Li-3$] Mono-and Bis(amino)aryllithium End Groups: Structure of $\{[CH_2SiMe_2C_6H_3(CH_2NMe_2)-4-Li-3]_2\}_2$.
Organometallics, **1999**, *18*, 268-276.
506. I. del Rio and G.van Koten.
Ring-opening Metathesis Polymerization of Norbornene Catalyzed by a Ru(II)-Vinylidene Complex.
Tetrahedron Lett., **1999**, *40*, 1401-1404.

507. R.A. Gossage, J.T.B.H. Jastrzebski, J. van Ameijde, S.J.E. Mulders, A.J. Brouwer, R.M.J. Liskamp and G. van Koten.
Synthesis and catalytic application of amino acid based dendritic macromolecules.
Tetrahedron Lett., **1999**, *40*, 1413-1416.
508. M. Albrecht and G. van Koten.
Gas Sensor Materials Based on Metallodendrimers.
Adv. Mater., **1999**, *11*, 171-174.
509. I. del Rio, R.A. Gossage, M.S. Hannu, M. Lutz, A.L. Spek and G. van Koten.
Alkene and Alkyne Reactivity Towards a Bisruthenium (II) μ^2 -Dinitrogen Complex Containing the "Pincer" ligand 2,6-Bis[(dimethylamino)methyl]pyridine(NN'N). The X-ray Crystal Structures of $[\text{Ru}(\text{=C=CHPh})\text{Cl}_2(\text{NN'N})]$ and $[\text{Ru}(\text{=C=CHPh})(\text{OTf})(\text{NN'N})(\text{PPh}_3)][\text{OTf}]$ (OTf = Trifluoromethane Sulfonate).
Organometallics, **1999**, *18*, 1097-1105.
510. R.A. Gossage, A.D. Ryabov, A.L. Spek, D.J. Stufkens, J.A.M. van Beek, R. van Eldik and G. van Koten.
Models for the Initial Stages of Oxidative Addition. Synthesis, Characterization and Mechanistic Investigation of $\eta^1\text{-I}_2$ Organometallic "Pincer" Complexes of Platinum. X-ray Crystal Structures of $[\text{Pt}(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMe}_2\}_{2-2,6})(\eta^1\text{-I}_2)]$ and *exo-meso*- $[\text{Pt}(\eta^1\text{-I}_3)(\eta^1\text{-I}_2)(\text{C}_6\text{H}_3\{\text{CH}_2\text{N}(\text{t-Bu})\text{Me}\}_{2-2,6})]$.
J. Am. Chem. Soc., **1999**, *121*, 2488-2497.
511. I. del Rio, R.A. Gossage, M. Lutz, A.L. Spek and G. van Koten.
Synthesis and Characterisation of Ruthenium "Pincer" Complexes Containing Sulfur Atom Donor Ligands. The X-ray Crystal Structure of $[\text{RuCl}_2(\eta^3\text{-NN'N})(\text{SMe}_2)]$ (NN'N = {2,6-(Me₂NCH₂)₂C₅H₃N}).
Inorg. Chim. Acta, **1999**, *287*, 113-116.
512. R.A. Gossage and G. van Koten.
A General Survey and Recent Advances in the Activation of Unreactive Chemical Bonds by metal Complexes.
Top. Organomet. Chem., **1999**, *3*, 1-8.
513. N.J. Hovestad, E.B. Eggeling, H.J. Heidbuchel, J.T.B.H. Jastrzebski, U. Kragl, W. Keim, D. Vogt and G. van Koten.
Selective Hydrovinylation of Styrene in a Membrane Reactor: Use of Carbosilane Dendrimers with Hemilabile P,O Ligands.
Angew. Chem. Int. Ed. Engl., **1999**, *38*, 1655-1657.
514. I. del Rio, R.A. Gossage, M. Lutz, A.L. Spek and G. Van Koten.
Reactivity of a Binuclear Ru(II) N₂-Bridged Complex Towards Phosphines: Facile Access to Novel Mono- and Binuclear Phosphorous Derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: $[\{\text{RuCl}_2(\eta^3\text{-NN'N})\}_2(\mu\text{-}\eta^2\text{-P}_2)]$ (NN'N 2,6-bis [(dimethylamino)methyl]pyridine; P₂ = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane).
J. Organomet. Chem., **1999**, *583*, 69-79.
515. J.A.M. Brandts, M. de Leur, R.A. Gossage, J. Boersma, A.L. Spek and G. van Koten.
Organomolybdenum (VI) and lithium Organomolybdate (VI) and (V) Complexes with C,N-Chelating Aminoaryl Ligands.
Organometallics, **1999**, *18*, 2633-2641.
516. J.A.M. Brandts, R.A. Gossage, J. Boersma, A.L. Spek and G. van Koten.
Molybdenum (VI) Bis(imidoaryl) Complexes Containing the Bis (aminoimethyl)aryl "Pincer" Ligand $[\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_{2-2,6}]$ - (NCN): Structures of $[\text{MoCl}(\eta^2\text{-C,N-NCN})(\text{NAr})_2]$, $[\text{Mo}(\eta^2\text{-C,N-NCN})(\text{Me})(\text{NAr})_2]$, and $[\text{MoCl}_2\{\eta^2\text{-C,N-NC(NH)}\}(\text{NAr})_2]$.

- Organometallics*, **1999**, *18*, 2642-2648.
517. R.A. Gossage, E.M. Martinez, H. Frey, A. Burgath, M.Lutz, A.L.Spek and G. van Koten.
A Novel Phenol for Use in Convergent and Divergent Dendrimer Synthesis: Access to Core Functionalisable Trifurcate Carbosilane Dendrimers. The X-ray Crystal Structure of [1,3,5-tris{4-(triallysilyl)phenylester}benzene].
Chem. Eur. J., **1999**, *5*, 2191-2197.
518. N.J. Hovestad, J.L. Hoare J.T.B.H. Jastrzebski, A.J. Canty, W.J.J. Smeets, A.L. Spek and G. van Koten.
Periphery-palladated carbosilane dendrimers: Synthesis and reactivity of model organopalladium(II) and (IV) complexes. Crystal structure of [PdMe(C₆H₄(OCH₂Ph)-4)(bpy)] (bpy = 2,2'-bipyridine).
Organometallics, **1999**, *18*, 2970-2980.
519. S. Back, R.A. Gossage, G. Rheinwald, H. Lang and G. van Koten.
Titanium σ -Acetylides as Building Blocks for Heterobimetallic Transition Metal Complexes: Synthesis and Redox Behaviour of π -Conjugated Organometallic Systems.
J. Organomet. Chem., **1999**, *582*, 126-138.
520. H.P. Dijkstra, P. Steenwinkel, D. M. Grove, M. Lutz, A.L. Spek and G. van Koten.
Design of novel Hexametalllic Cartwheel Molecules From Persubstituted Benzene Compounds.
Angew. Chem. Int. Ed. Engl., **1999**, *38*, 2185-2188.
521. Neldes J. Hovestad, Johann T.B.H. Jastrzebski, Gerard van Koten, Stefan A.F. Bon, Carl Waterson and David M. Haddleton.
Atom Transfer Radical Polymerization of Methyl Methacrylate Initiated by Carbosilane Dendritic Species.
Polym. Prepr., **1999**, *40*, 393-394.
522. J.A.M. Brandts, M.D. Janssen, M.P. Hogerheide, J. Boersma, A.L. Spek and G. van Koten.
Biphenolate Iron (II) Complexes with Intramolecularly Coordinating Nitrogen Lewis Bases.
Inorg. Chim. Acta, **1999**, *291*, 326-332.
523. J.A.M. Brandts, P.van de Geijn, E.E. van Faassen, J. Boersma and G. van Koten.
Controlled Radical Polymerisation of Styrene in the Presence of Lithium Molybdate(V) Complexes and Benzylic Halides.
J. Organomet. Chem., **1999**, *584*, 246-253.
524. J.A.M. Brandts, E. Kruiswijk, J. Boersma, A.L. Spek and G. van Koten.
C-H Activation of a MeN Grouping in One of the CH₂NMe₂ Ortho-Substituents of a NCN 'Pincer' Ligand in Tungsten Chemistry: X-ray Structure of [WCl₂(NPh)(C₆H₃{CH₂NMeCH₂}-2-{CH₂NMe₂}-6)].
J. Organomet. Chem., **1999**, *585*, 93-99.
525. H. Hagen, A. Barbon, E.E. Faassen, B.T.G. Lutz, J. Boersma, A.L. Spek and G. van Koten.
Synthesis and Characterization of O,N-Chelated Vanadium (IV) Oxo Phenolate Complexes: the Electronic Effect of meta- and para Substituents on the Vanadium Center.
Inorg. Chem., **1999**, *38*, 4079-4086.
526. J.A.M. Brandts, J. Boersma, A.L. Spek and G. van Koten.
Molybdenum (VI) Bisimidoaryl Phenoxide and Alkoxide Complexes: Molecular Structures of [Mo(NAr)₂(OCMe₂-2-py)(CH₂SiMe₃)] and [{Mo(NAr)₂Me(OMe)₂].

- Eur. J. Inorg. Chem.*, **1999**, 1727-1733.
527. B. Richter, B-J. Deelman and G. van Koten.
Fluorous biphasic hydrogenation of 1-alkenes using novel fluorous derivatives of Wilkinson's catalyst.
J. Mol. Cat. A: Chem., **1999**, *145*, 317-321.
528. Stephan Back, Wolfgang Frosch, Ignacio del Rio, Gerard van Koten and Heinrich Lang.
An easy entry to novel early-late oligonuclear transition metal complexes containing π -conjugated systems.
Inorg. Chem. Commun., **1999**, *2*, 584-586.
529. Gerard van Koten and Johann T.B.H. Jastrzebski.
Periphery-Functionalized Organometallic Dendrimers for Homogeneous Catalysis.
J. Mol. Cat. A: Chem., **1999**, *146*, 317-323.
530. Martin Albrecht, Robert Gossage, Anthony L. Spek, Gerard van Koten.
Metal-Mediated C-C Bond Making and Breaking: First Direct Evidence for a Reversible Migration of a Benzyl Group Along a Metal-Carbon Bond.
J. Am. Chem. Soc., **1999**, *121*, 11898-11899.
531. Henk Kleijn, Evelien Rijnberg, Johann T.B.H. Jastrzebski and Gerard van Koten.
Synthesis of Arylzinc Thiolates Containing Perfluoroalkyl Chains. Model Catalyst Precursors for the Enantioselective Zinc-Mediated 1,2-Addition of Dialkylzincs to Aldehydes in Fluorous Biphasic Systems.
Org. Lett., **1999**, *1*, 853-855.
532. Stephan Back, Wolfgang Frosch, Ignacio de Rio, Gerard van Koten and Heinrich Lang.
An easy entry to novel early-late oligonuclear transition metal complexes containing π -conjugated systems.
Inorg. Chem. Commun., **1999**, 584-586.
533. Johannes H. Bitter, Barbara L. Mojet, Maurits D. Janssen, David M. Grove, Gerard van Koten and Diek. C. Koningsberger.
The assembling of a catalytic active copper site, in solution, followed by EXAFS.
J. Synchrotron Rad., **1999**, *6*, 423-424.
534. M. Lutz, H. Hagen, A.M.M. Schreurs, A.L. Spek and G.van Koten.
The Twinned structure of (u^2 -Isopropoxy)-di-isopropoxy-p-tolylimido-vanadium (v) dimer. Twin Refinement against CCD Area Detector Data.
Acta Cryst. Sect. C, **1999**, *C55*, 1636-1639.
535. E. de Wolf, G. van Koten and B-J. Deelman.
Fluorous Phase Separation Techniques in Catalysis.
Chem. Soc. Rev., **1999**, *28*, 37-41.
536. I. del Rio, M. Lutz, A.L. Spek and G. van Koten.
Haloalkanes C-X Bond Activation by a Ru(II) complex: X-ray Characterization of a Ru(III) Intermediate Species in the Atom Transfer Radical Polymerization of Methyl Methacrylate.
Organometallics, **2000**, *19*, 361-364.
537. Irina P. Beletskaya , Alexey V. Chuchurjukin, Harm P. Dijkstra, Gerard P.M. van Klink and Gerard van Koten.
Acetylene-bridged P,C,P'-Ligands and Corresponding Cyclopalladated Compounds.
Tetrahedron Lett., **2000**, *41*, 1075-1079.
538. Irina P. Beletskaya , Alexey V. Chuchurjukin, Harm P. Dijkstra, Gerard P.M. van Klink and Gerard van Koten.
Conjugated G_0 Metallo-Dendrimers, Functionalized with Tridentate "Pincer"-type

- Ligands.
Tetrahedron Lett., **2000**, *41*, 1081-1085.
539. Paulo Dani, Thomas Karlen, Robert A. Gossage, Serafino Gladiali and Gerard van Koten.
 Hydrogen-Transfer Catalysis Using "Pincer" Aryl Ruthenium (II) Complexes.
Angew. Chem. Int. Ed. Engl., **2000**, *39*, 743-745.
540. Marieke P.R. Spee, Bart Ader, Pablo Steenwinkel, Huub Kooijman, Anthony L. Spek and Gerard van Koten.
 Synthesis of the diphenylacetylene-based, tetra-amine ligand 1,2-bis(3,5-bis[(dimethylamino)methyl]acetylene) by palladium-catalysed cross-coupling: Isolation and crystal structure of the catalyst trans-(3,5-bis[(dimethylamino)methyl]phenyl)bis(triphenylphosphine palladium(II) iodide).
J. Organomet. Chem., **2000**, *598*, 24-27.
541. Huub Kooijman, Anthony L. Spek, Henk Kleijn, Hendrik L. van Maanen, Johann T.B.H. Jastrzebski and Gerard van Koten.
 (3R,4S)-3-Phenyl[(R)-1-phenylethyl]-4-[(R)-1-phenylethyliminomethyl]azetidin-2-one.
Acta Cryst. Sect. C, **2000**, *C56*, 481-483.
542. Martin Albrecht, Robert A. Gossage, Martin Lutz, Anthony L. Spek and Gerard van Koten.
 Diagnostic Organometallic and Metallodendritic Materials for SO₂ Gas Detection: Reversible Binding of Sulfur Dioxide to Arylplatinum(II) Complexes.
Chem. Eur. J., **2000**, *6*, 1431-1445.
543. Claudia M.P. Kronenburg, Johan T.B.H. Jastrzebski and Gerard van Koten.
 Structure and Reactivity of Cyanocuprates Containing the Monoanionic C,N-Chelating Aminoaryl Ligand [C₆H₄CH₂NMe₂-2].
Polyhedron, **2000**, *19*, 553-555.
544. Bodo Richter, Anthony L. Spek, Gerard van Koten and Berth-Jan Deelman.
 Fluorous Versions of Wilkinson's Catalyst. Activity in Fluorous Hydrogenation of 1-Alkenes and Recycling by Fluorous Biphasic Separation.
J. Am. Chem. Soc., **2000**, *122*, 3945-3951.
545. Peter Wijkens, Johann T.B.H. Jastrzebski, Paul A. van der Schaaf, Roman Kolly, Andreas Hafner and Gerard van Koten.
 Synthesis of Periphery Functionalized Dendritic Molecules using Polyolithiated Dendrimers as Starting Material.
Org. Lett., **2000**, *11*, 1621-1624.
546. Stephan Back, Robert A. Gossage, Heinrich Lang and Gerard van Koten.
 Mixed Metal Acetylides: The PtII Aryl Acetylide "[PtC₂H₆(CH₂NMe₂)₂-2,6-(C≡C)-4]" as a Connective Fragment.
Eur. J. Inorg. Chem., **2000**, 1457-1464.
547. Paulo Dani, Gerard van Kink and Gerard van Koten.
 Structural Investigation in Solution of a series of five-Coordinate Bisphosphinoaryl Ruthenium(II) Complexes.
Eur. J. Inorg. Chem., **2000**, 1465-1470.
548. Gerrit J. Meuzelaar, A. Sofia E. Karlstrom, Mayra van Klaveren, Eva S.M. Persson, Amaya del Villar, David M. Grove, Gerard van Koten and Jan-E. Backfall.
 Asymmetric Induction in the Arenethiolatocopper(I)-Catalyzed Substitution Reaction of Grignard Reagents with Allylic Substrates.
Tetrahedron, **2000**, *56*, 2895-2903.
549. Bodo Richter, Elwin de Wolf, Berth-Jan Deelman and Gerard van Koten.

- Synthesis and Properties of a Novel Family of Fluorous Triphenylphosphine Derivatives.
J. Org. Chem., **2000**, *65*, 3885-3893.
550. Henk Hagen, Chris Bezemer, Jaap Boersma, Huub Kooijman, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Vanadium(IV) and -(V) Complexes with *O,N*-Chelating Aminophenolate and Pyridylalkoxide.
Inorg. Chem., **2000**, *39*, 3970-3977.
551. Arjan W. Kleij, Robert A. Gossage, Johann T.B.H. Jastrzebski, Jaap Boersma and Gerard van Koten.
The "Dendritic Effect" on Homogeneous Catalysis with Carbosilane-Supported Arylnickel(II) Catalysts: Observation of Active-Site Proximity Effects in Atom-Transfer Radical Addition.
Angew. Chem. Int. Ed. Engl., **2000**, *39*, 176-178.
552. Herlinde I. Beerens, Peter Wijkens, Johann T.B.H. Jastrzebski, Francis Verpoort, Ludo Verdonck and Gerard van Koten.
Coordination of a Ru (II)-Complex to a tetrafunctional P-Ligand: a Model for Ru-P Carbosilane Dendrimers.
J. Organomet. Chem., **2000**, *603*, 244-248.
553. Maria Contel, Dominique Nobel, Anthony L. Spek and Gerard van Koten.
Reactivity of [2,6-Bis((dimethylamino)methyl)phenyl]gold(I), an unusual Intermolecularly Stabilised Bis(amino)aryl-Gold(I) Dimer, towards Alkyl Halides. X-ray Crystal Structures of its Iodomethane and Methylene Diiodide Adducts.
Organometallics, **2000**, *17*, 3288-3295.
554. Martin Albrecht, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Organoplatinum crystals for gas-triggered switches.
Nature, **2000**, *406*, 970-974.
555. I. del Rio, S. Back, M.S. Hannu, G. Rheinwald, H. Lang and G. van Koten.
Reactivity of the Binuclear Ruthenium "Pincer" Complex $[\{\text{RuCl}_2(\eta^3\text{-NN'N})\}_2(\mu\text{-N}_2)]$ towards N-donor ligands. The X-ray crystal structure of $[\text{RuCl}_2(\eta^3\text{-NN'N})(\text{NPCh})](\text{NN'N} = 2,6\text{-Bis}[(\text{dimethylamino})\text{methyl}]\text{pyridine})$.
Inorg. Chim. Acta, **2000**, *300-302*, 1094-1098.
556. Stephan Back, R.A.Gossage, M. Lutz, I del Rio, A.L. Spek. H. Lang and G. van Koten.
Bis-*ortho*-chelated Diaminoaryl Platinum Compounds with σ -Acetylene Substituents. Investigations into Their Stability and Subsequent Construction of Multimetallic Systems. The Crystal Structure of $[(\mu^2\text{-}[\eta^2\text{-NCN}]\text{Pt}(\eta^1\text{-CO})\text{C}\equiv\text{CSiMe}_3)]\text{Co}_2(\text{CO})_6]$ (NCN = 2,6-Bis[(dimethylamino)methyl]phenyl).
Organometallics, **2000**, *19*, 3296-3304.
557. Henk Hagen, Santiago Reinoso, Martin Albrecht, Jaap Boersma, Anthony L. Spek and Gerard van Koten.
O,N-Chelated Boron Aminophenolate Complexes. Crystal Structure of $\text{BPh}_2(\text{OC}_6\text{H}_4(\text{CH}_2\text{NMe}_2)\text{-}2)$.
J. Organomet. Chem., **2000**, *608*, 27-33.
558. Elwin de Wolf, Bodo Richter, Berth-Jan Deelman and Gerard van Koten.
Highly Fluorous Derivatives of 1,2-Bis(diphenylphosphino)ethane.
J. Org. Chem., **2000**, *65*, 5424-5427.
559. Neldes J. Hovestad, Alan Ford, Johann T.B.H. Jastrzebski and Gerard van Koten.
Functionalized Carbosilane Dendritic Species as Soluble Support in Organic Synthesis.

- J. Org. Chem.*, **2000**, *65*, 6338-6344.
560. Christian Schlenk, Arjan W. Kleij, Holger Frey and Gerard van Koten.
Macromolecular Multisite Catalysts Obtained by Grafting Diaminoaryl Palladium(II) Complexes on a Hyperbranched Polytrialkylsilane Support.
Angew. Chem. Int. Ed. Engl., **2000**, *39*, 3445-3447.
561. Paulo Dani, Martin Albrecht, Gerard P.M. van Klink and Gerard van Koten.
Transcyclometalation: A Novel Route to (Chiral) Bis-*Ortho*-Chelated Bisphosphinoaryl Ruthenium(II) Complexes.
Organometallics, **2000**, *19*, 4468-4476.
562. Martin Albrecht, Martin Lutz, Antoine M.M. Schreurs, Egbert T.H. Lutz, Anthony L. Spek and Gerard van Koten.
Self-assembled Organoplatinum(II) Supermolecules as Crystalline, SO₂ Gas-triggered Switches.
J. Chem. Soc. Dalton Trans., **2000**, 3797-3804.
563. Martin Albrecht, Gema Rodriguez, Jeroen Schoenmaker and Gerard van Koten.
New Peptide Labels Containing Covalently Bonded Platinum(II) Centers as Diagnostic Biomarkers and Biosensors.
Org. Lett., **2000**, *22*, 3461-3464.
564. Herlinde I. Beerens, Peter Wijkens, Johann T.B.H. Jastrzebski, Francis Verpoort, Ludo Verdonck and Gerard van Koten.
Coordination of a Ru(II)-Complex to a Tetrafunctional P-ligand: a Model for Ru-P Carbosilane Dendrimers.
J. Organomet. Chem., **2000**, *603*, 244-248.
565. Martin Albrecht, Paulo Dani, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Transcyclometalation Processes with Late Transition Metals: C_{aryl}-H Bond Activation via Noncovalent C-H...Cl Interactions.
J. Am. Chem. Soc., **2000**, *122*, 11822-11833.
566. Paulo Dani, Mieke A.M. Toorneman, Gerard P.M. van Klink and Gerard van Koten.
Complexes of Bis-*ortho*-cyclometalated Bisphosphinoaryl Ruthenium(II) Cations with Neutral Meta-bisphosphinoarene Ligands Containing an Agostic C-H...Ru Interaction.
Organometallics, **2000**, *19*, 5287-5296.
567. Eva B. Eggeling, Neldes Hovestad, Johann T.B.H. Jastrzebski, Dieter Vogt, Gerard van Koten.
Phosphino Carboxylic Acid Ester Functionalized Carbosilane Dendrimers: Nanoscale Ligands for the Pd-Catalyzed Hydrovinylation Reaction in a Membrane Reactor.
J. Org. Chem., **2000**, *65*, 8857-8865.
568. Paulo Dani, Bodo Richter, Gerard P.M. van Klink and Gerard van Koten.
Bis(*ortho*)-Chelated Bis(phosphanyl)aryl Ruthenium(II) Complexes Containing an η¹-P-Monodentate or μ-Bridging P,η¹-P' Bonded R-PCHP Arene Ligand, 1-R-3,5(CH₂PPh₂)₂C₂H₂ [R= H, Br, or, Si(*n*-CH₂CH₂C₂F₁₇)₃]-Cyclometalation Reaction Intermediates and Potential Catalysts for Use in Fluorinated Biphasic Systems.
Eur. J. Inorg. Chem., **2001**, 125-131.
569. Henk Hagen, Jaap Boersma, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Vanadium(III) and-(IV) Complexes with *O,N*-Chelated Aminophenolate Ligands: Synthesis, Characterization and Activity in Ethene/Propene Copolymerization.
Eur. J. Inorg. Chem., **2001**, 117-123.
570. Arjan W. Kleij, Rob van de Coevering, Robertus J.M. Klein Gebbink, Anne-Marie Noordman, Anthony L. Spek and Gerard van Koten.
Polycationic (Mixed) Core-Shell Dendrimers for Binding and Delivery of Inorganic/Organic Substrates.

- Chem. Eur. J.*, **2001**, *7*, 181-192.
571. Arjan W. Kleij, Robertus J.M. Klein Gebbink, Paul A.J. van den Nieuwenhuijzen, Huub Kooijman, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Halide-Assisted Macrocyclic Ring Formation in Cyclometalated Carbosilane Dendrimers with 1-[C₆H₃(CH₂NMe₂)-4-(PdCl)-3] Peripheral Group: Applications as Aldol Condensation Catalysts.
Organometallics, **2001**, *20*, 634-647.
572. Stephan Back, Martin Albrecht, Anthony L. Spek, Gerd Rheinwald, Heinrich Lang and Gerard van Koten.
Towards Organometallic Polymers with High Directionality Containing Bis-ortho-Chelating Ligands.
Organometallics, **2001**, *20*, 1024-1027.
573. Martin Albrecht, Robert A. Gossage, Urban Frey, Andreas W. Ehlers, Evert J. Baerends, André E. Merbach and Gerard van Koten.
Mechanistic Aspects of the Reversible Binding of SO₂ on Arylplatinum Complexes: Experimental and ab Initio Studies.
Inorg. Chem., **2001**, *40*, 850-855.
574. Martin Albrecht, Neldes J. Hovestad, Jaap Boersma and Gerard van Koten.
Multiple Use of Soluble Metallo-Dendritic Materials as Catalysts and Dyes.
Chem. Eur. J., **2001**, *7*, 1289-1294.
575. Stephan Back, Martin Lutz, Anthony L. Spek, Heinrich Lang and Gerard van Koten.
Preparation and Electrochemical Behaviour of Dinuclear Platinum Complexes Containing NCN Ligands (NCN = [C₆H₃(Me₂NCH₂)₂-2,6]-). The Crystal Structure of [C₆H₃(Me₂NCH₂)₂-1,3-(C≡C)-5]₂.
J. Organomet. Chem., **2001**, *620*, 227-234.
576. Arjan W. Kleij, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Synthesis and Characterization of Platinum(II)-Terminated Dendritic Carbosilanes. X-ray Molecular Structure and Isomerization Behavior of the Model Species [PtCl(C₆H₃{CH₂NMe₂}-2-SiMe₃-5)(PPh₃)].
J. Organomet. Chem., **2001**, *621*, 190-196.
577. Martin Albrecht, Betty M. Kocks, Anthony L. Spek, and Gerard van Koten.
Chiral Platinum and Palladium Complexes Containing Functionalized C₂ Symmetric Bisaminoaryl 'Pincer' Ligands.
J. Organomet. Chem., **2001**, *624*, 271-286 .
578. Joep van den Broeke, Martin Lutz, Huub Kooijman, Anthony L. Spek, Berth-Jan Deelman and Gerard van Koten.
Increasing the Lipophilic Character of Tetraphenylborate Anions through Silyl Substituents.
Organometallics, **2001**, *20*, 2114-2117.
579. Henk Kleijn, Johann T.B.H. Jastrzebski, Jaap Boersma and Gerard van Koten.
Enantioselective Dialkylation of 1,2-Phthalicdicarboxaldehyde.
Tetrahedron Lett., **2001**, *42*, 3933-3937.
580. Martin Albrecht, Anthony L. Spek and Gerard van Koten.
C_{arenum}-C_{alkyl} Bond Making and Breaking: Key Process in the Platinum-Mediated C_{aryl}-C_{alkyl} Bond Formation. Analogies to Organic Electrophilic Aromatic Substitution.
J. Am. Chem. Soc., **2001**, *123*, 7233-7246.
581. Elwin de Wolf, Emiel A. Speets, Berth-Jan Deelman and Gerard van Koten.
Recycling of Rhodium-Based Hydrosilylation Catalysts; A Fluorous Approach.
Organometallics, **2001**, *20*, 3686-3690.
582. Martin Albrecht, Stuart L. James, Nora Veldman, Anthony L. Spek and Gerard van

- Koten.
Transmetalation reactions with nitrogen-containing "pincer" -class ligands on platinum(II) centers.
Can. J. Chem., **2001**, *79*, 709-718.
583. Michel D. Meijer, Niek Ronde, Dieter Vogt, Gerard P.M. van Klink and Gerard van Koten.
Methanofullerene-Based Palladium Bis(amino)aryl Complexes and Applications in Lewis Acid Catalysis.
Organometallics, **2001**, *20*, 3993-4000.
584. Harm P. Dijkstra, Michel Meijer, Jim Patel, Rob Kreiter, Gerard P.M. van Klink, Martin Lutz, Anthony L. Spek, Allan J. Canty and Gerard van Koten.
Design and Performance of Rigid Nanosize Multimetallic Cartwheel Pincer Compounds as Lewis-Acid Catalysts.
Organometallics, **2001**, *20*, 3159-3168.
585. Marieke P.R. Spee, Michel D. Meijer, Martijn Q. Slagt, Gerard van Koten and John W. Geus.
Selective Liquid-Phase Semihydrogenation of Functionalized Acetylenes and Propargylic Alcohols with Silica-Supported Bimetallic Palladium-Copper Catalysts.
J. Org. Chem., **2001**, *66*, 1647-1656.
586. Joep van den Broeke, Berth-Jan Deelman and Gerard van Koten.
Tetrakis {3,5-bis(perfluorohexyl)phenyl}borate: a highly fluorous anion.
Tetrahedron Lett., **2001**, *42*, 8085-8087.
587. Robert Kreiter, Arjan W. Kleij, Robertus J.M. Klein Gebbink and Gerard van Koten.
Dendritic Catalysts, *Top. Curr. Chem*, Vol. 217, pp. 164-199, **2001**.
588. Martin Albrecht, Martin Schlupp, Joachim Bargon and Gerard van Koten.
Detection of ppm Quantities of Gaseous SO₂ by Nanosize Organoplatinum Dendritic Sites Immobilised on a Quartz Microbalance.
Chem. Commun., **2001**, 1874-1875.
589. Martin Albrecht and Gerard van Koten.
Platinum Group Organometallics Based on 'Pincer' Ligands: Sensors, Switches and Catalysts.
Angew. Chem. Int. Ed. Engl., **2001**, *40*, 3750-3781.
590. Michel D. Meijer, Elwin de Wolf, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten.
C,N-2-[(Dimethylamino)methyl]phenylplatinum Complexes Functionalized with C₆₀ as Macromolecular Building Blocks.
Organometallics, **2001**, *20*, 4198-4206.
591. Michel D. Meijer, Arjan W. Kleij, Martin Lutz, Anthony L. Spek and Gerard van Koten.
A New Homobimetallic Arene-diyl Diplatinum(II) Unit as Building Block for Macromolecular Synthesis. X-ray Crystal Structure of [C₆H₂{CH₂NMe₂}₂-1,5-{PtCl(PPh₃)₂}-2,4].
J. Organomet. Chem., **2001**, *640*, 166-169.
592. B. Scott Williams, Paulo Dani, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Development of the First P-Stereogenic PCP Pincer Ligands, Their Metallation by Palladium and Platinum, and Preliminary Catalysis.
Helv. Chim. Acta, **2001**, *84*, 3519-3530.
593. Sander Thoonen, Berth-Jan Deelman and Gerard van Koten.
Platinum- and Palladium-Catalyzed Kocheshkov Redistribution of Dialkyltin Dichlorides or Tetraalkyltins with Tin Tetrachloride.

- Chem. Commun.*, **2001**, 1840-1841.
594. Arjan W. Kleij, Alan Ford, Johann T.B.H. Jastrzebski and Gerard van Koten.
Dendritic Polymer Applications: Catalysts in Dendrimers and Other Dendritic Polymers, Ed. J.M.J. Fréchet and D.A. Tomalia, John Wiley&Sons Ltd., Chichester, pp. , **2001**.
595. Leo J.P. van den Broeke, Earl L.V. Goetheer, Arjan W. Verkerk, Elwin de Wolf, Berth-Jan Deelman, Gerard van Koten and Jos T.F. Keurentjes.
Homogeneous Reactions in Supercritical Carbon Dioxide Using a Catalyst Immobilized by a Microporous Silica Membrane.
Angew. Chem. Int. Ed. Engl., **2001**, *40*, 4473-4474.
596. Heinrich Lang, Stefan Köcher, Stephan Back, Gerd Rheinwald and Gerard van Koten.
Synthesis and Coordination Chemistry of Gold(I) Acetylides. The Solid State Structure of $\{[\eta^2-(\text{Ph}_3\text{P})\text{AuCoCFc}]\text{Cu}(\mu\text{-Cl})\}_2$.
Organometallics, **2001**, *20*, 1968-1972.
597. Miguel A. Casado Lacabra, Allan J. Canty, Martin Lutz, Jim Patel, Anthony L. Spek, Huailin Sun and Gerard van Koten.
Mono(p-tolyl)platinum(II) and bis(p-tolyl)platinum(II) complexes of diethylsulfide as reagents for organoplatinum synthesis. Structures of $[\text{Pt}(\text{p-Tol})_2((\mu)\text{-SEt}_2)]_2$ and $\text{PtCl}(\text{p-Tol})(\text{bpy})$ (bpy = 2,2'-bipyridine).
Inorg. Chim. Acta, **2002**, *327*, 15-19.
598. Michel D. Meijer, Gerard P.M. van Klink, Bas de Bruin and Gerard van Koten.
New Routes Towards Metallated Methanofullerene Terdentate Bisaminoaryl Ligands.
Inorg. Chim. Acta, **2002**, *327*, 31-40.
599. Gema Rodríguez, Martin Lutz, Anthony L. Spek and Gerard van Koten.
New Mono- and Tri-cyclopalladated Dendritic Systems with Encapsulated Catalytic Sites.
Chem. Eur. J., **2002**, *8*, 45-57.
600. Michel D. Meijer, Arjan W. Kleij, B. Scott Williams, Dianne Ellis, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten.
Construction of Supported Organometallics Using Cycloplatinted Arylamine Ligands.
Organometallics, **2002**, *21*, 264-271.
601. Harm P. Dijkstra, Martin Albrecht and Gerard van Koten.
Transcyclometalation, a versatile methodology for multiple metal-carbon bond formation with multisite ligands.
Chem. Commun., **2002**, 126-127.
602. Claudia M.P. Kronenburg, Catelijne H. M. Amijs, Peter Wijkens, Johann T.B.H. Jastrzebski and Gerard van Koten.
Unexpected Formation of Aryl-Cyanides During the Oxidative Decomposition of Aryl-Cyanocuprates. Transfer of a Non-Transferable Group?.
Tetrahedron Lett., **2002**, *43*, 1113-1115.
603. Gerard P.M. van Klink, Paulo Dani and Gerard van Koten.
Bis(ortho-)Chelated Monoanionic Bisphosphinoaryl Ruthenium(II) Complexes: Synthesis, Characterization and Reactivity.
Chin. J. Chem., **2002**, *20*, 207-213.
604. Robertus J.M. Klein Gebbink, Cornelis A. Kruithof, Gerard P.M. van Klink and Gerard van Koten.
Dendritic Support in Organic Synthesis.
Rev. Mol. Biotechnol., **2002**, *90*, 183-193.
605. Allison M. Mills, Johannes A.M. van Beek, Gerard van Koten and Anthony L. Spek.
 $\{2,6\text{-Bis}[(\text{dimethylamino-}\kappa\text{-N})\text{methyl}]\text{phenyl-}\kappa\text{-C}\}\text{iodopalladium(II) bis}(\text{diiodine})$.

- Acta Cryst. Sect. C*, **2002**, C58, m304-m306.
606. Martijn Q. Slagt, Robertus J.M. Klein Gebbink, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Synthetic Strategies towards New-Para-Functionalised NCN-Pincer Palladium(II) and Platinum(II) Complexes.
J. Chem. Soc. Dalton Trans., **2002**, 2591-2592.
607. Gabriela Guillena, Gema Rodríguez and Gerard van Koten.
Palladium(II) pincer complexes of α -amino acids: towards the synthesis of catalytically active artificial peptides.
Tetrahedron Lett., **2002**, 43, 3895-3898.
608. Rob van de Coevering, Mark Kuil, Robertus J.M. Klein Gebbink and Gerard van Koten.
Polycationic dendrimers as noncovalent support for anionic organometallic complexes.
Chem. Commun., **2002**, 1636-1637.
609. Michel D. Meijer, Gerard P.M. van Klink and Gerard van Koten.
Metal-Chelating Capacities Attached to Fullerenes.
Coord. Chem. Rev., **2002**, 230, 141-163.
610. Gema Rodríguez, Martin Albrecht, Jeroen Schoenmaker, Alan Ford, Martin Lutz, Anthony L. Spek, and Gerard van Koten.
Bifunctional Pincer-type Organometallics as Substrates for Organic Transformations and as Novel Building Blocks for Polymetallic Materials.
J. Am. Chem. Soc., **2002**, 124, 5127-5138.
611. Johann T.B.H. Jastrzebski and Gerard van Koten.
Structures and Reactivities of Organocopper Compounds, in *Modern Organocopper Chemistry*, Ed. N. Krause, Wiley GmbH, Weinheim, pp. 1-44, **2002**.
612. Harm P. Dijkstra, Aleksey Chuchuryukin, Bart M.J.M. Suijkerbuijk, Gerard P.M. van Klink, Allison M. Mills, Anthony L. Spek and Gerard van Koten.
Methathesis of Olefin-Substituted Pyridines: The Metalated NCN-Pincer Complex in a Dual Role as Protecting Group and Scaffold.
Adv. Synth. Catal., **2002**, 344, 770-780.
613. Edward J. Farrington, Eloisa Martinez Viviente, B. Scott Williams, Gerard van Koten and John M. Brown.
Synthesis and reactivity of a ferrocene-derived PCP-pincer ligand.
Chem. Commun., **2002**, 308-309.
614. Harm P. Dijkstra, Gerard P.M. van Klink and Gerard van Koten.
The Use of Ultra- and Nanofiltration Techniques in Homogeneous Catalyst Recycling.
Acc. Chem. Res., **2002**, 35, 798-810.
615. Claudia M.P. Kronenburg, Johann T.B.H. Jastrzebski, Martin Lutz, Anthony L. Spek and Gerard van Koten.
The First Homogenous Series of Self-Assembled Aryl Bromo- and Aryl Cyanocuprates, Argentates and -Aurates: MLi_2XAr_2 ($M = CuI, AgI, AuI$; $X = Br, C\equiv N$; $Ar = [C_6H_4CH_2N(Et)CH_2CH_2NEt_2-2]$).
J. Am. Chem. Soc., **2002**, 124, 11675-11683.
616. Maria Contel, Marianne Stol, Miguel A. Casado, Gerard P.M. van Klink, Dianne D. Ellis, Anthony L. Spek and Gerard van Koten.
A Bis(ortho-amine)aryl-Gold(I) Compound as an Efficient, Non-Toxic, Arylating Reagent.
Organometallics, **2002**, 21, 4556-4559.
617. Joep van de Broeke, Ferry Winter, Berth-Jan Deelman, Gerard van Koten.

- A Highly Fluorous Room-Temperature Ionic Liquid Exhibiting Fluorous Biphasic Behaviour and Its Use in Catalyst Recycling.
Org. Lett., **2002**, *22*, 3851-3854.
618. Henk Hagen, Jaap Boersma and Gerard van Koten.
Homogeneous Vanadium-Based Catalysts for the Ziegler-Natta Polymerization of α -Olefins.
Chem. Soc. Rev., **2002**, *31*, 357-264.
619. Patricia Mazón, Rafael Chinchilla and Carmen Nájera, Gabriela Guillena, Rob Kreiter, Robertus J.M. Klein Gebbink and Gerard van Koten.
Unexpected metal base-dependent inversion of the enantioselectivity in the asymmetric synthesis of α -amino acids using phase-transfer catalysts derived from cinchonidine.
Tetrahedron Asymm., **2002**, *13*, 2181-2185.
620. Gabriela Guillena, Gema Rodríguez, Martin Albrecht and Gerard van Koten.
Covalently Bonded Platinum(II) Complexes of α -Amino Acids and Peptides as a Potential Tool for Protein Labeling β .
Chem. Eur. J., **2002**, *8*, 5368-5376.
621. Moniek Tromp, Jeroen A. van Bokhoven, Anne M. Arink, Johannes H. Bitter, Gerard van Koten and Diederik C. Koningsberger.
Cu K-Edge EXAFS Characterization of Cu(I) Arenethiolate Complexes in both Solid and Liquid State: Detection of Cu-Cu Coordination.
Chem. Eur. J., **2002**, *8*, 5667-5678.
622. Harm P. Dijkstra, Martin Albrecht, Serenella Medici, Gerard P. M. van Klink and Gerard van Koten.
Hexakis (PCP-Platinum and -Ruthenium) Complexes by the Transcyclometalation Reaction and Their Use in Catalysis.
Adv. Synth. Catal., **2002**, *344*, 1135-1141.
623. Claudia M.P. Kronenburg, Cateljine H.M. Amijs, Johann T.B.H. Jastrzebski, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Induction of chirotopicity in the self-assembly process of heterocuprates: Structural and stereochemical aspects of neutral $\text{CuLi}_2\text{BrAryl}_2$ aggregates.
Organometallics, **2002**, *21*, 4662-4671.
624. Bart M.J.M. Suijkerbuijk, Martijn Q. Slagt, Robertus J.M. Klein Gebbink, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Platinum-pincer introduction using active ester chemistry.
Tetrahedron Lett., **2002**, *43*, 6565-6568.
625. Martijn Q. Slagt, Salah-Eddine Stiriba, Robertus J.M. Klein Gebbink, Holger Kautz, Holger Frey and Gerard van Koten.
Encapsulation of hydrophilic pincer-platinum(II) complexes in amphiphilic hyperbranched polyglycerol nanocapsules.
Macromolecules, **2002**, *35*, 5734-5737.
626. Elwin de Wolf, Anthony L. Spek, Bonny W.M. Kuipers, Albert P. Philipse, Johannes D. Meeldijk, Paul H.H. Bomans, Peter M. Frederik, Berth-Jan Deelman and Gerard van Koten.
Fluorous derivatives of $[\text{Rh}(\text{COD})(\text{dppe})]\text{BX}_4$ ($\text{X}=\text{F}$, Ph): synthesis, physical studies and application in catalytic hydrogenation of 1-alkenes and 4-alkynes.
Tetrahedron, **2002**, *58*, 3911-3922.
627. T.A. Nijhuis, G. van Koten and J.A. Moulijn.
Optimized palladium catalyst systems for the selective liquid-phase hydrogenation of functionalized alkynes.
Appl. Catal. A: General, **2003**, *238*, 259-271.

628. Gabriela Guillena, Cornelis A. Kruithof, Miguel A. Casado, Maarten R. Egmond and Gerard van Koten.
The Suzuki Cross-Coupling Reaction: A Powerful Tool for the Attachment of Organometallic 'NCN'-Pincer Units to Biological Scaffolds.
J. Organomet. Chem., **2003**, 668, 3-7.
629. Harm P. Dijkstra, Martijn Q. Slagt, Aidan McDonald, Cornelis A. Kruithof, Robert Kreiter, Allison M. Mills, Martin Lutz, Anthony L. Spek, Wim Klopper, Gerard P. M. van Klink and Gerard van Koten.
para-Functionalized NCN-Pincer Palladium(II) Complexes: Synthesis, Catalysis and DFT-Calculations.
Eur. J. Inorg. Chem., **2003**, 830-838.
630. T.A. Nijhuis, G. van Koten and J.A. Moulijn.
Separation of kinetics and mass-transport effects for a fast reaction: the selective hydrogenation of functionalized alkynes.
Catal. Today, **2003**, 79-80, 315-321.
631. Gabriela Guillena, Koen M. Halkes, Gema Rodriguez, Guido D. Batema, Gerard van Koten and Johannes P. Kamerling.
Organoplatinum(II) complexes as a color biomarker in solid-phase peptide chemistry and screening.
Org. Lett., **2003**, 12, 2021-2024.
632. Robert Kreiter, Robertus J.M. Klein Gebbink and Gerard van Koten.
Design and synthesis of tris[bis(benzylammonium)aryl]phosphines with bulky meta-substituents.
Tetrahedron, **2003**, 59, 3989-3997.
633. Claudia M.P. Kronenburg, Johann T.B.H. Jastrzebski, Martin Lutz, Anthony L. Spek and Gerard van Koten.
The Presence of $[\text{Ar}_2\text{Cu}]^-$ and $[(\text{RC}\equiv\text{C})_2\text{Cu}]^-$ Homocuprate Moieties in the Neutral Mixed Cuprate $[\text{Cu}_2\text{Li}_2(\text{C}\equiv\text{CR})_2\text{Ar}_2]$ (Ar = $\text{C}_6\text{H}_4\{\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{CH}_2\text{NMe}_2\}$ -2; R = $\text{C}_6\text{H}_4\text{Me}$ -4 or $\text{C}_6\text{H}_4\text{SiMe}_3$ -4).
Organometallics, **2003**, 22, 2312-2317.
634. Andrey Mayboroda, Peter Comba, Hans Pritzkow, Gerd Rheinwald, Heinrich Lang and Gerard van Koten.
Heterotrinnuclear Complexes of the Platinum Group Metals with 2,2'-Biimidazole as a Bridging Ligand.
Eur. J. Inorg. Chem., **2003**, 1703-1710.
635. Martijn Q. Slagt, Johann T.B.H. Jastrzebski, Robertus J.M. Klein Gebbink, Hendrik J. van Ramesdonk, Jan W. Verhoeven, Dianne D. Ellis, Anthony L. Spek and Gerard van Koten.
Pyrenoxy-Based NCN-Pincer Palladium(II) Molecular Tweezers: Synthesis, Properties in Solution and Catalysis.
Eur. J. Org. Chem., **2003**, 1692-1703.
636. Joep van den Broeke, Elwin de Wolf, Berth-Jan Deelman, Gerard van Koten.
Enhanced Hydrogenation Activity and Recycling of Cationic Rhodium Diphosphine Complexes through the Use of Highly Fluorous and Weakly-Coordinating Tetraphenylborate Anions.
Adv. Synth. Catal., **2003**, 345, 625-635.
637. Sander H.L. Thoonen, Martin Lutz, Anthony L. Spek, Berth-Jan Deelman and Gerard van Koten.
Synthesis of Novel Trialkyl(trichlorostannyl)platinum(IV) Complexes through SnCl_2 Insertion into the Pt-Cl Bond.

- Organometallics*, **2003**, *22*, 1156-1159.
638. Harm P. Dijkstra, Niek Ronde, Gerard P.M. van Klink, Dieter Vogt and Gerard van Koten.
Application of a Homogeneous Dodecakis[NCN-Pincer-PdII] Catalyst in a Nanofiltration Membrane Reactor under Continuous Reaction Conditions.
Adv. Synth. Catal., **2003**, *345*, 364-369.
639. Harm P. Dijkstra, Cornelis A. Kruithof, Niek Ronde, Rob van de Coevering, Diego J. Ramón, Dieter Vogt, Gerard P. M. van Klink and Gerard van Koten.
Shape-Persistent Nanosize Organometallic Complexes: Synthesis and Application in a Nanofiltration Membrane Reactor.
J. Org. Chem., **2003**, *68*, 675-685.
640. Martijn Q. Slagt, Harm P. Dijkstra, Aidan McDonald, Robertus J.M. Klein Gebbink, Martin Lutz, Dianne D. Ellis, Allison M. Mills, Anthony L. Spek, Gerard van Koten.
Self-Assembly of p-Nitro NCN-Pincer Palladium Complexes into Dimers through Electron Donor-Acceptor Interactions.
Organometallics, **2003**, *22*, 27-29.
641. Aleksey V. Chuchuryukin, Harm P. Dijkstra, Bart M.J.M. Suijkerbuijk, Robertus J.M. Klein Gebbink, Gerard P.M. van Klink, Allison M. Mills, Anthony L. Spek and Gerard van Koten.
Macrocycle Synthesis via Olefin Metathesis on a Nanosized, Shape-Persistent Tricationic Platinum Template.
Angew. Chem. Int. Ed. Engl., **2003**, *42*, 228-230.
642. Michel D. Meijer, Berend Mulder, Gerard P. M. van Klink and Gerard van Koten.
Synthesis of C₆₀-attached SCS Pincer Palladium(II) Complexes.
Inorg. Chim. Acta, **2003**, *352*, 247-252.
643. Catelijne H.M. Amijs, Gerard P.M. van Klink and Gerard van Koten.
Carbon tetrachloride free benzylic brominations of methyl aryl halides.
Green Chem., **2003**, *5*, 470-474.
644. Joep van den Broeke, Marjolein Stam, Martin Lutz, Huub Kooijman, Anthony L. Spek, Berth-Jan Deelman and Gerard van Koten.
Designing Ionic Liquids: 1-Butyl-3-Methylimidazolium Cations with Substituted Tetraphenylborate Counterions.
Eur. J. Inorg. Chem., **2003**, 2798-2811.
645. G. Guillena, R. Kreiter, R. van de Coevering, R.J.M. Klein Gebbink, G. van Koten, R. Chincilla and C. Najera.
Chiroptical properties and applications in PTC of new dendritic cinchonidine-derived ammonium salts.
Tetrahedron Asymm., **2003**, *14*, 3705-3712.
646. E. de Wolf, A.J.M. Mens, O. L.J. Gijzeman, J.H. van Lenthe, L. W. Jenneskens, B.-J. Deelman and G. van Koten.
1H, 1H, 2H, 2H-Perfluoroalkyl-Functionalization of Ni(II), Pd(II) and Pt(II) Mono- and Diphosphine Complexes; minimizing the Electronic Consequences for the Metal Center.
Inorg. Chem., **2003**, *42*, 2115-2124.
647. G.P.M. van Klink, H.P. Dijkstra and G. van Koten.
Recyclable nanosize homogeneous catalysts.
C.R. Chimie, **2003**, *6*, 1079-1085.
648. S. Köcher, G.P.M. van Klink, G. van Koten and H. Lang.
Ferrocene-bridged Pd-NCN-Pincer Complexes.
J. Organomet. Chem., **2003**, *684*, 230-234.

649. S. Thoonen, B-J. Deelman, G. van Koten.
Selective synthesis of monoorganotin trihalides: the direct reaction of allylic halides with tin(II) halides catalyzed by platinum and palladium complexes.
Tetrahedron, **2003**, *59*, 10261-10268.
650. B.M.J.M. Suijkerbuijk, L. Shu, R.J.M. Klein Gebbink, A.D. Schluter and G. van Koten.
Single-Site Catalysts on a Well-Defined Cylindrical Support Beyond Nanosize.
Organometallics, **2003**, *22*, 4175-4177.
651. E.L.V. Goetheer, A.W. Verkerk, E. de Wolf, B-J. Deelman, G. van Koten, L.J.P. van den Broeke and J.T.F. Keurentjes.
Membrane reactor for homogeneous catalysis in supercritical carbon dioxide.
Journal of Catalysis, **2003**, *219*, 126-133.
652. A.V. Chuchuryukin, H.P. Dijkstra, B.M.J.M. Suijkerbuijk, R.J.M. Klein Gebbink, G.P.M. van Klink, A.M. Mills, A.L. Spek, G. van Koten.
Template-directed synthesis of macroheterocycles by ring-closing metathesis of olefin-substituted pyridines in the coordination sphere of triplatinum complex.
Russ. J. of Org. Chem., **2003**, *39*, 422-429.
653. M.D. Meijer, R.J.M. Klein Gebbink and G. van Koten.
Solid-gas interactions between small gaseous molecules and transition metals in the solid state. Towards sensor applications in perspectives in supramolecular chemistry, Book, Vol 7, Crystal Design: Structure and function. Ed. G.R. Desiraju, Wiley, Chichester, pp. , **2003**.
654. I.P. Beletskaya, A.V. Chuchuryukin, G. van Koten, H.P. Dijkstra, G.P.M. van Klink, A.N. Kashin, S.E. Nefedov and I.L. Eremenko.
Synthesis and Catalytic Properties of Di- and Trinuclear Palladium Complexes with PCP-Pincer Ligands.
Russ. J. of Org. Chem., **2003**, *39*, 1268-1281.
655. Claudia M.P. Kronenburg, Evelien Rijnberg, Johann T.B.H. Jastrzebski, Huub Kooijman, Anthony L. Spek and Gerard van Koten.
Stereochemical Aspects of Enantiopure and Racemic Organolithium Aggregates Li_4Ar_4 {Ar = $\text{C}_6\text{H}_4[\text{CH}(\text{Me})\text{NMe}_2]-2$ }.
Eur. J. Org. Chem., **2004**, 153-159.
656. Elwin de Wolf, Paul Ruelle, Joep van den Broeke, Berth-Jan Deelman and Gerard van Koten.
Prediction of Partition Coefficients of Fluorous and Nonfluorous Solutes in Fluorous Biphasic Solvent System by Mobile Order and Disorder Theory.
J. Phys. Chem. B, **2004**, *108*, 1458-1466.
657. Robert Ruloff, Gerard van Koten and Andre E. Merbach.
Novel heteroditopic chelate for self-assembled gadolinium(II) complex with high relaxativity.
Chem. Commun., **2004**, 842-842.
658. Marga C. Lensen, Sandra J.T. van Dingenen, Johannes A.A.W. Elemans, Harm P. Dijkstra, Gerard P.M. van Klink, Gerard van Koten, Jan. W. Gerritsen, Silvia Speller, Roeland J.M. Nolte and Alan E. Rowan.
Synthesis and self-assembly of giant porphyrin discs.
Chem. Commun., **2004**, 762-763.
659. Martijn Q. Slagt, Gema Rodriguez, Michiel M.P. Grutters, Robertus J.M. Klein Gebbink, Wim Klopper, Leonardus W. Jenneskens, Martin Lutz, Anthony L. Spek and Gerard van Koten.
Synthesis and Properties of para-Substituted NCN-Pincer Palladium and Platinum

- Complexes.
Chem. Eur. J., **2004**, *10*, 1331-1334.
660. Moniek Tromp, Jeroen A. van Bokhoven, Martijn Q. Slagt, Bert J.M. Klein Gebbink, Gerard van Koten, Dave E. Ramakers and Diek Koningsberger.
AXAFS as a Probe of Charge Redistribution within Organometallic Complexes.
J. Am. Chem. Soc., **2004**, *126*, 4090-4091.
661. Sander H.L. Thoonen, Berth-Jan Deelman and Gerard van Koten.
Synthetic Aspects of Tetraorganotin(IV) Halides.
J. Organomet. Chem., **2004**, *689*, 2145-2157.
662. Bart M.J.M. Suijkerbuijk, Martin Lutz, Anthony L. Spek, Gerard van Koten and Robertus J.M. Klein Gebbink.
Pincer-Porphyrin Hybrids.
Org. Lett., **2004**, *6*, 3023-3026.
663. Anne. M. Arink, Rob van de Coevering, Birgit Wiecek, Judith Firet, Johann T.B.H. Jastrzebski, Bert J.M. Klein Gebbink, Gerard van Koten.
A Recyclable Nanosize Aminoarenethiolate Copper(I) Catalyst for C-C Coupling Reactions.
J. Organomet. Chem., **2004**, *689*, 3813-3819.
664. Martijn Q. Slagt, Don A. P. van Zwieten, Adrianus J. C. M. Moerkerk, Robertus J. M. Klein Gebbink, Gerard van Koten.
NCN-Pincer Palladium Complexes with Multiple Anchoring Points for Functional Groups.
Coord. Chem. Rev., **2004**, *248*, 2275-2282.
665. Elwin de Wolf, Eva Riccomagno, Jeroen J.M. de Pater, Berth-Jan Deelman and Gerard van Koten.
Parallel Synthesis and Study of Fluorous Biphasic Partition Coefficients of 1H,1H,2H,2H-Perfluoroalkylsilyl Derivates of Triphenylphosphine: A Statistical Approach.
J. Comb. Chem., **2004**, *6*, 363-374.
666. Allan J. Canty, Melanie C. Denney, Gerard van Koten, Brain W. Skelton and Allan H. White.
Carbon-Oxygen Bond Formation at Metal(IV) Centers: Reactivity of Palladium(II) and Platinum(II) Complexes of the [2,6-(Dimethylaminomethyl)phenyl-N,C,N]- (Pincer) Ligand Towards Iodomethane and Dibenzoyl Peroxide; Structural Studies of M(II) and M(IV) Complexes.
Organometallics, **2004**, *23*, 5432-5439.
667. Preston A. Chase, Robertus J.M. Klein Gebbink, Gerard van Koten.
Where Organometallics and Dendrimers Merge: The Incorporation of Organometallic Species into Dendritic Molecules.
J. Organomet. Chem., **2004**, *689*, 4016-4054.
668. Moniek Tromp, Martijn Q. Slagt, Robertus J.M. Klein Gebbink, Gerard van Koten, David E. Ramaker and Diek C. Koningsberger.
Atomic XAFS as a probe of electron transfer within organometallic complexes: Data analysis and theoretical calculation.
Phys. Chem., **2004**, *6*, 4397-4406.
669. Henk Hagen, Santiago Reinoso, Ed. J. Reijerse, Ernst E. van Faassen, Martin Lutz, Anthony L. Spek and Gerard van Koten.
O,N-Chelated Vanadium(IV) Oxo Aminophenolate Complexes.: the Effect of Steric Bulk onm the Vanadium Coordination Geometry. Can this Influence be detected Spectroscopically?.

- Z. Anorg. Allg. Chem.*, **2004**, *630*, 2097-2105.
670. Joep van den Broeke, Jorg J.H. Heeringa, Alexey V. Chuchuryukin, Huub Kooijman, Allison M. Mills, Anthony L. Spek, Joop H. van Lenthe, Paul J.A. Ruttink, Berth-Jan Deelman and Gerard van Koten.
Role of Cation-Anion Interactions in Ionic Complexes Containing $[\{\text{Pd}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-2,6})(\text{OH}_2)\}^+]$ and $[\{\text{Pd}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-2,6})_2(\mu\text{-Cl})\}^+]$ Cations.
Organometallics, **2004**, *23*, 2287-2294.
671. Marcella Gagliardo, Harm P. Dijkstra, Paolo Coppo, Luisa De Cola, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink and Gerard van Koten.
Synthesis, crystal structure, redox and photophysical properties of novel bisphosphinoaryl Ru(II)-terpyridine complexes.
Organometallics, **2004**, *23*, 5833-5840.
672. Anne M. Arink, Thijs W. Braam, Roy Keeris, Johann T.B.H. Jastrzebski, Cyril Ben Haim, Stephane Rosset, Alexsandre Alexakis and Gerard van Koten.
Copper(I) Thiolate Catalysts in Asymmetric Conjugate Addition Reactions.
Org. Lett., **2004**, *6*, 1959-1962.
673. Salah-Eddine Stiriba, Martijn Q. Slagt, Holger Krautz, Robertus J.M. Klein Gebbink, Ralf Thomann, Holger Frey and Gerard van Koten.
Synthesis and Supramolecular Association of Immobilized NCN-Pincer Platinum(II) Complexes on Hyperbranched Polyglycerol Supports.
Chem. Eur. J., **2004**, *10*, 1267-1273.
674. Anne M. Arink, Claudia M.P. Kronenburg, Johann T.B.H. Jastrzebski, Martin Lutz, Anthony L. Spek, Robert A. Gossage and Gerard van Koten.
Diastereoselective Self Assembly of Chiral Diamine-Chelated Aryllithium to Dimeric Aggregates.
J. Am. Chem. Soc., **2004**, *126*, 16249-16258.
675. Patrick O'Leary, Nico P. Krosveld, Krijn P. de Jong, Gerard van Koten and Robertus J.M. Klein Gebbink.
Facile and rapid immobilization of copper(II) bis(oxazoline) catalysts on silica: application to Diels-Alder reactions, recycling, and unexpected effects on enantioselectivity.
Tetrahedron Lett., **2004**, *45*, 3177-3180.
676. Martijn Q. Slagt, Salah-Eddine Stiriba, Holger Kautz, Robertus J.M. Klein Gebbink, Holger Frey and Gerard van Koten.
Optically Active Hyperbranched Polyglycerol as Scaffold for Covalent and Noncovalent Immobilization of Platinum(II) NCN-Pincer Complexes.
Organometallics, **2004**, *23*, 1525-1532.
677. Claudia M.P. Kronenburg, Evelien Rijnberg, Johann T.B.H. Jastrzebski, Huub Kooijman, Martin Lutz, Anthony L. Spek, Robert A. Gossage and Gerard van Koten.
Formation of Mixed Organolithium Aggregates $\text{Li}_4\text{Ar}_2(\text{nBu})_2$ (Ar = $\text{C}_6\text{H}_4\text{CH}(\text{Me})\text{NMe}_2\text{-2}$) during the Directed ortho-Lithiation of 1-[(1-dimethylamino)ethyl]benzene.
Chem. Eur. J., **2005**, *11*, 253-261.
678. Jérôme Le Nôtre, Judith Firet, Leo A. J. M. Sliedregt, Bart J. van Steen, Gerard van Koten and Robertus J. M. Klein Gebbink.
Dialyzable Carbosilane Dendrimers as Soluble Supports for the Functionalization of Pyridine Fragments via Palladium-Catalyzed Coupling Reactions.
Org. Lett., **2005**, *7*, 363-366.
679. Marianne Stol, Dennis J.M. Snelders, Jeroen J.M. de Pater, Gerard P.M. van Klink,

- Huub Kooijman, Anthony L. Spek and Gerard van Koten.
 Synthesis and Structural Characterization of Lithium and Trimethyltin Complexes of 2,6-Bis(oxazoliny)phenyl.
Organometallics, **2005**, *24*, 743-749.
680. Alexey V. Chuchuryukin, Preston A. Chase, Harm P. Dijkstra, Bart M.J.M. Suijkerbuijk, Allison M. Mills, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten.
 General Approach for Template-Directed Synthesis of Macrocyclics by Ring-Closing Metathesis (RCM).
Adv. Synth. Catal., **2005**, *347*, 447-462.
681. Philippe G. Merle, Virginie Chéron, Henk Hagen, Martin Lutz, Anthony L. Spek, Berth-Jan Deelman and Gerard van Koten.
 Fluorous Zirconocene(IV) Complexes and Their Olefin Polymerization Activity in Toluene and Fluorous Biphasic Solvent Systems.
Organometallics, **2005**, *24*, 1620-1630.
682. Serenella Medici, Marcella Gagliardo, Scott B. Williams, Preston A. Chase, Serafino Gladiali, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten.
 Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone.
Helv. Chim. Acta, **2005**, *88*, 694-705.
683. Pieter C.A. Bruijninx, Martin Lutz, Anthony L. Spek, Ernst E. van Faassen, Bert M. Weckhuysen, Gerard van Koten and Robertus J.M. Klein Gebbink.
 Bis(1-methylimidazol-2-yl)propionates and Bis(1-methylbenzimidazol-2-yl)propionates: A New Family of Biomimetic *N,N,O* Ligands - Synthesis, Structures and CuII Coordination Complexes.
Eur. J. Inorg. Chem., **2005**, 779-787.
684. M. Robitzer, I. Bouamaied, C. Sirlin, P.A. Chase, G. van Koten, M. Pfeffer.
 Transmetalation of Aryl Units from Gold(I) to Cobalt(III): A Clean Route to the Synthesis of Anion Cobaltreceptors.
Organometallics, **2005**, *24*, 1756-1761.
685. R.A. Gossage, J.T.B.H. Jastrzebski, G. van Koten.
 Hetero-Aggregate Compounds of Aryl and Alkyl Lithium Reagents: A Structurally Intriguing Aspect of Organolithium Chemistry.
Angew. Chem. Int. Ed., **2005**, *44*, 1448-1454.
686. P.A. Chase, M. Gagliardo, M. Lutz, A.L. Spek, G.P.M. van Klink, G. van Koten.
 Electron-Poor Pentafluorophenyl-Substituted PCP-Palladium Pincer Complexes.
Organometallics, **2005**, *24*, 2016-2019.
687. R. van de Coevering, R. Kreiter, F. Cardinali, G. van Koten, J-F. Nierengarten, R.J.M. Klein Gebbink.
 An Octa-Cationic Core-Shell Dendrimer as a Molecular Template for the Assembly of Anionic Fullerene Derivatives.
Tetrahedron Lett., **2005**, *46*, 3353-3356.
688. Rob van de Coevering, Robertus J.M. Klein Gebbink, Gerard van Koten.
 Soluble Organic Supports for the Non-Covalent Immobilization of Homogeneous Catalysts; Modular Approaches Towards Sustainable Catalysts.
Prog. Polym. Sci., **2005**, *30*, 474-490.
689. Catelijne H.M. Amijs, Arjan W. Kleij, Gerard P.M. van Klink, Anthony L. Spek, Gerard van Koten.
 Structural Features and Dynamical Behaviour of Heteroleptic *trans-C,C*-Bisaryl-

- Platinum(II) and -Palladium(II) Complexes.
Organometallics, **2005**, *24*, 2773-2779.
690. Catelijne H.M. Amijs, Gerard P.M. van Klink, Martin Lutz, Anthony L. Spek, Gerard van Koten.
Functionalized Homoleptic *cis*- and *trans*-*C,N-ortho*-Chelated Aminoaryl Platinum(II) Complexes.
Organometallics, **2005**, *24*, 2944-2958.
691. Daniela Beccati, Koen M. Halkes, Guido B. Batema, Gabriela Guillena, Adriana Carvalho de Souza, Gerard van Koten, Johann P. Kamerling.
SPR Studies of Carbohydrate-Protein Interactions: Signal Enhancements of Low-Molecular-Mass Analytes by Organoplatinum(II)-Labeling.
ChemBioChem, **2005**, *6*, 1196-1203.
692. Catelijne H.M. Amijs, Alessandro Berger, Fouad Soulimani, Tom Visser, Gerard P.M. van Klink, Martin Lutz, Anthony L. Spek, Gerard van Koten.
Neutral Pyridyl-Functionalized *C,N-ortho*-Chelated Aminoaryl Platinum(II) Corner Building Blocks for Application in Coordination Reactions.
Inorg. Chem., **2005**, *44*, 6567-6578.
693. Marcella Gagliardo, Preston A. Chase, Martin Lutz, Anthony L. Spek, Frantisek Hartl, Remco W.A. Havenith, Gerard P.M. van Klink, Gerard van Koten.
A Ruthenium(II) Complex Stabilized by a Highly Fluorinated PCP Pincer Ligand.
Organometallics, **2005**, *24*, 4553-4557.
694. Martin Lutz, Anthony L. Spek, Pieter C.A. Bruijninx, Robertus, J.M. Klein Gebbink, Gerard van Koten.
Dichloro(di-2-pyridylamine)zinc(II): a redetermination at 110 K.
Acta Cryst., **2005**, *E61*, m1813-m1815.
695. Jeroen J.M. de Pater, C. Elizabeth P. Maljaars, Elwin de Wolf, Martin Lutz, Anthony L. Spek, Berth-Jan Deelman, Cornelis J. Elsevier, Gerard van Koten.
(Perfluoro)alkylsilyl-Substituted 2-[Bis(4-aryl)phosphino]pyridines: Synthesis and Comparison of Their Palladium Complexes in Methoxycarbonylation of Phenylacetylene in regular Solvents and Supercritical CO₂.
Organometallics, **2005**, *24*, 5299-5310.
696. Thomas Jerphagnon, Gerard P.M. van Klink, Johannes G. de Vries, Gerard van Koten.
Aminoarenethiolate-Copper(I)-Catalyzed Amination of Aryl Bromides.
Org. Lett., **2005**, *23*, 5241-5244.
697. Rob van de Coevering, Mark Kuil, Alfred P. Alfers, Tom Visser, Martin Lutz, Anthony L. Spek, Robertus J.M. Klein Gebbink, Gerard van Koten.
Organometallic Zwitterions: Arylpalladium(II) Pincer Complexes with a Tethered Sulfato Group as *para*-Substituent.
Organometallics, **2005**, *24*, 6147-6158.
698. Jeroen J.M. de Pater, D.S. Tromp, Duncan M. Tooke, Anthony L. Spek, Berth-Jan Deelman, Gerard van Koten, Cornelis J. Elsevier.
Palladium(0)-Alkene Bis(triarylphosphine) Complexes as Catalyst Precursors for the Methoxycarbonylation of Styrene.
Organometallics, **2005**, *24*, 6411-6419.
699. Martin Lutz, Anthony L. Spek, Robert Kreiter, Robertus J.M. Klein Gebbink, Gerard van Koten.
trans-Dichlorobis(tris{4-[(dimethylamino)methyl]phenyl}phosphine)platinum(II).
Acta Cryst., **2005**, *E61*, m2728-m2729.
700. Cornelis A. Kruithof, Miguel A. Casado, Gabriela Guillena, Maarten R. Egmond, Anca van der Kerk-van Hoof, Albert J.R. Heck, Robertus J.M. Klein Gebbink, Gerard

- van Koten.
Lipase Active-Site-Directed Anchoring of Organometallics: Metallopincer/Protein Hybrids.
Chem. Eur. J., **2005**, *11*, 6869-6877.
701. Catelijne H.M. Amijs, Gerard P.M. van Klink, Gerard van Koten.
Metallasupramolecular Architectures, an overview of functional properties and applications.
Dalton Trans., **2006**, 308-327.
702. Robert Kreiter, Judith J. Firet, Michel J.J. Ruts, Martin Lutz, Anthony L. Spek, Robertus J.M. Klein Gebbink, Gerard van Koten.
Synthesis, Coordination Chemistry, and Metal Complex reactivity of (Dimethylamino)Methyl-Substituted Triarylphosphanes; X-ray Study on $[\text{AuCl}(\text{PPh}_3)_n\text{Ar}_n]$ (Ar = 1-C₆H₃(CH₂NMe₂)₂-3,5, n = 1, 3; Ar = 1-C₆H₄(CH₂NMe₂)₂-4, n = 3).
J. Organomet. Chem., **2006**, *691*, 422-432.
703. Kaisa Kervinen, Pieter C.A. Bruijninx, Andrew M. Beale, J. Gerbrand Mesu, Gerard van Koten, Robertus J.M. Klein Gebbink, Bert M. Weckhuysen.
Zeolite Framework Stabilized Copper Complex Inspired by the 2-His-1-carboxylate Facial Triad Motif Yielding Oxidation Catalysts.
J. Am. Chem. Soc., **2006**, *128*, 3208-2317.
704. Alexey V. Chuchuryukin, Preston A. Chase, Allison M. Mills, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink, Gerard van Koten.
Hydroxy- and Mercaptopyridine Pincer Platinum and Palladium Complexes Generated by Silver-Free Halide Abstraction.
Inorg. Chem., **2006**, *45*, 2045-2054.
705. Marcella Gagliardo, Gema Rodriguez, Henk H. Dam, Martin Lutz, Anthony L. Spek, Remco W.A. Havenith, Paolo Coppo, Luisa de Cola, Frantisek Hartl, Gerard van Klink and Gerard van Koten.
A Novel Heteroditopic Terpyridine-Pincer Ligand as Building Block for Mono- and Heterometallic Pd(II) and Ru(II) Complexes.
Inorg. Chem., **2006**, *45*, 2143-2155.
706. Sander H.L. Thoonen, Hein van Hoek, Elwin de Wolf, Martin Lutz, Anthony L. Spek, Berth-Jan Deelman and Gerard van Koten.
Synthesis of Novel Terdentate N,C,N'-Coordinated butyltin(IV) Complexes and their Redistribution Reactions with SnCl₄.
J. Organomet. Chem., **2006**, *691*, 1544-1553.
707. Silvia Gosiewska, Jeroen J.L.M. Cornelissen, Martin Lutz, Anthony L. Spek, Gerard van Koten and Robertus J.M. Klein Gebbink.
Diastereopure Fe(II) and Zn(II) Complexes Derived from a Tridentate N,N',N'-Bis(methyl-L-prolinate)-Substituted Pyridine ligand.
Inorg. Chem., **2006**, *45*, 4214-4227.
708. Irina P. Beletskaya, Alexander N. Kashin, Alexander E. Litvinov, Vladimir S. Tyurin, Petr M. Valetsky and Gerard van Koten.
Palladium Colloid Stabilized by Block Copolymer Micelles as an Efficient Catalyst for Reactions of C-C and C-heteroatom Bond Formation.
Organometallics, **2006**, *25*, 154-158.
709. Henk Kleijn, Arjan W. Kleij, Jeroen J.M. de Pater, Martin Lutz, Anthony L. Spek, Johann T.B.H. Jastrzebski, Berth-Jan Deelman, Gerard van Koten.
2-(1-(Dimethylamino)ethyl)phenylpalladium(II) complexes 5-Functionalized with Fluorous Silyl Tails.
Inorg. Chim. Acta, **2006**, *359*, 2674-2682.

710. Preston A. Chase, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten.
Ring closing metathesis employing organometallic substrates and the templated synthesis of macrocycles.
J. Mol. Cat. A: Chem., **2006**, *254*, 2-19.
711. Stefan Kocher, Gerard P.M. van Klink, Gerard van Koten, Heinrich Lang.
Biferrocene NCN-Pincer metal-d⁸ complexes: Synthesis, reaction chemistry and cyclovoltammetric studies.
J. Organomet. Chem., **2006**, *691*, 3319-3324.
712. Rob van de Coevering, Alfred P. Alferys, Johannes D. Meeldijk, Eloisa Martinez-Viviente, Paul S. Pregosin, Robertus J.M. Klein Gebbink, G. van Koten.
Ionic Core-Shell Dendrimers with an Octa-Cationic Core as Non-Covalent Supports for Homogeneous Catalysts.
J. Am. Chem. Soc., **2006**, *128*, 12700-12713.
713. Jeroen J. M. de Pater, Berth-Jan Deelman, Cornelis J. Elsevier, and Gerard van Koten.
Multiphase Systems for the Recycling of Alkoxy carbonylation Catalysts.
Advanced Synthesis & Catalysis, **2006**, *348*, 1447-1458.
714. Stefan Kocher, Bernhard Walfort, Gerard P.M. van Klink, Gerard van Koten, Heinrich Lang.
Trimetallic FePd₂ and FePt₂ 4-ferrocenyl-NCN Pincer Complexes.
J. Organomet. Chem., **2006**, *691*, 3955-3961.
715. Nilesh C. Mehendale, Chris Bezemer, Cornelis A. van Walree, Robertus J. M. Klein Gebbink and Gerard van Koten.
Novel Silica Immobilized NCN-Pincer Palladium(II) and Platinum(II) Complexes: Application as Lewis Acid Catalysts.
J. Mol. Cat. A: Chem., **2006**, *257*, 167-175.
716. Deeb Taher, Bernhard Walfort, Gerard van Koten and Heinrich Lang.
Thiol End-Capped One-Dimensional Platinum and Palladium Complexes.
Inorg. Chem. Commun., **2006**, *9*, 955-958.
717. Stefan Köcher, Martin Lutz, Anthony L. Spek, Rajendra Prasad, Gerard P.M. van Klink, Gerard van Koten, Heinrich Lang.
Heterobimetallic Fe-Pd and Fe-Pt NCN pincer complexes (NCN = [C₆H₂(CH₂NMe₂)_{2-2,6}]).
Inorg. Chim. Acta, **2006**, *359*, 4454-4462.
718. Marcella Gagliardo, Remco W.A. Havenith, Gerard van Klink, Gerard van Koten.
(P-Bis(pentafluorophenyl) substituted) PCP-Pincer Ru(II) complexes: A theoretical study of their molecular structures and electronic properties.
J. Organomet. Chem., **2006**, *691*, 4411-4418.
719. J.J.M. de Pater, B.J. Deelman, C.J. Elsevier and G. van Koten.
Lightly fluorinated [Pd(OAc)₂{P(C₆H₄-p-SiMe₂(CH₂CH₂C₆F₁₃)₃)₂}] in the methoxycarbonylation of styrene: Formation, performance and stability of the catalyst system.
J. Mol. Cat. A: Chem., **2006**, *258*, 334-340.
720. Silvia Gosiewska, Sara Herreras Martinez, Martin Lutz, Anthony L. Spek, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Diastereopure Cationic NCN-Pincer Palladium Complexes with Square Planar η⁴-N,C,N,O Coordination.
Eur. J. Inorg. Chem., **2006**, 4600-4607.
721. Johann T.B.H. Jastrzebski, Jaap Boermsa and Gerard van Koten.
Structural Organozinc Chemistry, in, *The Chemistry of Functional Groups*, Book "The

- Chemistry of Organozinc Compounds”, Z. Rappoport and I. Marek, Eds., Wiley, Chichester, pp. 31-135, **2006**.
722. Alessandro Berger, Robertus J.M. Klein Gebbink and Gerard van Koten. Transition Metal Dendrimer Catalysts, *Top. Organometal. Chem.*, Vol. 20, pp. 1-39, **2006**.
723. Lars S. von Chrzanowski, Martin Lutz, Anthony L. Spek, Aidan R. McDonald, Gerard P. M. van Klink and Gerard van Koten. 2-Carboxy-4-(hydroxymethyl)pyridinium chloride hemihydrate. *Acta Cryst. Sect. E*, **2007**, *E63*, o1121-o1122.
724. Pieter C. A. Bruijninx, Martin Lutz, Anthony L. Spek, Wilfred R. Hagen, Bert M. Weckhuysen, Gerard van Koten, and Robertus J. M. Klein Gebbink. Modeling the 2-His-1-carboxylate Facial Triad: Iron-catecholato Complexes as Structural and Functional Models of the Extradiol Cleaving Dioxygenases. *J. Am. Chem. Soc.*, **2007**, *129*, 2275-2286.
725. G.D. Batema, K.T.L van de Westelaken, J. Guerra, M. Lutz, A.L. Spek, C.A. van Walree, C. de Mello Donega, A. Meijerink, G.P.M. van Klink and G. van Koten. Luminescent and electronic properties of stilbenoid NCN-pincer Pt(II) compounds. *Eur. J. Inorg. Chem.*, **2007**, 1422-1435.
726. Bart M. J. M. Suijkerbuijk, Bas N. H. Aerts, Harm P. Dijkstra, Martin Lutz, Anthony L. Spek, Gerard van Koten, Robertus J. M. Klein Gebbink. “Click” 1,2,3-triazoles as tunable ligands for late transition metal complexes. *Dalton Trans.*, **2007**, 1273-1276.
727. Pieter C.A. Bruijninx, Martin Lutz, Anthony L. Spek, Wilfred R. Hagen, Gerard van Koten and Robertus J.M. Klein Gebbink. Iron(III)-Catecholato Complexes as Structural and Functional Models of the Intradiol-Cleaving Catechol Dioxygenases. *Inorg. Chem.*, **2007**, *46*, 8391-8402.
728. Lars S. von Chrzanowski, Martin Lutz, a Anthony L. Spek, Martijn Q. Slagt and Gerard van Koten. 3,5-Bis[(dimethylamino)methyl]-1-nitro-4-(trimethylsilyl)benzene. *Acta Cryst. Sect. E*, **2007**, *E63*, o2588-02589.
729. Marcella Gagliardo, Preston A. Chase, Sander Brouwer, Gerard P.M. van Klink and Gerard van Koten. Electronic Effects in PCP-Pincer Ru(II)-Based Hydrogen Transfer Catalysis. *Organometallics*, **2007**, *26*, 2219-2227.
730. Sipke H. Wadman, Jan M. Kroon, Klaas Bakker, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink and Gerard van Koten. Cyclometalated ruthenium complexes for sensitizing nanocrystalline TiO₂ solar cells. *Chem. Commun.*, **2007**, 1907-1909.
731. E. Maria Claesson, Nilesh C. Mehendale, Robertus J.M. Klein Gebbink, Gerard van Koten, Albert P. Philipse. Magnetic silica colloids for catalysis. *J. Magn. Magn. Mater.*, **2007**, *311*, 41-45.
732. Marcella Gagliardo, Fabio Rizzo, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink, André E. Merbach, Luisa De Cola and Gerard van Koten. A PCP-Pincer Ru^{II}-Terpyridine Building Block as a Potential “Antenna Unit” for Intramolecular Sensitization. *Eur. J. Inorg. Chem.*, **2007**, 2853-2861.
733. Marianne Stol, Dennis J. M. Snelders, Huub Kooijman, Anthony L. Spek, Gerard P. M. van Klink and Gerard van Koten.

- A new, easily recyclable arylating agent based on a diphosphino-digold(I) complex.
Dalton Trans., **2007**, 2589-2593.
734. Rob van de Coevering, Pieter C. A. Bruijninx, Cornelis A. van Walree, Robertus J. M. Klein Gebbink, and Gerard van Koten.
Dendritic Host Molecules with a Polycationic Core and an Outer Shell of Dodecyl Groups.
Eur. J. Org. Chem., **2007**, 2931-2939.
735. Rob van de Coevering, Pieter C.A. Bruijninx, Martin Lutz, Anthony L. Spek, Gerard van Koten, and Robertus J.M. Klein Gebbink.
Ionic Core-Shell Dendrimers with a Polycationic Core: Structural Aspects and Host-Guest Binding Properties.
New J. Chem., **2007**, 31, 1337-1348.
736. B.M.J.M. Suijkerbuijk, D.M. Tooke, A.L. Spek, G. van Koten, and R.J.M. Klein Gebbink.
One-Dimensional, Co-Facial Porphyrin Polymers formed by Self-Assembly of Meso-Tetrakis(ERE-donor) Zinc(II) Porphyrins.
Chem. Asian. J., **2007**, 2, 889-903.
737. Lars S. von Chrzanowski, Martin Lutz, Anthony L. Spek, Henk Kleijn and Gerard van Koten.
Bis{2-[(dimethylamino-κN)methyl]-benzenethiolato-κS}zinc(II).
Acta Cryst. Sect. E, **2007**, E63, M1847.
738. Silvia Gosiewska, Hjalmar P. Permentier, Andries P. Bruins, Gerard van Koten and Robertus J.M. Klein Gebbink.
Characterization and Alkane Oxidation Activity of a Diastereopure Seven-coordinate Iron (III) Alkylperoxo Complex.
Dalton Trans., **2007**, 3365-3368.
739. Elena Sperotto, Johannes G. de Vries, Gerard P. M. van Klink and Gerard van Koten.
Ligand-free copper(I) catalyzed N- and O-arylation of aryl halides.
Tetrahedron Lett., **2007**, 48, 7366-7370.
740. Marianne Stol, Dennis J. M. Snelders, Meenal D. Godbole, Remco W. A. Havenith, David Haddleton, Guy Clarkson, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink, Gerard van Koten.
2,6-Bis(oxazoliny)phenylnickel(II) Bromide and 2,6-Bis(ketimine phenylnickel(II) Bromide: Synthesis, Structural Features and Redox Properties.
Organometallics, **2007**, 26, 3985-3994.
741. Marcella Gagliardo, Dennis J.M. Snelders, Preston A. Chase, Robertus J.M. Klein Gebbink, Gerard P.M. van Klink and Gerard van Koten.
Organic Transformations on σ-Aryl Organometallic Complexes.
Angew. Chem. Int. Ed., **2007**, 46, 8558-8573.
742. A. M. Beale, J. G. Mesu, K. Kervinen, T. Visser, F. Soulimani, P. C. A. Bruijninx, R. J. M. Klein Gebbink, G. van Koten and B. M. Weckhuysen.
Bio-inspired manipulation of catalytic sites via immobilization of metal ion complexes in zeolites, in *Studies in Surface Science and Catalysis*, Volume 170, Part 2, pp. 1546-1551, **2007**.
743. Nilesh C. Mehendale, Jelle R. A. Sietsma, Krijn P. de Jong, Cornelis A. van Walree, Robertus J. M. Klein Gebbink, and Gerard van Koten.
PCP- and SCS-Pincer Palladium Complexes Immobilized on Mesoporous Silica: Application in C-C Bond Formation Reactions.
Adv. Synth. Catal., **2007**, 349, 2619-2630.
744. Pieter C. A. Bruijninx, Martin Lutz, Johan P. den Breejen, Anthony L. Spek, Gerard

- van Koten, and Robertus J. M. Klein Gebbink.
Zinc Complexes of the Biomimetic N,N,O Ligand Family of Substituted 3,3-Bis(1-alkylimidazol-2-yl)propionates: The Formation of Oxalate from Pyruvate.
J. Biol. Inorg. Chem., **2007**, 1181-1196.
745. Lars S. von Chrzanowski, Martin Lutz, Anthony L. Spek, Harm P. Dijkstra and Gerard van Koten.
{4-Allyloxy-2,6-bis[(dimethylamino)methyl]-phenyl- κ^3C^1,N,N' }iodidopalladium(II).
Acta Cryst. Sect. E, **2007**, E63, m1096-m1098.
746. Gerard van Koten, Harmen P. Dijkstra and Robertus J.M. Klein Gebbink.
PINCER METAL COMPLEXES BOUND TO NANOSIZED SUPPORTS: HOMOGENEOUS CATALYSTS AND BIOSENSORS.
Polym. Prepr., **2007**, 48, 552-553.
747. Marcella Gagliardo, Jolke Perelaer, František Hartl, Gerard P.M. van Klink and Gerard van Koten.
Mono- and Heterodimetallic Fe(II)- and Ru(II)-Complexes Based on a Novel Heteroditopic 4',-{bis(phosphino)aryl}-2,2':6',2''-Terpyridine Ligand.
Eur. J. Inorg. Chem., **2007**, 2111-2120.
748. Marcella Gagliardo, Catelijne H. M. Amijs, Martin Lutz, Anthony L. Spek, Remco W. A. Havenith, František Hartl, Gerard P. M. van Klink and Gerard van Koten.
Diorganoruthenium Complexes Incorporating Noninnocent $[C_6H_2(CH_2ER_2)_{2-3,5}]_2^{2-}$ (E = N, P) Bis-Pincer Bridging Ligands: Synthesis, Spectroelectrochemistry, and DFT Studies.
Inorg. Chem., **2007**, 46, 11133-11144.
749. Bart M. J. M. Suijkerbuijk, Duncan M. Tooke, Anthony L. Spek, Gerard van Koten, and Robertus J. M. Klein Gebbink.
A Tin(IV) Porphyrin with Two Axial Organometallic NCN-Pincer Platinum Units.
Z. Anorg. Allg. Chem., **2007**, 633, 2649-2653.
750. Martin Lutz, Anthony L. Spek, Erwin P. L. van der Geer, Gerard van Koten and Robertus J. M. Klein Gebbink.
Indole-3-thiuronium nitrate.
Acta Cryst. Sect. E, **2008**, E64, o194.
751. Martin Lutz, Anthony L. Spek, Erwin P. L. van der Geer, Gerard van Koten and Robertus J. M. Klein Gebbink.
Indole-3-thiuronium iodide.
Acta Cryst. Sect. E, **2008**, E64, o195.
752. Pieter C. A. Bruijninx, Inge L. C. Buurmans, Silvia Gosiewska, Martin Lutz, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink.
Iron(II) Complexes with Bio-Inspired N,N,O Ligands as Oxidation Catalysts: Olefin Epoxidation and *cis*-Dihydroxylation.
Chem. Eur. J., **2008**, 14, 1228-1237.
753. Bart M. J. M. Suijkerbuijk, Sara D. Herreras Martínez, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Hetero-multimetallic Tetrakis(SCS-pincer palladium)-(Metallo)porphyrin Hybrids. Tunable Precatalysts in a Heck Reaction.
Organometallics, **2008**, 27, 534-542.
754. D.J.M Snelders, R. Kreiter, J. Firet en G. van Koten and R.J.M. Klein Gebbink.
Fast Suzuki–Miyaura Cross-Coupling Reaction with Hexacationic Triarylphosphine Bn-Dendriphos as Ligand.
Advanced Synthesis & Catalysis, **2008**, 350, 262-266.
755. Erwin P. L. van der Geer, Gerard van Koten, Robertus J. M. Klein Gebbink and Bart

- Hessen.
A [4Fe-4S] Cluster Dimer Bridged by Bis(2,2':6',2''-terpyridine-4'-thiolato)iron(II).
Inorg. Chem., **2008**, *47*, 2849-2857.
756. Guido D. Batema, Martin Lutz, Anthony L. Spek, Cornelis A. van Walree, Celso de Mello Donegá, Andries Meijerink, Remco W. A. Havenith, Javier Pérez-Moreno, Koen Clays, Michael Büchel, Addy van Dijken, David L. Bryce, Gerard P. M. van Klink, and Gerard van Koten.
Substituted 4,4'-Stilbenoid NCN-Pincer Pt(II) Complexes. Luminescence and tuning of the electronic and NLO properties, and the application in an OLED.
Organometallics, **2008**, *27*, 1690-1701.
757. Martin Lutz, Anthony L. Spek, Erwin P. L. van der Geer, Gerard van Koten and Robertus J. M. Klein Gebbink.
Multipole refinement of 2-(indol-3-yl)-1,1,3,3-tetramethylthiuronium nitrate.
Acta Cryst. Sect. C, **2008**, *C64*, o87-o90.
758. S. Bonnet, M. Lutz, A.L. Spek, G van Koten and R.J.M. Klein Gebbink.
 η^6 -Coordination of a ruthenium(II) organometallic fragment to the arene ring of N,C,N-pincer metal complexes.
Organometallics, **2008**, *27*, 159-162.
759. Henk Kleijn, Johann T.B.H. Jastrzebski, Berth-Jan Deelman, Gerard van Koten.
Efficient recycling of fluorous versions of highly enantioselective *S,N*-chelated zinc aminoarene thiolate catalysts for the 1,2-addition of diethylzinc to benzaldehydes.
J. Mol. Cat. A: Chem., **2008**, *287*, 65-69.
760. Pieter C. A. Bruijninx, Marta Viciano-Chumillas, Martin Lutz, Anthony L. Spek, Jan Reedijk, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Oxidative Double Dehalogenation of Tetrachlorocatechol by a Bio Inspired CuII Complex: Formation of Chloranilic Acid.
Chem. Eur. J., **2008**, *14*, 5567-5576.
761. Marcella Gagliardo, Nicklas Selander Nilesh C. Mehendale, Gerard van Koten, Robertus J. M. Klein Gebbink, and Kálmán J. Szabo.
Catalytic Performance of Symmetrical and Unsymmetrical Sulfur-Containing Pincer Complexes: Synthesis and Tandem Catalytic Activity of the First PCSPincer Palladium Complex.
Chem. Eur. J., **2008**, *14*, 4800-4809.
762. Silvia Gosiewska, Sara Herreras Martinez, Martin Lutz, Anthony L. Spek, Remco W.A. Havenith, Gerard P.M. van Klink, Gerard van Koten and Robertus J.M. Klein Gebbink.
Synthesis, Structure, and Catalytic Performance of Diastereopure Five-Coordinated NCN-Pincer Palladium(II) Complexes Bearing Bulky Amino Acid Substituents.
Organometallics, **2008**, *27*, 2549-2550.
763. Erwin P.L. van der Geer, Qian Li, Gerard van Koten, Robertus J.M. Klein Gebbink, Bart Hessen.
N-Substituted Indole-3-Thiolate [4Fe-4S] Clusters with a Unique and Tunable Combination of Spectral and Redox Properties.
Inorg. Chim. Acta, **2008**, *361*, 1811-1818.
764. Katrin Döring, Deeb Taher, Bernhard Walfort, Martin Lutz, Anthony L. Spek, Gerard P.M. van Klink, Gerard van Koten, Heinrich Lang.
Linear homobimetallic 4-thioacetyl-substituted NCN pincer palladium(II) and platinum(II) complexes with N-bidentate connecting units (NCN = [C₆H₂(CH₂NMe₂)₂-2,6-R-4]⁻).
Inorg. Chim. Acta, **2008**, *361*, 2731-2739.

765. Stefan Kocher, Martin Lutz, Anthony L. Spek, Bernhard Walfort, Tobias Ruffer, Gerard P.M. van Klink, Gerard van Koten and Heinrich Lang.
Oxime-substituted NCN-pincer palladium and platinum halide polymers through non-covalent hydrogen bonding (NCN = [C₆H₂(CH₂NMe₂)_{2-2,6}]).
J. Organomet. Chem., **2008**, *693*, 2244-2250.
766. Stefan Köcher, Bernhard Walfort, Allison M. Mills, Anthony L. Spek, Gerard P.M. van Klink, Gerard van Koten and Heinrich Lang.
Synthesis and reaction chemistry of 4-nitrile-substituted NCN-pincer palladium(II) and platinum(II) complexes (NCN = [N,,C-4-C₆H₂(CH₂NMe₂)_{2-2,6}]).
J. Organomet. Chem., **2008**, *693*, 1991-1996.
767. Nilesh C. Mehendale, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink, and Gerard van Koten.
Self-assembly of *para*-OH functionalized ECE-metalated pincer complexes.
J. Organomet. Chem., **2008**, *693*, 2971-2981.
768. Cornelis A. Kruithof, Harmen P. Dijkstra, Martin Lutz, Anthony L. Spek, Maarten R. Egmond, Robertus J. M. Klein Gebbink and Gerard van Koten.
Non-Tethered Organometallic Phosphonate Inhibitors for Lipase Inhibition: Positioning of the Metal Center in the Active Site of Cutinase.
Eur. J. Inorg. Chem., **2008**, 4425-4432.
769. Sipke H. Wadman, Erwin P.L. van der Geer, Remco W.A. Havenith , Robertus J.M. Klein Gebbink, Gerard P.M. van Klink and Gerard van Koten.
Comment on “Theoretical studies on the ground states in [M(terpyridine)₂]²⁺ and [M(4-(4-(*t*-butyl)phenyl)terpyridine)₂]²⁺ (M = Fe, Ru, Os) and excited states in [Ru(terpyridine)₂]²⁺ using density functional theory.
J. Organomet. Chem., **2008**, *693*, 3188-3190.
770. Preston A. Chase, Martin Lutz, Anthony L. Spek, Robert A. Gossage and Gerard van Koten.
Solid-state and solution structures of hetero-aggregates formed between nBuLi and NCN pincer aryl lithium.
Dalton Trans., **2008**, 5783-5790.
771. Cornelis A. Kruithof, Harmen P. Dijkstra, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink and Gerard van Koten.
X-Ray and NMR Study of the Structural Features of SCS-Pincer Metal Complexes of the Group 10 Triad.
Organometallics, **2008**, *27*, 4928-4937.
772. Pieter C. A. Bruijninx, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Mononuclear Non-Heme Iron Enzymes with the 2-His-1-Carboxylate Facial Triad: Recent Developments in Enzymology and Modeling Studies.
Chem. Soc. Rev., **2008**, *37*, 2716-2744.
773. Aidan R. McDonald, Christian Müller, Dieter Vogt, Gerard P.M. van Klink, Gerard van Koten.
BINAP-Ru and -Rh catalysts covalently immobilised on silica and their repeated application in asymmetric hydrogenation.
Green Chem., **2008**, *10*, 424-432.
774. Aidan R. McDonald, Martin Lutz, Lars S. von Chrzanowski, Gerard P. M. van Klink, Anthony L. Spek and Gerard van Koten.
Probing the mer- to fac-Isomerization of Tris-Cyclometallated Homo- and Heteroleptic (C,N)₃ Iridium(III) Compounds.
Inorg. Chem., **2008**, *47*, 6681-6691.
775. Elena Sperotto, Gerard P. M. van Klink, Johannes G. de Vries and Gerard van Koten.

- Ligand-Free Copper-Catalyzed C-S Coupling of Aryl Iodides and Thiols.
J. Org. Chem., **2008**, *73*, 5625-5628.
776. Erwin P. L. van der Geer, Coenraad R. van den Brom, Imad Arfaoui, Laurent Houssiau, Petra Rudolf, Gerard van Koten, Robertus J. M. Klein Gebbink and Bart Hessen.
A 3:1 Site-Differentiated [4Fe-4S] Cluster Immobilized on a Self-Assembled Monolayer.
J. Phys. Chem. C, **2008**, *112*, 17225-17230.
777. T. Dieng, A. Fraix, J.-Y. Salaun, I. Dez, R.J.M. Klein Gebbink, G. van Koten and P.-A. Jaffrès.
Synthesis of *O,O*-Diethyl Arylthiophosphonate from *O*-Aryl-*O,O*-diethyldithiophosphate.
Synlett, **2008**, *20*, 3121-3124.
778. Elena Sperotto, Gerard P.M. van Klink, Gerard van Koten.
Synthesis of Aminoarenethiolato-Copper(I) Complexes. *Organic Synthesis*, Vol. 85, pp. 209-218, **2008**.
779. N. J. M. Pijnenburg, T. J. Korstanje, G. van Koten and R. J. M. Klein Gebbink.
Chapter 15, Palladacycles on Dendrimers and Star - Shaped Molecules in 'Palladacycles'; J. Dupont, M. Pfeffer, Eds.; Wiley-VCH, pp. 361-398, **2008**.
780. Johann T.B.H. Jastrzebski, Jaap Boermsa and Gerard van Koten.
Structural Organomagnesium Chemistry, in, *The Chemistry of Functional Groups*, Book "The Chemistry of Organomagnesium Compounds", Z. Rappoport and I. Marek, Eds., Wiley, Chichester, pp. 1-99, **2008**.
781. Birgit Wieczorek, Harm P. Dijkstra, Maarten R. Egmond, Robertus J. M. Klein Gebbink and Gerard van Koten.
Incorporating ECE-Pincer Metal Complexes as Functional Building Blocks in Semisynthetic Metalloenzymes, Supramolecular Polypeptide Hybrids, Tamoxifen Derivatives, Biomarkers and Sensors.
J. Organomet. Chem., **2009**, *694*, 812-822.
782. Jie Li, Adriaan J. Minnaard, Robertus J. M. Klein Gebbink and Gerard van Koten.
P'CP'-Pincer palladium complex-catalyzed allylation of *N,N*-dimethylsulfamoyl-protected aldimines.
Tetrahedron Lett., **2009**, *50*, 2232-2235.
783. Sylvestre Bonnet, Jie Li, Maxime A. Siegler, Lars S. von Chrzanowski, Anthony L. Spek, Gerard van Koten and Robertus J.M. Klein Gebbink.
Synthesis and Resolution of Planar-Chiral Ruthenium-Palladium Complexes with ECE' Pincer Ligands.
Chem. Eur. J., **2009**, *15*, 3340-3343.
784. Sylvestre Bonnet, Joop H. van Lenthe, Maxime A. Siegler, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink.
Bimetallic η^6, η^1 NCN-Pincer Ruthenium Palladium Complexes with η^6 -RuCp Coordination: Synthesis, X-ray Structures, and Catalytic Properties.
Organometallics, **2009**, *28*, 2325-2333.
785. Lucy Rutten, Birgit Wieczorek, Jean-Paul B.A. Mannie, Cornelis A. Kruithof, Harm P. Dijkstra, Maarten R. Egmond, Martin Lutz, Robertus J.M. Klein Gebbink, Piet Gros and Gerard van Koten.
Solid State Structural Characterization of ECE-Pincer-Metal-Cutinase Hybrids.
Chem. Eur. J., **2009**, *15*, 4270-4280.
786. Patrick O'Leary, Cornelis A. van Walree, Nilesh C. Mehendale, Jan Summerel, Daniel E. Morse, William C. Kaska, Gerard van Koten and Robertus J.M. Klein

- Gebbink.
Enzymatic immobilization of organometallic species: biosilification of NCN- and PCP-pincer metal species using demosponge axial filaments.
Dalton Trans., **2009**, 4289-4291.
787. Cornelis A. Kruithof, Alessandro Berger, Harmen P. Dijkstra, Fouad Soulimani, Tom Visser, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink and Gerard van Koten.
Sulfato-bridged ECE-pincer palladium(II) complexes: structures in the solid-state and in solution, and catalytic properties.
Dalton Trans., **2009**, 3306-3314.
788. Sipke H. Wadman, Martin Lutz, Duncan M. Tooke, Anthony L. Spek Frantisek Hartl, Remco W. A. Havenith, Gerard P. M. van Klink and Gerard van Koten.
Consequences of N,C,N!- and C,N,N!-Coordination Modes on Electronic and Photophysical Properties of Cyclometalated Aryl Ruthenium(II) Complexes.
Inorg. Chem., **2009**, *48*, 1887-1900.
789. Aidan R. McDonald, Davide Mores, Celso de Mello Donegá, Cornelis A. van Walree, Robertus J. M. Klein Gebbink, Martin Lutz, Anthony L. Spek, A. Meijerink, Gerard P. M. van Klink and Gerard van Koten.
Supramolecular Dendriphores: Anionic Organometallic Phosphors Embedded in Polycationic Dendritic Species.
Organometallics, **2009**, *28*, 1082-1092.
790. Sipke H. Wadman, Remco W. A. Havenith, František Hartl, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink and Gerard van Koten.
Redox Chemistry and Electronic Properties of 2,3,5,6-Tetrakis(2-pyridyl)pyrazine-Bridged Diruthenium Complexes Controlled by N,C,N'-Bis Cyclometalated Ligands.
Inorg. Chem., **2009**, *48*, 5685-5696.
791. Aidan R. McDonald, Harm P. Dijkstra, Bart M. J. M. Suijkerbuijk, Gerard P. M. van Klink and Gerard van Koten.
"Click" Immobilization of Organometallic Pincer Catalysts for C-C Coupling Reactions.
Organometallics, **2009**, *28*, 4689-4699.
792. Dennis J. M. Snelders, Gerard van Koten and Robertus J. M. Klein Gebbink.
Hexacationic Dendriphos Ligands in the Pd-Catalyzed Suzuki-Miyaura Cross-Coupling Reaction: Scope and Mechanistic Studies.
J. Am. Chem. Soc., **2009**, *131*, 11407-11416.
793. Maaïke Wander, Peter J. C. Hausoul, Leo A. J. M. Sliedregt, Bart J. van Steen, Gerard van Koten and Robertus J. M. Klein Gebbink.
Synthesis of Polyaryl Rigid-Core Carbosilane Dendrimers for Supported Organic Synthesis.
Organometallics, **2009**, *28*, 4406-4415.
794. Cristina C. Cid, Giselle Jimenez-Cadena, Jordi Riu, Alicia Maroto, F. Xavier Rius, Guido D. Batema and Gerard van Koten.
Selective detection of SO₂ at room temperature based on organoplatinum functionalized single-walled carbon nanotube field effect transistors.
Sensors and Actuators B, **2009**, *141*, 97-103.
795. Jie Li, Maxime A. Siegler, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink and Gerard van Koten.
Chiral ortho-Palladated and -Platinated Arylphosphite Complexes.
Organometallics, **2009**, *28*, 5323-5332.
796. Morgane A. N. Virboul, Martin Lutz, Maxime A. Siegler, Anthony L. Spek, Gerard

- van Koten and Robertus J. M. Klein Gebbink.
One-Pot Synthesis and Immobilisation of Sulfonate-Tethered N-Heterocyclic Carbene Complexes on Polycationic Dendrimers.
Chem. Eur. J., **2009**, *15*, 9981-9986.
797. Pierangelo Fabbrizzi, Stefano Cicchi, Alberto Brandi, Elena Sperotto and Gerard van Koten.
An Efficient (2-Aminoarenethiolato)copper(I) Complex for the Copper-Catalysed Huisgen Reaction (CuAAC).
Eur. J. Org. Chem., **2009**, 5423-5430.
798. Sabrina Marie, Martin Lutz, Anthony L. Spek, Robertus J.M. Klein Gebbink, Gerard van Koten, Nelly Kervarec, François Michaud, Jean-Yves Salauin and Paul-Alain Jaffrès.
Application of a base-induced [1,2]-rearrangement to synthesize thiophosphonate bidentate S(sp²)-N monoanionic ligand: Characterization of its silver and palladium complexes.
J. Organomet. Chem., **2009**, *694*, 4001-4007.
799. G. van Koten and J.T.B.H. Jastrzebski.
Structural Organocopper Chemistry, in, *The Chemistry of Functional Groups*, Book "The Chemistry of Organocopper Compounds", Z. Rappoport and I. Marek, Eds., Wiley, Chichester, pp. 23-143, **2009**.
800. Sipke H. Wadman, Remco W. A. Havenith, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink and Gerard van Koten.
Selective para-Halogenation and Dimerization of N,C,N'-Arylruthenium(II) and -(III) 2,2':6',2''-Terpyridine Cations.
J. Am. Chem. Soc., **2010**, *132*, 1914-1924.
801. Aurore Fraix, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink, Gerard van Koten, Jean-Yves Salaün and Paul-Alain Jaffrès.
Construction of a monoanionic S,N,S-pincer ligand with a pyrrole core by sequential [1,2] phospho-Fries rearrangement. Characterization of palladium and silver coordination complexes.
Dalton Trans., **2010**, *39*, 2942-2946.
802. Jie Li, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink, Gerard van Koten and Robertus J. M. Klein Gebbink.
Chiral Amino Alcohol Derived Bis-phosphoramidite Pincer Palladium Complexes and Their Applications in Asymmetric Allylation of Aldimines.
Organometallics, **2010**, *29*, 1379-1387.
803. Sylvestre Bonnet, Martin Lutz, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink.
Bimetallic η⁶,η¹ SCS- and PCP-Pincer Ruthenium Palladium Complexes: Synthesis, Structure, and Catalytic Activity.
Organometallics, **2010**, *29*, 1157-1167.
804. Sipke H. Wadman, Jan M. Kroon, Klaas Bakker, Remco W. A. Havenith, Gerard P. M. van Klink and Gerard van Koten.
Cyclometalated Organoruthenium Complexes for Application in Dye-Sensitized Solar Cells.
Organometallics, **2010**, *29*, 1569-1579.
805. Bart M. J. M. Suijkerbuijk, Duncan M. Tooke, Martin Lutz, Anthony L. Spek, Leonardus W. Jenneskens, Gerard van Koten and Robertus J. M. Klein Gebbink.
Synthesis of and Evidence for Electronic Communication within Heteromultimetallic Tetrakis(NCN-Pincer Metal)-(Metallo)porphyrin Hybrids.

- J. Org. Chem.*, **2010**, *75*, 1534-1549.
806. Elena Sperotto, Gerard P. M. van Klink, Johannes G. de Vries and Gerard van Koten. C-N Coupling of Nitrogen Nucleophiles with Aryl and Heteroaryl Bromides using Aminoarenethiolato-Copper(I) (Pre-)Catalyst. *Tetrahedron*, **2010**, *66*, 3478-3484.
807. Sipke H. Wadman, Duncan M. Tooke, Anthony L. Spek, Gerard P.M. van Klink, Gerard van Koten. Cyclo-ruthenated and -platinated complexes bearing phosphonate substituents. *Inorg. Chim. Acta*, **2010**, *363*, 1701-1706.
808. Birgit Wieczorek, Bart Lemcke, Harm P. Dijkstra, Maarten R. Egmond, Robertus J. M. Klein Gebbink and Gerard van Koten. Site-Selective Ser-Hydrolase Labelling with a Luminescent Organometallic NCN-Platinum Complex. *Eur. J. Inorg. Chem.*, **2010**, 1929-1938.
809. Bart M. J. M. Suijkerbuijk, Daniël J. Schamhart, Huub Kooijman, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink. Mono(NCN-pincer palladium)-metalloporphyrin catalysts: evidence for supramolecular bimetallic catalysis. *Dalton Trans.*, **2010**, *39*, 6198-6216.
810. Dennis J. M. Snelders, Katharina Kunna, Christian Müller, Dieter Vogt, Gerard van Koten, Robertus J. M. Klein Gebbink. Rh(I) coordination chemistry of hexacationic Dendriphos ligands and their application in hydroformylation catalysis. *Tetrahedron Asymm.*, **2010**, *21*, 1411-1420.
811. Bart M. J. M. Suijkerbuijk, Daniël J. Schamhart, Huub Kooijman, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink. Mono(NCN-pincer palladium)-metalloporphyrin catalysts: evidence for supramolecular bimetallic catalysis. *Dalton Trans.*, **2010**, *39*, 6198-6216.
812. Birgit Wieczorek, Bart Lemcke, Harm P. Dijkstra, Maarten R. Egmond, Robertus J. M. Klein Gebbink and Gerard van Koten. Site-Selective Ser-Hydrolase Labelling with a Luminescent Organometallic NCN-Platinum Complex. *Eur. J. Inorg. Chem.*, **2010**, 1929-1938.
813. Sipke H. Wadman, Duncan M. Tooke, Anthony L. Spek, Gerard P.M. van Klink, Gerard van Koten. Cyclo-ruthenated and -platinated complexes bearing phosphonate substituents. *Inorg. Chim. Acta*, **2010**, *363*, 1701-1706.
814. Elena Sperotto, Gerard P. M. van Klink, Johannes G. de Vries and Gerard van Koten. C-N Coupling of Nitrogen Nucleophiles with Aryl and Heteroaryl Bromides using Aminoarenethiolato-Copper(I) (Pre-)Catalyst. *Tetrahedron*, **2010**, *66*, 3478-3484.
815. Bart M. J. M. Suijkerbuijk, Duncan M. Tooke, Martin Lutz, Anthony L. Spek, Leonardus W. Jenneskens, Gerard van Koten and Robertus J. M. Klein Gebbink. Synthesis of and Evidence for Electronic Communication within Heteromultimetallic Tetrakis(NCN-Pincer Metal)-(Metallo)porphyrin Hybrids. *J. Org. Chem.*, **2010**, *75*, 1534-1549.
816. Sipke H. Wadman, Jan M. Kroon, Klaas Bakker, Remco W. A. Havenith, Gerard P. M. van Klink and Gerard van Koten. Cyclometalated Organoruthenium Complexes for Application in Dye-Sensitized Solar

- Cells.
Organometallics, **2010**, *29*, 1569-1579.
817. Sylvestre Bonnet, Martin Lutz, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink.
 Bimetallic η^6, η^1 SCS- and PCP-Pincer Ruthenium Palladium Complexes: Synthesis, Structure, and Catalytic Activity.
Organometallics, **2010**, *29*, 1157-1167.
818. Jie Li, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink, Gerard van Koten and Robertus J. M. Klein Gebbink.
 Chiral Amino Alcohol Derived Bis-phosphoramidite Pincer Palladium Complexes and Their Applications in Asymmetric Allylation of Aldimines.
Organometallics, **2010**, *29*, 1379-1387.
819. Aurore Fraix, Martin Lutz, Anthony L. Spek, Robertus J. M. Klein Gebbink, Gerard van Koten, Jean-Yves Salaün and Paul-Alain Jaffrès.
 Construction of a monoanionic S,N,S-pincer ligand with a pyrrole core by sequential [1,2] phospho-Fries rearrangement. Characterization of palladium and silver coordination complexes.
Dalton Trans., **2010**, *39*, 2942-2946.
820. Sipke H. Wadman, Remco W. A. Havenith, Martin Lutz, Anthony L. Spek, Gerard P. M. van Klink and Gerard van Koten.
 Selective para-Halogenation and Dimerization of N,C,N'-Arylruthenium(II) and -(III) 2,2':6',2''-Terpyridine Cations.
J. Am. Chem. Soc., **2010**, *132*, 1914-1924.
821. Alexey V. Chuchuryukin, Rubin Huang, Martin Lutz, John C. Chadwick, Anthony L. Spek and Gerard van Koten.
 NCN-Pincer Metal Complexes (Ti, Cr, V, Zr, Hf, and Nb) of the Phebox Ligand (S,S)-2,6-Bis(40-isopropyl-20-oxazolanyl)phenyl.
Organometallics, **2011**, *30*, 2819-2830.
822. Gerard van Koten and R. J.M. (Bert) Klein Gebbink.
 The monoanionic pincer–metal platform: a scaffold for meeting challenges in catalysis and materials research.
Dalton Trans., **2011**, *40*, 8731-8732.
823. Niels J. M. Pijnenburg, Harm P. Dijkstra, Gerard van Koten and Robertus J. M. Klein Gebbink.
 SCS-pincer palladium-catalyzed auto-tandem catalysis using dendritic catalysts in semi-permeable compartments.
Dalton Trans., **2011**, *40*, 8896-8905.
824. Alexey V. Chuchuryukin, Rubin Huang, Ernst E. van Faassen, Gerard P. M. van Klink, Martin Lutz, John C. Chadwick, Anthony L. Spek and Gerard van Koten.
 Mono N,C,N-pincer complexes of titanium, vanadium and niobium. Synthesis, structure and catalytic activity in olefin polymerisation.
Dalton Trans., **2011**, *40*, 8887-8895.
825. Birgit Wieczorek, Annika Träff, Patrik Krumlinde, Harm P. Dijkstra, Maarten R. Egmond, Gerard van Koten, Jan-Erling Bäckvall, Robertus J. M. Klein Gebbink.
 Covalent anchoring of a racemization catalyst to CALB-beads: towards dual immobilization of DKR catalysts.
Tetrahedron Lett., **2011**, *52*, 1601-1604.
826. Sylvestre Bonnet, Joop H. van Lenthe, Hubertus J. J. van Dam, Gerard van Koten and Robertus J. M. Klein Gebbink.

- SO₂-binding properties of cationic η^6,η^1 -NCN-pincer arene ruthenium platinum complexes: spectroscopic and theoretical studies.
Dalton Trans., **2011**, 40, 2542-2548.
827. Dennis J. M. Snelders, Maxime A. Siegler, Lars S. von Chrzanowski, Anthony L. Spek, Gerard van Koten and Robertus J. M. Klein Gebbink.
Coulombic inter-ligand repulsion effects on the Pt(II) coordination chemistry of oligocationic, ammonium-functionalized triarylphosphines.
Dalton Trans., **2011**, 40, 2588-2600.
828. Dennis J.M. Snelders, Angela Casini, Fabio Edafe, Gerard van Koten, Robertus J.M. Klein Gebbink and Paul J. Dyson.
Ruthenium(II) arene complexes with oligocationic triarylphosphine ligands: Synthesis, DNA interactions and in vitro properties.
J. Organomet. Chem., **2011**, 696, 1108-1116.
829. Dennis J. M. Snelders, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Steric, Electronic, and Secondary Effects on the Coordination Chemistry of Ionic Phosphine Ligands and the Catalytic Behavior of Their Metal Complexes.
Chem. Eur. J., **2011**, 17, 42-57.
830. Gerard van Koten.
Organocopper Compounds: From Elusive to Isolable Species, from Early Supramolecular Chemistry with RCuI Building Blocks to Mononuclear R₂-nCuII and R₃-mCuIII Compounds. A Personal View.
Organometallics, **2012**, 31, 7634-7646.
831. Dennis J. M. Snelders, Morgane A. N. Virboul, Robert Kreiter, Cees Versluis, Gerard van Koten and Robertus J. M. Klein Gebbink.
Synthesis of multimetallic dendrimers through non-covalent interactions.
Dalton Trans., **2012**, 41, 2354-2359.
832. Birgit Wieczorek, Dennis J. M. Snelders, Harm P. Dijkstra, Kees Versluis, Martin Lutz, Anthony L. Spek, Maarten R. Egmond, Robertus J. M. Klein Gebbink and Gerard van Koten.
Coordination Chemistry in Water of a Free and a Lipase-Embedded Cationic NCN-Pincer Platinum Center with Neutral and Ionic Triarylphosphines.
Organometallics, **2012**, 31, 2810-2820.
833. Niels J. M. Pijnenburg, Yves H. M. Cabon, Gerard van Koten, and Robertus J. M. Klein Gebbink.
Mechanistic Studies on the SCS-Pincer Palladium(II)-Catalyzed Tandem Stannylation/Electrophilic Allylic Substitution of Allyl Chlorides with Hexamethylditin and Benzaldehydes.
Chem. Eur. J., **2013**, 19, 4858-4868.
834. Gerard van Koten. The Monoanionic ECE-Pincer Ligand: A Versatile Privileged Ligand Platform-General Considerations, In: G. van Koten, D. Milstein (eds), Organometallic pincer chemistry. Topics in organometallic chemistry, Springer-Verlag Berlin Heidelberg, pp. 1-20, 2013.